

## DYNAMAX COCKPIT SPRAY

### Safety data sheet

(Regulation 1907/2006/EC, amended by 2015/830/EU)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING

##### 1.1. Product identifier

Material Name:	DYNAMAX COCKPIT SPRAY		
CAS:		EINECS:	
		ELINCS:	

##### 1.2. Identified uses

Uses:	Spray to clean and protect the dashboard and other plastic parts in the car
-------	-----------------------------------------------------------------------------

##### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:	EURO-VAT spol. s r.o.		
IČO:	18049397		
Address:	Alešince 231		
	951 22		
	Alešince		
	Slovakia		
Phone/fax number:	+421 37 7822 326-7		
E-mail:	<a href="mailto:eurovat@eurovat.sk">eurovat@eurovat.sk</a> www.eurovat.sk		
Emergency phone number:	National Poisons Information Service: City Hospital, Birmingham B187QH, United Kingdom Phone: +44 121 507 4123 E-mai: <a href="mailto:allistervale@npis.org">allistervale@npis.org</a> , <a href="mailto:sallybradberry@npis.org">sallybradberry@npis.org</a> Website: <a href="http://www.npis.org">www.npis.org</a>		

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flam. Aerosol 1 H222-H229  
Aquatic Chronic 2 H411  
Skin Irrit. 2 H315  
STOT SE 3 H336

##### 2.2 Label elements

##### Hazard pictograms (CLP/GHS) :



Signal word: danger

##### H-phrases:

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated  
H315 Causes skin irritation  
H336 May cause drowsiness or dizziness  
H411 Toxic to aquatic life with long lasting effects  
EUH066 Repeated exposure may cause skin dryness or cracking.

## DYNAMAX COCKPIT SPRAY

### 2.3 Other hazards

#### P-phrases:

- P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P260 Do not breathe spray.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P211 Do not spray on an open flame or other ignition source.  
P405 Store locked up.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with local regulations

Contains:

- more than 30% naphtha (petroleum), hydrotreated light
- pentane, propan-2-ol
- fragrance

#### Precautionary statements

**Prevention :** Do not breathe vapour. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

**Response :** Get medical attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.

**Storage :** Store in a cool place. Protect from direct sunlight. Observe official regulations on storing packagings with pressurized containers.

**Disposal :** Not applicable.

**Supplemental label elements:** Not applicable.

#### Special packaging requirements

**Containers to be fitted with child-resistant fastenings:** Not applicable.

**Tactile warning of danger:** Not applicable.

**Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII:**

Not available.

**Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII:**

Not available.

**Other hazards which do not result in classification:** Not available.

## SECTION 3. COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classification	
propane	74-98-6	200-827-9	GHS02	20 - 25	01-2119486944-21-xxxx	Flam. Gas 1 Press Gas	H220 H280
naphtha (petroleum), hydrotreated light	64742-49-0	921-024-6	GHS02,08,09,07	12,5 - 20	01-2119475514-35-xxxx	Flam. Liq. 2 Asp.Tox.1 Aquatic Chron.2 Skin Irrit.2 STOT SE 3	H225 H304 H411 H315 H336
isopentane	109-66-0	203-692-4	GHS02,08,09,07	12,5 - 20	01-2119459286-30-xxxx	Flam. Liq.2 Asp.tox.1 Aquatic Chron.2 STOT SE 3	H225 H304 H411 H336
butane	106-97-8	203-448-7	GHS02	12,5 - 20	01-2119474691-	Flam. Gas 1	H220

## DYNAMAX COCKPIT SPRAY

					32-xxxx	Press Gas	H280
isobutane	75-28-5	200-857-2	GHS02	12,5 - 20	01-2119485395-27-xxxx	Flam. Gas 1 Press Gas	H220 H280
propan-2-ol	67-63-0	200-661-7	GHS02,07	12,5 - 20	01-2119457558-25-xxxx	Flam. Liq. 2 Eye Irrit.2 STOT SE 3	H225 H319 H336
naphtha (petroleum), hydrotreated heavy	64742-48-9	918-481-9	GHS08	5 - 10	01-2119457273-39-xxxx	Asp. tox. 1	H304

### SECTION 4. FIRST AID MEASURES

<b>4.1 Description of first aid measures</b>	<p><b>Eye contact:</b> Rinse immediately with plenty of water. Seek medical attention if irritation develops.</p> <p><b>Inhalation:</b> Assure fresh air breathing. If you feel unwell, seek medical advice.</p> <p><b>Skin contact:</b> Wash the skin with water and soap and apply skin-protective cream.</p> <p><b>Ingestion:</b> Do not induce vomiting. If the injured is conscious give 2 glasses of water. Ensure medical assistance immediately</p>
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	<p><b>Potential acute health effects</b></p> <p><b>Eye contact:</b> Rinse gentle stream of water for at least 15 minutes. If symptoms persist, consult a doctor.</p> <p><b>Inhalation :</b> Inhalation occurs facial flushing and feeling drunk.</p> <p><b>Skin contact :</b> Wash off with warm water and soap and apply a suitable cream.</p> <p><b>Ingestion :</b> After ingestion rinse mouth with water. Give water to drink. Do not induce vomiting. Seek medical advice.</p>
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	<p><b>Notes to physician:</b> No specific notes.</p> <p><b>Specific treatments:</b> No specific treatment.</p>

### SECTION 5. FIRE FIGHTING MEASURES

<b>5.1 Suitable extinguishing media</b>	Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
<b>5.2. Unsuitable extinguishing media</b>	Direct water stream
<b>5.3. Specific hazards</b>	There is no relevant information
<b>5.4. Protective equipment for firefighters</b>	No special measures
<b>Additional advice</b>	-

### SECTION 6. ACCIDENTAL RELEASE MEASURES

<b>6.1. Personal precautions</b>	Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.
<b>6.2. Environmental precautions</b>	Do not allow to surface and groundwater. With its breakthrough contact person.
<b>6.3. Clean up methods</b>	Spills drain device for I.degree fire hazard to vessels, remnants suck suitable absorbent agent. Material according to the degree of pollution in an appropriate incinerator to burn.

### SECTION 7. HANDLING AND STORAGE

<b>7.1. Handling</b>	When using do not eat or drink or smoke. Observe safety and sanitary measures.
<b>7.2 . Storage</b>	Store in a cool place. Protect from direct sunlight. Observe official regulations on storing packagings with pressurized containers.

### SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

## DYNAMAX COCKPIT SPRAY

<b>8.1. Control parameters</b>	Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.
<b>8.2 Exposure controls</b>	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
<b>8.2.1 Occupational exposure controls</b>	a) Respiratory protection: not required b) Eye protection: not required c) Protection of hands: protective gloves (EN 374) d) protection: not required
<b>8.2.2. Environmental exposure controls</b>	To prevent leakage of concentrated mixture into surface water drains or soil. Mixture stored in tightly sealed and labeled containers.
<b>8.3. TWA</b>	<u>isopentane:</u> average = 3000 mg/m <sup>3</sup> , 1000 ppm <u>propan-2-ol:</u> short-term = 1000 mg/m <sup>3</sup> , 400 ppm average = 500 mg/m <sup>3</sup> , 200 ppm

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	aerosol
<b>Colour</b>	colorless
<b>Odour</b>	charakteristic
<b>pH</b>	not available
<b>Flash point (ASTM-D92) [°C]</b>	< 0
<b>Boiling point [°C]</b>	not available
<b>Freezing point [°C]</b>	not available
<b>Flammability</b>	not available
<b>Temperature of spontaneous combustion [°C]</b>	>200
<b>Lower limit of explosion [vol.%]</b>	0,6
<b>Upper limit of explosion [vol.%]</b>	10,9
<b>Oxidising properties</b>	not available
<b>Vapour pressure at 20°C [hPa]</b>	3 500
<b>Relative density at 20°C [g.cm<sup>-3</sup>]</b>	0,620 +/- 0,010
<b>Water solubility [g.l<sup>-1</sup>]</b>	insoluble
<b>Solubility in solvents [g.l<sup>-1</sup>]</b>	-
<b>9.2 Other information</b>	
<b>VOC-content [%]</b>	92

## SECTION 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	There is no relevant information
<b>10.2 Chemical stability</b>	There is no relevant information
<b>10.3 Possibility of hazardous reactions</b>	There is no relevant information
<b>10.4 Conditions to avoid</b>	There is no relevant information
<b>10.5 Incompatible materials</b>	There is no relevant information
<b>10.6 Hazardous decomposition products</b>	There is no relevant information

## SECTION 11. TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	<u>Acute toxicity</u>
--------------------------------------------------	-----------------------

**DYNAMAX COCKPIT SPRAY****Acute oral toxicity:**naphtha (petroleum), hydrotreated heavy:

LD50 (rat) &gt; 15 000 mg/kg

propan-2-ol:

LD50 (rat) = 5 045 mg/kg

distillates (petroleum), hydrotreated light:

LD50 (rat) &gt; 2 000 mg/kg

**Acute dermal toxicity:**naphtha (petroleum), hydrotreated heavy:

LD50 (rabbit) &gt; 3 000 mg/kg

propan-2-ol:

LD50 (rabbit) = 12 800 mg/kg

distillates (petroleum), hydrotreated light:

LD50 (rabbit) &gt; 2 000 mg/kg

**Acute inhalation toxicity:**naphtha (petroleum), hydrotreated heavy:LC50 (rat) 4 hours > 4951 mg/m<sup>3</sup>propan-2-ol:LC50 (rat) 4 hours = 30 mg/m<sup>3</sup>butane:LC50 (rat) 4 hours = 658 000 mg/m<sup>3</sup>**Irritation/Corrosion****Conclusion/Summary :** Irritant to skin and mucous membrane**Sensitisation****Conclusion/Summary :** Not available.**Mutagenicity****Conclusion/Summary :** Not available.**Carcinogenicity****Conclusion/Summary :** Not available.**Reproductive toxicity****Conclusion/Summary :** Not available.**Teratogenicity****Conclusion/Summary :** Not available.**Aspiration hazard**

Not available.

**Information on the likely routes of exposure:** Not available.**Symptoms related to the physical, chemical and toxicological characteristics****Eye contact :** No specific data.**Inhalation :** No specific data.**Skin contact:** No specific data**Ingestion:** No specific data.**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure****Potential immediate effects:** Not available.

## DYNAMAX COCKPIT SPRAY

	<p><b>Potential delayed effects :</b> Not available.</p> <p><b><u>Long term exposure</u></b>  <b>Potential immediate effects:</b> Not available.  <b>Potential delayed effects:</b> Not available.</p> <p><b><u>Potential chronic health effects</u></b>  <b>Conclusion/Summary :</b> Not available.</p> <p><b>General :</b> No known significant effects or critical hazards.  <b>Carcinogenicity :</b> No known significant effects or critical hazards.  <b>Mutagenicity :</b> No known significant effects or critical hazards.  <b>Teratogenicity :</b> No known significant effects or critical hazards.  <b>Developmental effects :</b> No known significant effects or critical hazards.  <b>Fertility effects :</b> No known significant effects or critical hazards.</p> <p><b>Other information :</b> Not available.</p>
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### SECTION 12. ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	<p><u>naphtha (petroleum), hydrotreated light:</u>  EC50 (daphnia magna) 48 hours = 3 mg/l  EC50 (algae) 72 hours = 30 – 100 mg/l  LC50 (fish) 96 hours = 93 – 117 mg/l  <u>isopentane:</u>  EC50 (daphnia magna) 48 hours = 9,7 mg/l  LC50 (fish) 96 hours = 1 – 10 mg/l  <u>naphtha (petroleum), hydrotreated heavy:</u>  LC50 (crustacean amphipod) 96 hours &gt; 100 mg/l  LC50 (fish) 96 hours &gt; 100 mg/l  <u>propan-2-ol:</u>  EC50 (daphnia magna) 48 hours = 13 299 mg/l  LC50 (fish) 96 hours = 4 200 mg/l</p>
<b>12.2 Persistence and degradability</b>	Not available.
<b>12.3 Bioaccumulative potential</b>	Not available.
<b>12.4 Mobility</b>	Not available.
<b>12.5 Results of PBT and vPvB assessment</b>	<p><b>PBT :</b> Not available.  <b>vPvB :</b> Not available.</p>
<b>12. 6 Other adverse effects</b>	<p>Water hazard class 2 (Self-assessment): hazardous for water.  Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. In the waters also poisonous for fish and plankton. Toxic to aquatic organisms.</p>

### SECTION 13. DISPOSAL CONSIDERATIONS

<b>13.1 Product</b>	<p><b>Methods of disposal:</b> The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of</p>
---------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**DYNAMAX COCKPIT SPRAY**

surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

**Hazardous waste :** The classification of the product meets the criteria for a hazardous waste.

Type of waste	Name of waste	Category of waste
20 01 13	solvents	N

**13.2 Packaging**

**Methods of disposal:** The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions:** This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 04	Packaging of metal	N

**SECTION 14. TRANSPORT INFORMATION**

ADR	UN 1950
Class	2 5F Gases
Hazard identification number	2.1
Packing group	AEROSOLS

**SECTION 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**EU Regulation (EC) No. 1907/2006 (REACH) + EU Regulation No. 453/2010, which he amended**

**Annex XIV - List of substances subject to authorisation****Substances of very high concern**

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:** Not applicable.

**EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council****Other EU regulations**

**Europe inventory :** All components are listed or exempted.

**Black List Chemicals :** Not listed

**Priority List Chemicals :** Not listed

**Integrated pollution prevention and control list (IPPC) - Air:** Not listed

**Integrated pollution prevention and control list (IPPC) - Water:** Not listed

**International regulations**

**Chemical Weapons Convention List Schedule I Chemicals:** Not listed

**Chemical Weapons Convention List Schedule II Chemicals:** Not listed

**Chemical Weapons Convention List Schedule III Chemicals:** Not listed

**15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

## DYNAMAX COCKPIT SPRAY

### SECTION 16. OTHER INFORMATION

#### Reason for Revision:

10.11.2017 - Classification of the mixture of the European Parliament and Council Regulation (EC) No. 2015/830

#### 16.1 Text of H-phrases (point 3):

H220 Extremely flammable gas  
H225 Highly flammable liquid and vapour  
H280 Contains gas under pressure; may explode if heated  
H304 May be fatal if swallowed and enters airways  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H336 May cause drowsiness or dizziness  
H411 Toxic to aquatic life with long lasting effects

Product packaging must meet the following requirements:

-

#### 16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.