

Update date: 24.02.2017

Page: 1/7 Revision edition no: 2

DYNAMAX TYRE REPAIR spray

Safety data sheet

(Regulation 1907/2006/EC, amended by 2015/830/EU)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Material Name:	DYNAMA	DYNAMAX TYRE REPAIR spray		
CAS:		EINECS:		
		ELINCS:		

1.2. Identified uses

Us	es:	The product is used to repair a tyre

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:	EURO-VAT spol. s r.o.	
IČO:	18049397	
Address:	Alekšince 231	
	951 22	
	Alekšince	
	Slovakia	
Phone/fax number:	+421 37 7822 326-7	
E-mail:	<u>eurovat@eurovat.sk</u> www.eurovat.sk	
Emergency phone number:	National Poisons Information Service: City Hospital, Birmingham B187QH, United Kingdom Phone: +44 121 507 4123 E-mai: allistervale(at)npis.org, sallybradberry(at)npis.org Website: www.npis.org	

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture	Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Flam. Aerosol 1 H222-H229
2.2 Label elements	Hazard pictograms (CLP/GHS) :



Signal word: danger

H-phrases:

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if

heated

P-phrases:

P102 Keep out of reach of children

P260 Do not breathe spray

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P251 Pressurized container: Do not pierce or burn, even after use

P211 Do not spray on an open flame or other ignition source

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}\mathrm{C}$

/122 °F



Page: 2/7 Revision edition no: 2 Update date: 24.02.2017

DYNAMAX TYRE REPAIR spray

P501 Dispose of contents/container in accordance with local regulations

Contains:

Precautionary statements

Prevention: Do not breathe vapour. Do not eat, drink or smoke when

using this product. Wash hands thoroughly after

handling.

Get medical attention if you feel unwell. IF SWALLOWED: **Response:**

Call a POISON CENTER or physician if you feel unwell.

Store in a cool place. Protect from direct sunlight. **Storage:**

Observe official regulations on storing packagings

with pressurized containers.

Disposal: Not applicable. Supplemental label elements: Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings: Not applicable.

Tactile warning of danger: Not applicable.

Substance meets the criteria for PBT according to Regulation (EC) No.

1907/2006, Annex XIII:

2.3 Other hazards Not available.

Substance meets the criteria for vPvB according to Regulation (EC) No.

1907/2006, Annex XIII:

Not available.

Other hazards which do not result in classification: Not available.

SECTION 3. COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classification	
propane	74-98-6	200-827-9	GHS02	20 - 25	01- 2119486944- 21-xxxx	Flam. Gas 1 Press Gas	H220 H280
butane	106-97-8	203-448-7	GHS02	12,5 - 20	01- 2119474691- 32-xxxx	Flam. Gas 1 Press Gas	H220 H280
isobutane	75-28-5	200-857-2	GHS02	12,5 - 20	01- 2119485395- 27-xxxx	Flam. Gas 1 Press Gas	H220 H280

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid	Eye contact: Rinse immediately with plenty of water. Seek medical attention if		
measures	irritation develops.		
	Inhalation: Assure fresh air breathing. If you feel unwell, seek medical advice.		
	Skin contact: Wash the skin with water and soap and apply skin-protective cream.		
	Ingestion: Do not induce vomiting. If the injured is conscious give 2 glasses of		
	water. Ensure medical assistance immediately		
4.2 Most important	Potential acute health effects		
symptoms and effects,	Eye contact: Rinse gentle stream of water for at least 15 minutes. If symptoms		
both acute and delayed	persist, consult a doctor.		
	Inhalation: Inhalation occurs facial flushing and feeling drunk.		
	Skin contact : Wash off with warm water and soap and apply a suitable cream.		
	Ingestion: After ingestion rinse mouth with water. Give water to drink. Do		
	not induce vomiting. Seek medical advice.		
4.3 Indication of any	Notes to physician: No specific notes.		
immediate medical	Specific treatments: No specific treatment.		



Update date: 24.02.2017

DYNAMAX TYRE REPAIR spray

Page: 3/7

Revision edition no: 2

attention and special	
treatment needed	

SECTION 5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media	Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
5.2. Unsuitable extinguishing media	Direct water stream
5.3. Specific hazards	There is no relevant information
5.4. Protective equipment for firefighters	No special measures
Additional advice	-

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions	Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.
6.2. Environmental precautions	Do not allow to surface and groundwater. With its breakthrough contact person.
6.3. Clean up methods	Spills drain device for I.degree fire hazard to vessels, remnants suck suitable absorbent agent. Material according to the degree of pollution in an appropriate incinerator to burn.

SECTION 7. HANDLING AND STORAGE

7.1. Handling	When using do not eat or drink or smoke. Observe safety and sanitary measures.
7.2 . Storage	Store in a cool place. Protect from direct sunlight. Observe official regulations on
	storing packagings with pressurized containers.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1. Control parameters	Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.
8.2 Exposure controls	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
8.2.1 Occupational exposure controls	a) Respiratory protection: not required b) Eye protection: not required c) Protection of hands: protective gloves (EN 374) d) protection: not required
8.2.2. Environmental exposure controls	To prevent leakage of concentrated mixture into surface water drains or soil. Mixture stored in tightly sealed and labeled containers.
8.3. TWA	The product does not contain any relevant quantities of materials with critical values that have to be monitored.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Fysical state	aerosol
Colour	colorless
Odour	charakteristic
рН	not available
Flash point (ASTM-D92) [°C]	< 0
Boiling point [°C]	not available
Freezing point [°C]	not available
Flammability	not available



Previous version preparation date: 21.11.2013 Update date: 24.02.2017

Page: 4/7 Revision edition no: 2

DYNAMAX TYRE REPAIR spray

Temperature of spontaneous combustion [°C]	365
Lower limit of explosion [vol.%]	1,5
Upper limit of explosion [vol.%]	10,9
Oxidising properties	not available
Vapour pressure at 20°C [hPa]	3 500
Relative density at 20°C [g.cm ⁻³]	0,711 +/- 0,010
Water solubility [g.l ⁻¹]	insoluble
Solubility in solvents [g.l ⁻¹]	-
9.2 Other information	
VOC-content [%]	50
Water-content [%]	36,2
Solids-content [%]	13,6

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	There is no relevant information	
10.2 Chemical stability	There is no relevant information	
10.3 Possibility of hazardous reactions	There is no relevant information	
10.4 Conditions to avoid	There is no relevant information	
10.5 Incompatible materials	There is no relevant information	
10.6 Hazardous decomposition products	There is no relevant information	

SECTION 11. TOXICOLOGICAL INFORMATION



Update date: 24.02.2017 Revision edition no: 2

DYNAMAX TYRE REPAIR spray

Page: 5/7

Information on the likely routes of exposure: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.

Inhalation: No specific data.

Skin contact: No specific data

Ingestion: No specific data.

<u>Delayed and immediate effects and also chronic effects from short and long term</u> exposure

Short term exposure

Potential immediate effects: Not available. **Potential delayed effects:** Not available.

Long term exposure

Potential immediate effects: Not available. Potential delayed effects: Not available.

Potential chronic health effects

Conclusion/Summary: Not available.

General:

Carcinogenicity:

Mutagenicity:

No known significant effects or critical hazards.

Fertility effects:

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Other information:

Not available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity	Not available.	
12.2 Persistence and degradability	Not available.	
12.3 Bioaccumulative potential	Not available.	
12.4 Mobility	Not available.	
12.5 Results of PBT and vPvB assessment	PBT: Not available. vPvB: Not available.	
12. 6 Other adverse effects	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow product to reach ground water, water course or sewage system in	

SECTION 13. DISPOSAL CONSIDERATIONS

undiluted or large quantities.

13.1 Product

Methods of disposal: The generation of waste should be avoided or minimised wherever possible.

Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.



Page: 6/7 Update date: 24.02.2017 Revision edition no: 2

DYNAMAX TYRE REPAIR spray

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal

legislation and any regional local authority requirements.

Hazardous waste: The classification of the product meets the criteria for a hazardous waste.

Type of waste	Name of waste	Category of waste
20 01 13	solvents	N

13.2 Packaging

Methods of disposal: The generation of waste should be avoided or minimised wherever possible.

Waste packaging should be recycled. Incineration or landfill should only be

Considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Care should

be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.

Type of waste	Name of waste	Category of waste
15 01 04	Packaging of metal	N

SECTION 14. TRANSPORT INFORMATION

ADR	UN 1950
Class	2 5F Gases
Hazard identification	2.1
number	
Packing group	AEROSOLS

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) + EU Regulation No. 453/2010, which he amended

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council

Other EU regulations

Europe inventory: All components are listed or exempted.

Not listed **Black List Chemicals: Priority List Chemicals:** Not listed

Integrated pollution prevention and control list (IPPC) - Air: Not listed Integrated pollution prevention and control list (IPPC) - Water: Not listed

International regulations

Chemical Weapons Convention List Schedule I Chemicals: Not listed Chemical Weapons Convention List Schedule II Chemicals: Not listed Chemical Weapons Convention List Schedule III Chemicals: Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.



Update date: 24.02.2017

Page: 7/7 Revision edition no: 2

DYNAMAX TYRE REPAIR spray

SECTION 16. OTHER INFORMATION

Reason for Revision:

24.02.2017 - Classification of the mixture of the European Parliament and Council Regulation (EC) No. 2015/830

16.1 Text of H-phrases (point 3):

- H220 Extremely flammable gas
- H225 Highly flammable liquid and vapour
- H280 Contains gas under pressure; may explode if heated
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness

Product packaging must meet the following requirements:

-

16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.