

according to Commission Regulation (EU) 2020/878 as amended

## Extraspec Classic SL/CF 10W/40

Creati	on date	10th March 2023					
Revisi	Revision date		Version	1.0			
SECT	ON 1: Identific	ation of the substance/mixtur	e and of the company/ur	dertaking			
1.1.	Product ident		Extraspec Classic				
	Substance / mi	xture	mixture				
1.2.	Relevant iden	tified uses of the substance or	mixture and uses advise	ed against			
	Mixture's inte	nded use					
	Engine Oils.						
		lication advice see appropriate Te znaczony jest do całorocznego sto czych.			,		
	Mixture uses	advised against					
	Not defined.						
1.3.	Details of the supplier of the safety data sheet						
	Manufacturer						
	Name or	trade name	SPECOL Sp. z o.c				
	Address		ul. Kluczborska 3	1, Chorzów, 41-508			
			Poland				
	VAT Reg	No	PL6272453121				
	Phone		32 245 91 33				
	E-mail		info@specol.com	pl			
	Web addr	ress	www.specol.com	pl			
	Competent pe	erson responsible for the safet	y data sheet				
	Name		SPECOL Sp. z o.c				
	E-mail		info@specol.com	pl			
1.4.	Emergency te	lephone number					
	European emer	gency number: 112					

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**Classification of the mixture in accordance with Regulation (EC) No 1272/2008** The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

#### 2.2. Label elements

none

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	>60	not classified as dangerous	
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,08-0,78	Asp. Tox. 1, H304	



according to Commission Regulation (EU) 2020/878 as amended

### Extraspec Classic SL/CF 10W/40

Creation date Revision date	10th March 2023 V	10th March 2023 Version		
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 471-34-1 calcium carbonate EC: 207-439-9		0,15-0,25	not classified as dangerous	

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

#### 4.2. Most important symptoms and effects, both acute and delayed

- If inhaled Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Not expected.
- **4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Accommodate extinguishing components to the location of fire. Unsuitable extinguishing media not available

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

#### **SECTION 6:** Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
- Follow the instructions in the Sections 7 and 8.

#### **6.2. Environmental precautions** Prevent contamination of the soil and entering surface or ground water.

- 6.3. Methods and material for containment and cleaning up
- After removal of the product, wash the contaminated site with plenty of water.

# **6.4.** Reference to other sections See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

### Extraspec Classic SL/CF 10W/40

Creation date

10th March 2023

Version

1.0

Revision date

**SECTION 7: Handling and storage** 

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### Conditions for safe storage, including any incompatibilities 7.2.

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s) not available

### SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

The mixture contains substances for which occupational exposure limits are set.

#### DNEL

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Consumers	Inhalation	1.2 mg/m <sup>3</sup>	Chronic effects local		
Workers	Inhalation	5.4 mg/m <sup>3</sup>	Chronic effects local		
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source

#### PNEC

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg		

#### 8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

#### It is not needed.

#### Skin protection

When handling in long-term or repeatedly, use protective gloves.

#### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

**Thermal hazard** 

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	225 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	90 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available



according to Commission Regulation (EU) 2020/878 as amended

## Extraspec Classic SL/CF 10W/40

Creatior	n date	10th March 2023			
Revisior	n date		Version	1.0	
	Vapour pressure		data not available	e	
	Density and/or relativ	e density			
	Density		0,860-0,870 g/cn	m³ at 15 °C	
	Relative vapour densi	ty	data not available	e	
	Particle characteristics	5	data not available	e	
	Form		data not available	e	
	Benzenamine, ar-r -20-3)	nonyl-N-(nonylphenyl)- (CAS: 36878	<sup>3</sup> liquid		
	Benzenamine, ar-r -20-3)	nonyl-N-(nonylphenyl)- (CAS: 36878	<sup>3</sup> solid: bulk		
	Benzenesulfonic ac calcium salts (CAS: 70	cid, mono-C16-24-alkyl derivs., 0024-69-0)	liquid		
	Benzenesulfonic ac calcium salts (CAS: 70	cid, mono-C16-24-alkyl derivs., 0024-69-0)	solid: bulk		
	Distillates (petrole (CAS: 64742-55-8)	um), hydrotreated light paraffinic	liquid		
	Distillates (petrole paraffinic (CAS: 6474	um), solvent-dewaxed heavy 2-65-0)	liquid		
	Molybdenum polys dithiocarbamate comp	ulphide long chain alkyl blex	liquid		
	, 2 (	:hylheptyl) O-(1-methylpropyl) .S']-, (T-4)- (CAS: 93819-94-4)	liquid		
	Zinc, bis[O-(6-me	s']-, (T-4)- (CAS: 93819-94-4)	solid: bulk		
	Other information				
	not available				

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

#### not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

#### Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

#### calcium carbonate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>2000 mg/kg bw		Rat (Rattus norvegicus)	F



according to Commission Regulation (EU) 2020/878 as amended

### Extraspec Classic SL/CF 10W/40

Creation date 10th March 2023 Revision date Version

1.0

calcium carbonate							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Skin	LD50		>2000 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC50		>3 mg/l	4 hours	Rat (Rattus norvegicus)		

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD50	OECD 402	5000 mg/kg		Rabbit	
Oral	LD50	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit
Eye	Not irritating	OECD 405		Rabbit

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Sensitization

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Mutagenicity

Distillates (petroleum), hydrotreated heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473				
Negative	OECD 476				
Negative	OECD 474				

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Specific target organ	Result	Species	Sex
	NOAEL	OECD 451		78 weeks	Skin	Negative	Mouse	



according to Commission Regulation (EU) 2020/878 as amended

## Extraspec Classic SL/CF 10W/40

Creation date Revision date 10th March 2023

Version

1.0

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### Repeated dose toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 411	30 mg/kg		Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	

#### Aspiration hazard

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Acute toxicity

calcium carbonate

Parameter	Value	Exposure time	Species	Environment
LC50	>100	96 hours	Fish (Oncorhynchus mykiss)	
EC50	>100	48 hours	Daphnia (Daphnia magna)	
Distillates (petroleum	), hydrotreated heavy pa	raffinic		
Parameter	Value	Exposure time	Species	Environment
EL 50	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL 50	>100 mg/l	96 hours	Fish (Pimephales promelas)	



according to Commission Regulation (EU) 2020/878 as amended

### Extraspec Classic SL/CF 10W/40

Creation date Revision date 10th March 2023

Version

1.0

#### **Chronic toxicity**

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

#### 12.2. Persistence and degradability

Biodegradability

calcium carbonate
-------------------

Parameter	Method	Value	Exposure time	Environment	Result
					Easily biodegradable
Distillates (petrol	eum), hydrotreated h	neavy paraffinic			
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

not available

### 12.3. Bioaccumulative potential

- Not available.
- 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### **12.6.** Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### SECTION 14: Transport information

#### 14.1. UN number or ID number

not subject to transport regulations



according to Commission Regulation (EU) 2020/878 as amended

## Extraspec Classic SL/CF 10W/40

Creatio	on date	10th March 2023			
Revision date			Version	1.0	
14.2.	<b>UN proper shippir</b> not relevant	ng name			
14.3.	4.3. Transport hazard class(es) not relevant				
14.4.	I. Packing group not relevant				
14.5.	.5. Environmental hazards not relevant				
14.6.	.6. Special precautions for user Reference in the Sections 4 to 8.				
14.7.	Maritime transpor not relevant	t in bulk according to IMO	instruments		

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

A list of standard risk phrases used in the safety data sheet H304 May be fatal if swallowed and enters airways.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

acronyms used in the safety data sneet
European agreement concerning the international carriage of dangerous goods by road
Bioconcentration Factor
Chemical Abstracts Service
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
Identification code for each substance listed in EINECS
Concentration of a substance when it is affected 50% of the population
European Inventory of Existing Commercial Chemical Substances
Effective Loading for 50% of the tested organisms
Emergency plan
European Union
European Product Categorisation System
International Air Transport Association
International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
International Civil Aviation Organization
International Maritime Dangerous Goods
International Maritime Organization
International Nomenclature of Cosmetic Ingredients
International Organization for Standardization
International Union of Pure and Applied Chemistry



according to Commission Regulation (EU) 2020/878 as amended

## Extraspec Classic SL/CF 10W/40

Creation date Revision date	10th March 2023 Version 1.0
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LDso	Lethal dose of a substance in which it can be expected death of 50% of the population
LL50	Lethal Loading for 50% of tested organisms
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

#### Asp. Tox.

**Training guidelines** 

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

Aspiration hazard

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.