# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : 8100 X-CLEAN EFE 5W30 Product code : 17712

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

4-stroke engine lubricant

### 1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL Address : 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE Telephone : 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: . Email : motul\_hse@motul.fr

1.4. Emergency telephone number : +44 (0) 1235 239 670.

#### Association/Organisation : ORFILA.

#### 💫 🛛 Other emergency numbers

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671

BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 601 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336 Ireland : +353 1 8092566

24 hours a day, 7 days a week

### **SECTION 2 : HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :	
EUH208	Contains CALCIUM SULFONATE. May produce an allergic reaction.
EUH208	Contains ALKYL (C18-C28) TOLUENESULFONIC ACID, CALCIUM SALTS, BORATED. May produce an
	allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

# Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 72623-87-1		L	50 <= x % < 100
EC: 276-738-4			
REACH: 01-2119474889-13			
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED			
CAS: 72623-86-0	GHS08	L	1 <= x % < 2.5
EC: 276-737-9	Dgr		
REACH: 01-2119474878-16	Asp. Tox. 1, H304		

00 X-CLEAN EFE 5W30 - 17712			
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED			
CAS: 64742-54-7 EC: 265-157-1 REACH: 01-2119484627-25 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	GHS08 Dgr Asp. Tox. 1, H304	L	1 <= x % < 2.5
CAS: 72623-87-1 EC: 276-738-4 REACH: 01-2119474889-13 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED	GHS08 Dgr Asp. Tox. 1, H304	L	1 <= x % < 2.5
CAS: 722503-68-6 EC: 682-816-2 CALCIUM SULFONATE	GHS07 Wng Skin Sens. 1B, H317		0 <= x % < 1
EC: 953-650-0 ALKYL (C18-C28) TOLUENESULFONIC ACID, CALCIUM SALTS, BORATED	GHS07, GHS08 Wng Skin Sens. 1B, H317 Repr. 2, H361d	[2]	0 <= x % < 1

#### • 🖌

pecific concentration limits:		
Identification	Specific concentration limits	ATE
CAS: 72623-87-1		inhalation: ATE = 5.53 mg/l 4h
EC: 276-738-4		(dust/mist)
REACH: 01-2119474889-13		
LUBRICATING OILS (PETROLEUM),		
C20-50, HYDROTREATED NEUTRAL		
OIL-BASED		
EC: 953-650-0	Repr. 2: H361d C>= 17.15%	
ALKYL (C18-C28) TOLUENESULFONIC		
ACID, CALCIUM SALTS, BORATED		

### Information on ingredients :

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

### In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

Remove the victim to fresh air. If the symptoms persist, call a physician.

### In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

### In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

## In the event of swallowing :

Seek medical attention, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

#### No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5 : FIREFIGHTING MEASURES**

#### Non-flammable.

#### 5.1. Extinguishing media

Suitable methods of extinction

Dry agent, foam, carbon dioxide.

#### Unsuitable methods of extinction

#### High volume water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

```
Do not swallow
```

Do not get in eyes, on skin, or on clothing.

### Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

### Ensure good ventilation at the workplace

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store between 5°C and 40°C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No data available.

### 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

#### Natural latex

Glove	0.38 mm
thickness:	
Break-through	> 480 mn
time:	

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### - Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

### **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Q	Physical state		
	Physical state :	Fluid liquid.	
2	Colour		
	Color:	brown	
2	Odour		
	Odour threshold :	Not stated.	
2	🤪 Melting point		
	Melting point/melting range :	Not relevant.	
2	Freezing point		
	Freezing point / Freezing range :	Not stated.	
2	Boiling point or initial boiling point and boiling range		
	Boiling point/boiling range :	Not relevant.	
2	Flammability		
	Flammability (solid, gas) :	Not stated.	

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)	Version 7.1 (03-08-2022) - Page 5/
8100 X-CLEAN EFE 5W30 - 17712	
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash Point Interval :	FP > 100°C.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
pH	
pH (aqueous solution) :	Not stated.
pH :	Not stated.
	Slightly basic.
Kinematic viscosity	
Viscosity :	71.5 mm²/s à 40°C
Solubility	
Water solubility :	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
;ure	
Vapour pressure (50°C):	Not relevant.
Density and/or relative density	
Density :	>1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classes	

No data available.

### 9.2.2. Other safety characteristics

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Strong oxidants

Acids

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity :

Dermal route :	2,000 < LD50 <= 5000 mg/kg Species : Rabbit OCDE Ligne directrice 402 (Toxicité aiguë par voie cutanée)
Inhalation route (Dusts/mist) :	LC50 = 5.53 mg/l Species : Rat

### 11.1.2. Mixture

#### Skin corrosion/skin irritation :

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.

Duration of exposure : 4 h

OCDE Ligne directrice 403 (Toxicité aiguë par inhalation)

### Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

### Aspiration hazard :

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons."

May cause lung damage if swallowed

## 11.2. Information on other hazards

12.1. Toxicity         12.1.1. Substances         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Fish toxicity :       LC50 > 100 mg/l         Duration of exposure : 96 h       OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)         Crustacean toxicity :       EC50 > 1000 mg/l         Duration of exposure : 48 h       OCDE Ligne directrice 202 (Daphnia sp., essai d'Immobilisation immédiate         NOEC = 10 mg/l       Duration of exposure : 21 jours         OCDE Ligne directrice 201 (Daphnia magna, essai de reproduction)       Algae toxicity :         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 21 jours       OCDE Ligne directrice 201 (Algues, Essai d'Inhibition de la croissance)         12.1.2. Mixtures       No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability       Tessai d'Inhibition de la croissance)         12.1.1. Substances       CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :       no degradability data is available, the substance is considered as not degradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential       Non-rapidly degradable.         12.4. Mobility in soil       Not very mobil	SECTION 12 : ECOLOGICAL INFORM	ATION
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Fish toxicity : LCS0 > 100 mg/l Duration of exposure : 96 h OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë) Crustacean toxicity : EC50 > 10000 mg/l Duration of exposure : 48 h OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate NOEC = 10 mg/l Duration of exposure : 21 jours OCDE Ligne directrice 201 (Daphnia magna, essai de reproduction) Algae toxicity : ECr50 >= 100 mg/l Duration of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance) <b>12.1.2. Mixtures</b> No aquatic toxicity data available for the mixture. <b>12.2. Persistence and degradability</b> <b>12.1.3. Substances</b> CALCIUM SULFONATE (CAS: 722503-68-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability : Non-rapidly degradable. <b>12.3. Bioaccumulative potential</b> No data available. <b>12.4. Mobility in soil</b>	12.1. Toxicity	
Fish toxicity :       LC50 > 100 mg/l         Duration of exposure : 96 h       OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)         Crustacean toxicity :       EC50 > 10000 mg/l         Duration of exposure : 48 h       OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate         NOEC = 10 mg/l       Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)       Algae toxicity :         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 21 jours       OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 72 h       OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance) <b>12.1.2. Mixtures</b> No aquatic toxicity data available for the mixture. <b>12.2. Persistence and degradability 12.1.1 Substances</b> CALCIUM SULFONATE (CAS: 722503-68-6)       no degradability data is available, the substance is considered as not degradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)       Non-rapidly degradabile.         No data available. <b>12.3. Bioaccumulative potential</b> Non-rapidly degradabile.         No data available. <b>12.4. Mobility in soil 1</b>	12.1.1. Substances	
Duration of exposure : 96 h         Crustacean toxicity :       EC50 > 10000 mg/l         Duration of exposure : 48 h         OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate         NOEC = 10 mg/l         Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 72 h       OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance) <b>12.1.2. Mixtures</b> No aquatic toxicity data available for the mixture. <b>12.2.1. Substances</b> CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :       no degradability data is available, the substance is considered as not degradability : <b>12.3. Bioaccumulative potential</b> Non-rapidly degradabile.         No data available.       ILA. Mobility in soil	LUBRICATING OILS (PETROLEUM), C	C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)
Crustacean toxicity :       EC50 > 10000 mg/l         Duration of exposure : 48 h       OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate         NOEC = 10 mg/l       Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)       Immobilisation immédiate         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 21 jours       OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 72 h       OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures       No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability       Total degradability data is available, the substance is considered as not degradability :         12.2.1. Substances       CALCIUM SULFONATE (CAS: 722503-68-6)       no degradability data is available, the substance is considered as not degradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)       Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential       Non-rapidly degradable.       LIBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)       Biodegradability :         No data available.       L3.4. Mobility in soil       LIBRICATINE OILEMAINE (LIBRICATINE OILEMAINE (LIBRICATINE OILEMAINE (LI	Fish toxicity :	LC50 > 100 mg/l
Crustacean toxicity :       EC50 > 10000 mg/l Duration of exposure : 48 h OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate NOEC = 10 mg/l Duration of exposure : 21 jours OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l Duration of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures No aquatic toxicity data available for the mixture.       OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Nistures No aquatic toxicity data available for the mixture.       OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures No aquatic toxicity data available for the mixture.       no degradability         12.2. Persistence and degradability       12.1.2. Mixtures         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability :       no degradability degradable.         12.3. Bioaccumulative potential No data available.       Non-rapidly degradable.         12.4. Mobility in soil       UBRICATING VIECUMA (DIL-BASED)		Duration of exposure : 96 h
Duration of exposure : 48 h         OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate         NOEC = 10 mg/l         Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 72 h         OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance) <b>12.1.2. Mixtures</b> No aquatic toxicity data available for the mixture. <b>12.2. Persistence and degradability 12.1.1. Substances</b> CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :         Non-rapidly degradable. <b>12.3. Bioaccumulative potential</b> No data available. <b>12.4. Mobility in soil</b>		OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)
OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate         NOEC = 10 mg/l         Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :         ECr50 >= 100 mg/l         Duration of exposure : 72 h         OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures         No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability         12.1.1. Substances         CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :         Non-rapidly degradable.         12.3. Bioaccumulative potential         No data available.         12.4. Mobility in soil	Crustacean toxicity :	EC50 > 10000 mg/l
NOEC = 10 mg/l         Duration of exposure : 21 jours         OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l         Duration of exposure : 72 h         OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures         No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability         12.1.1. Substances         CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :         12.3. Bioaccumulative potential         No data available.         12.4. Mobility in soil		Duration of exposure : 48 h
Duration of exposure : 21 jours OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)         Algae toxicity :       ECr50 >= 100 mg/l Duration of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures No aquatic toxicity data available for the mixture.       Voerse 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Persistence and degradability       representation of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.2.1. Substances CALCIUM SULFONATE (CAS: 722503-68-6) Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential No data available.       Non-rapidly degradable.         12.4. Mobility in soil       LUBRICATING OILS (PETROLEUM)		OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate
Algae toxicity :       ECr50 >= 100 mg/l Duration of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures No aquatic toxicity data available for the mixture.       CDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.2. Persistence and degradability       resistence and degradability         12.2.1. Substances CALCIUM SULFONATE (CAS: 722503-68-6) Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential No data available.       Von-rapidly degradable.         12.4. Mobility in soil       USAN (Sample Construction)		NOEC = 10 mg/l
Algae toxicity :       ECr50 >= 100 mg/l Duration of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures No aquatic toxicity data available for the mixture.		Duration of exposure : 21 jours
Duration of exposure : 72 h OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability         12.2.1. Substances CALCIUM SULFONATE (CAS: 722503-68-6) Biodegradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability :         Non-rapidly degradable.         12.3. Bioaccumulative potential No data available.         12.4. Mobility in soil		OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)
OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)         12.1.2. Mixtures         No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability         12.2.1. Substances         CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :         Non-rapidly degradable.         12.3. Bioaccumulative potential         No data available.         12.4. Mobility in soil	Algae toxicity :	ECr50 >= 100 mg/l
12.1.2. Mixtures         No aquatic toxicity data available for the mixture.         12.2. Persistence and degradability         12.2.1. Substances         CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential         No data available.         12.4. Mobility in soil		Duration of exposure : 72 h
No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances CALCIUM SULFONATE (CAS: 722503-68-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability : Non-rapidly degradable. 12.3. Bioaccumulative potential No data available. 12.4. Mobility in soil		OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)
12.2. Persistence and degradability         12.2.1. Substances         CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential         No data available.         12.4. Mobility in soil	12.1.2. Mixtures	
12.2.1. Substances         CALCIUM SULFONATE (CAS: 722503-68-6)         Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)         Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential         No data available.         12.4. Mobility in soil	No aquatic toxicity data available for the	mixture.
CALCIUM SULFONATE (CAS: 722503-68-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability : Non-rapidly degradable. <b>12.3. Bioaccumulative potential</b> No data available. <b>12.4. Mobility in soil</b>	12.2. Persistence and degradability	
Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential No data available.       No data available.         12.4. Mobility in soil       Image: Comparison of the substance is considered as not degradable.	12.2.1. Substances	
Biodegradability :       no degradability data is available, the substance is considered as not degrading quickly.         LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1) Biodegradability :       Non-rapidly degradable.         12.3. Bioaccumulative potential No data available.       No data available.         12.4. Mobility in soil       Image: Comparison of the substance is considered as not degradable.	CALCIUM SULFONATE (CAS: 722503	-68-6)
Biodegradability : Non-rapidly degradable.  12.3. Bioaccumulative potential No data available.  12.4. Mobility in soil	,	no degradability data is available, the substance is considered as not
<ul> <li>12.3. Bioaccumulative potential No data available.</li> <li>12.4. Mobility in soil</li> </ul>	LUBRICATING OILS (PETROLEUM), (	C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)
No data available. 12.4. Mobility in soil	Biodegradability :	Non-rapidly degradable.
12.4. Mobility in soil	12.3. Bioaccumulative potential	
-	No data available.	
-	12.4. Mobility in soil	
	•	

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

The product is insoluble in water and will spread on the surface

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Endocrine disrupting properties

No data available.

#### 12.7. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

## **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

### 14.1. UN number or ID number

#### 14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- -
- 14.4. Packing group
- .....
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- -

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:

No data available.

## - Particular provisions :

No data available.

### 15.2. Chemical safety assessment

Product is not classified health and environmental hazard. Exposure scenarios are not required.

## SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3 :

- CS	• ·	
	H304	May be fatal if swallowed and enters airways.
	H317	May cause an allergic skin reaction.
	H361d	Suspected of damaging the unborn child.
5		

### Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.