



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture BG Diesel Thaw®

Registration number

-

UFI XV90-J025-200S-44X5

Synonyms P256-XXXX

Formula number 3

Product code 256

Issue date 30-July-2020

Version number 8.0

Revision date 27-May-2022

Supersedes date 30-July-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive use

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

Only Representative

Company name HH Compliance Ltd.
Address Rubicon Centre, CIT Campus
Bishopstown, Cork
Ireland

Division

Telephone 353-21-4868120

Fax

e-mail info@h2compliance.com

Contact person

National supplier

Company name Powerflow Ltd.
Address 2 Northgate Avenue
Bury St Edmunds, Suffolk, IP32 6BB
GBR
Telephone +44 2847 77934
e-mail

Manufacturer

Company name BG Products Inc.
Address 740 S. Wichita Street
Wichita, KS, 67213, USA
www.bgprod.com
Telephone 316-266-8120
e-mail msds@bgprod.com

1.4. Emergency telephone number 00 +1 703-527-3887 (CHEMTREC INTL)

Information on operation hours 24-hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids

Category 3

H226 - Flammable liquid and vapour.

Health hazards

Serious eye damage/eye irritation

Category 2

H319 - Causes serious eye irritation.

Aspiration hazard

Category 1

H304 - May be fatal if swallowed and enters airways.

Hazard summary

May be ignited by heat, sparks or flames. May be fatal if swallowed and enters airways. Causes serious eye irritation.

2.2. Label elements**Label according to Regulation (EC) No. 1272/2008 as amended****Contains:**

2-(propyloxy)ethanol; EGPE, 2-Ethylhexyl nitrate, Naphtha (petroleum), hydrotreated heavy, Solvent naphtha (petroleum), light arom.

Hazard pictograms**Signal word**

Danger

Hazard statements

H226

Flammable liquid and vapour.

H304

May be fatal if swallowed and enters airways.

H319

Causes serious eye irritation.

Precautionary statements**Prevention**

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233

Keep container tightly closed.

P235

Keep cool.

P240

Ground and bond container and receiving equipment.

P241

Use explosion-proof electrical/ventilating/lighting equipment.

P242

Use non-sparking tools.

P243

Take action to prevent static discharges.

P264

Wash thoroughly after handling.

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331

Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

P370 + P378

In case of fire: Use appropriate media to extinguish.

Storage

P403 + P235

Store in a well-ventilated place. Keep cool.

P405

Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

84.7 % of the mixture consists of component(s) of unknown acute dermal toxicity. 16 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General information**

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|---------|-------------------------|------------------------|--------------|-------|
| Naphtha (petroleum), hydrotreated heavy | 80 - 90 | 64742-48-9 265-150-3 | 01-2119486659-16 | 649-327-00-6 | |
| Classification: Asp. Tox. 1;H304 | | | | | P |

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|---------|-------------------------|------------------------|--------------|-------|
| 2-(propyloxy)ethanol; EGPE | 10 - 20 | 2807-30-9 220-548-6 | - | 603-095-00-2 | |
| Classification: Flam. Liq. 3;H226, Eye Irrit. 2;H319 | | | | | |
| 2-Ethylhexyl nitrate | 1 - 3 | 27247-96-7 248-363-6 | - | - | |
| Classification: - | | | | | |
| Solvent naphtha (petroleum), light arom. | ≤ 0.1 | 64742-95-6 265-199-0 | - | 649-356-00-4 | |
| Classification: Asp. Tox. 1;H304 | | | | | P |

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed Aspiration may cause pulmonary oedema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

| | |
|--|--|
| 6.2. Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Use water spray to reduce vapours or divert vapour cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. |

SECTION 7: Handling and storage

| | |
|--|---|
| 7.1. Precautions for safe handling | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| 7.2. Conditions for safe storage, including any incompatibilities | Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). |
| 7.3. Specific end use(s) | Not available. |

SECTION 8: Exposure controls/personal protection

| | |
|--|---|
| 8.1. Control parameters | |
| Occupational exposure limits | No exposure limits noted for ingredient(s). |
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Recommended monitoring procedures | Follow standard monitoring procedures. |
| Derived no effect levels (DNELs) | Not available. |
| Predicted no effect concentrations (PNECs) | Not available. |
| 8.2. Exposure controls | |
| Appropriate engineering controls | Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. |
| Individual protection measures, such as personal protective equipment | |
| General information | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. |
| Eye/face protection | Wear safety glasses with side shields (or goggles). Face shield is recommended. |
| Skin protection | |
| - Hand protection | Wear appropriate chemical resistant gloves. |
| - Other | Wear suitable protective clothing. |
| Respiratory protection | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| Hygiene measures | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|--|--------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Colour | Not available. |
| Odour | Not available. |
| Melting point/freezing point | Not available. |
| Boiling point or initial boiling point and boiling range | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Flash point | 38.0 °C (100.4 °F) |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| pH | Not available. |
| Kinematic viscosity | 1.05 cSt |
| Kinematic viscosity temperature | 40 °C (104 °F) |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | Not available. |
| Particle characteristics | Not available. |
| Other safety characteristics | |
| Density | 6.74 lb/gal |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| Specific gravity | 0.8088 |

SECTION 10: Stability and reactivity

| | |
|--|--|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11: Toxicological information

| | |
|---------------------|--|
| General information | Occupational exposure to the substance or mixture may cause adverse effects. |
|---------------------|--|

Information on likely routes of exposure

| | |
|--------------|--|
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Causes serious eye irritation. |

| | | |
|---|--|--------------|
| Ingestion | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. | |
| Symptoms | Aspiration may cause pulmonary oedema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. | |
| 11.1. Information on toxicological effects | | |
| Acute toxicity | May be fatal if swallowed and enters airways. | |
| Components | Species | Test Results |
| 2-(propyloxy)ethanol; EGPE (CAS 2807-30-9) | | |
| Acute Oral LD50 | Rat | 4.45 g/kg |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory sensitisation | Due to partial or complete lack of data the classification is not possible. | |
| Skin sensitisation | Due to partial or complete lack of data the classification is not possible. | |
| Germ cell mutagenicity | Chilean Spanish went out in Job 18-0024189, French and German were reviewed under 17-0023466 and Hindi under 17-0023485 | |
| Carcinogenicity | | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) | 3 Not classifiable as to carcinogenicity to humans. | |
| Solvent naphtha (petroleum), light arom. (CAS 64742-95-6) | 3 Not classifiable as to carcinogenicity to humans. | |
| Reproductive toxicity | Due to partial or complete lack of data the classification is not possible. | |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - repeated exposure | Due to partial or complete lack of data the classification is not possible. | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | |
| Mixture versus substance information | No information available. | |
| 11.2. Information on other hazards | | |
| Endocrine disrupting properties | The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. | |
| Other information | Not available. | |
| SECTION 12: Ecological information | | |
| 12.1. Toxicity | Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard. | |
| 12.2. Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. | |
| 12.3. Bioaccumulative potential | | |
| Partition coefficient n-octanol/water (log Kow) | Not available. | |
| Bioconcentration factor (BCF) | Not available. | |
| 12.4. Mobility in soil | No data available. | |
| 12.5. Results of PBT and vPvB assessment | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. | |
| 12.6. Endocrine disrupting properties | The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. | |
| 12.7. Other adverse effects | The product contains volatile organic compounds which have a photochemical ozone creation potential. | |

| | |
|-------------------------------------|--|
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|--|
| 14.1. UN number | UN1993 |
| 14.2. UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy, 2-(propyloxy)ethanol; EGPE) |
| 14.3. Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| Hazard No. (ADR) | 30 |
| Tunnel restriction code | D/E |
| 14.4. Packing group | III |
| 14.5. Environmental hazards | Yes |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

RID

| | |
|---|--|
| 14.1. UN number | UN1993 |
| 14.2. UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy, 2-(propyloxy)ethanol; EGPE) |
| 14.3. Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| 14.4. Packing group | III |
| 14.5. Environmental hazards | Yes |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

ADN

| | |
|---|--|
| 14.1. UN number | UN1993 |
| 14.2. UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy, 2-(propyloxy)ethanol; EGPE) |
| 14.3. Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| 14.4. Packing group | III |
| 14.5. Environmental hazards | Yes |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IATA

| | |
|---|--|
| 14.1. UN number | UN1993 |
| 14.2. UN proper shipping name | Flammable liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy, 2-(propyloxy)ethanol; EGPE) |
| 14.3. Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| 14.4. Packing group | III |
| 14.5. Environmental hazards | Yes |
| ERG Code | 3L |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed with restrictions. |

Cargo aircraft only

Allowed with restrictions.


IMDG

| | |
|--|--|
| 14.1. UN number | UN1993 |
| 14.2. UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy, 2-(propyloxy)ethanol; EGPE) |
| 14.3. Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| 14.4. Packing group | III |
| 14.5. Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-E, <u>S</u> - <u>E</u> |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not established. |

ADN; ADR; IATA; IMDG; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Material name: BG Diesel Thaw®

256 Version #: 8.0 Revision date: 27-May-2022 Issue date: 30-July-2020

SDS UK

8 / 9

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

2-(propyloxy)ethanol; EGPE (CAS 2807-30-9)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
Solvent naphtha (petroleum), light arom. (CAS 64742-95-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
Solvent naphtha (petroleum), light arom. (CAS 64742-95-6)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TWA: Time Weighted Average.
vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.

Revision information

Product and Company Identification: EU Poison Centre
SECTION 1: Identification of the substance/mixture and of the company/undertaking: Uses advised against
SECTION 2: Hazards identification: Prevention
SECTION 2: Hazards identification: 2.3. Other hazards
Composition / Information on Ingredients: Disclosure Overrides
SECTION 4: First aid measures: First Aid Equipment
SECTION 6: Accidental release measures: For emergency responders
SECTION 6: Accidental release measures: For non-emergency personnel
Physical & Chemical Properties: Multiple Properties
SECTION 11: Toxicological information: Endocrine disrupting properties
SECTION 12: Ecological information: 12.6. Endocrine disrupting properties
SECTION 16: Other information: List of abbreviations
HazReg Data: International Inventories
GHS: Classification

Training information

Follow training instructions when handling this material.

Disclaimer

BG Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.