

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13-11-2015 Revision date: 2-6-2023 Supersedes: 15-5-2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Eurol Air-Filter Fluid
UFI : JMHG-F20H-N80C-QUTH

Product code : E803950
Type of product : Organic solvent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, professional use, Consumer use

Use of the substance/mixture : Organic solvent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165

reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

07 GHS08

GHS09

CLP Signal word : Danger Contains : Pentane

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P271 - Use only outdoors or in a well-ventilated area.

P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do

NOT induce vomiting. P391 - Collect spillage.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

Child-resistant fastening : Applicable Tactile warning : Applicable

2.3. Other hazards

Other hazards not contributing to the classification

: This product floats on water and may affect the oxygen-balance in the water. Material can accumulate some static charge during transfer. Flammable or explosive vapour/air mixtures may be formed.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
pentane substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 109-66-0 EC-No.: 203-692-4 EC Index-No.: 601-006-00-1	35 – 50	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
naphthalene substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit	CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2 REACH-no: 01-2119561346- 37	< 0,1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : High concentration of vapours may induce: headache, dizziness, drowsiness, nausea and

vomiting.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Contact with the eyes is likely to be irritating. Harmful: may cause lung damage if

swallowed.

Symptoms/effects after ingestion : Risk of lung oedema.

Symptoms/effects upon intravenous administration : Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : CO, CO2.

5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Prevent fire fighting water from entering the environment. Sweep up and remove to a

suitable, clearly marked container for disposal in accordance with local regulations. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.

2-6-2023 (Revision date) EN (English) 3/17

Safety Data Sheet

General measures

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

charges (e.g, by grounding). Remove all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment : When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of

splashing) then chemical resistant aprons and/or impervious chemical suits and boots will

: Prevent soil and water pollution. Spill area may be slippery. Prevent build-up of electrostatic

be required.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : No specific measures are necessary.

6.2. Environmental precautions

Avoid release to the environment

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapour-air mixture. Empty containers retain product residue

(solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum

reconditioner or disposed of properly.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective

equipment. Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do no eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible products : Reacts vigorously with strong oxidizers and acids.

Maximum storage period : 5 year Storage temperature : \leq 40 °C

Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.

Storage area : Store at ambient temperature.

Special rules on packaging : Keep container tightly closed and dry.

2-6-2023 (Revision date) EN (English) 4/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

pentane (109-66-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Pentane	
IOELV TWA (mg/m³)	3000 mg/m³	
IOELV TWA (ppm)	1000 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	Pentane	
OEL (8 hours ref) (mg/m³)	3000 mg/m³	
OEL (8 hours ref) (ppm)	1000 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Malta - Occupational Exposure Limits		
Local name	Pentane	
OEL TWA (mg/m³)	3000 mg/m³	
OEL TWA (ppm)	1000 ppm	
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)	
United Kingdom - Occupational Exposure Limits		
Local name	Pentane	
WEL TWA (mg/m³)	1800 mg/m³	
WEL TWA (ppm)	600 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
naphthalene (91-20-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Naphthalene	
IOELV TWA (mg/m³)	50 mg/m³	
IOELV TWA (ppm)	10 ppm	
Notes	(Year of adoption 2010)	
Regulatory reference	COMMISSION DIRECTIVE 91/322/EEC; SCOEL Recommendations	
Ireland - Occupational Exposure Limits		
Local name	Naphthalene	
OEL (8 hours ref) (mg/m³)	50 mg/m³	
OEL (8 hours ref) (ppm)	10 ppm	
-		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

naphthalene (91-20-3)	
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Malta - Occupational Exposure Limits	
Local name	Naphtalene
OEL TWA (mg/m³)	50 mg/m³
OEL TWA (ppm)	10 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Other skin protection

Materials for protective clothing:

Neoprene or nitrile rubber gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Provide good ventilation in process area to prevent formation of vapour. Neoprene or nitrile rubber gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour : light brown. Appearance : Liquid. Odour : characteristic. : Not available Odour threshold Melting point : Not applicable Freezing point : Not available Boiling point : 36 °C

Flammability (solid, gas) : Highly flammable liquid and vapour

Explosive limits : 1,4 – 7,8 vol % Lower explosive limit (LEL) : 1,4 vol % : 7,8 vol % Upper explosive limit (UEL) : -36 °C Flash point : 285 °C Auto-ignition temperature Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : < 20 mm²/s Solubility : insoluble in water. : Not available Log Kow

Log Pow : > 3

Vapour Pressure 20°C : 573 hPa

Vapour pressure at 50°C : Not available
Density : 0,768 kg/l

Relative density : Not available

Relative vapour density at 20°C : > 1 (air = 1)

Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 1,4 – 7,8 vol %

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1

VOC content : 299,5 g/l VOC-CH: 39.00%

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. strong acids.

10.6. Hazardous decomposition products

CO, CO2.

STOT-single exposure

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

pentane (109-66-0)		
LD50 oral rat		> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))
LC50 Inhalation - Rat		> 25,3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
naphthalene (91-20-3)		
LD50 oral rat		> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat		> 2500 ml/kg
LC50 Inhalation - Rat		> 0,4 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks on results: other:
ATE CLP (oral)		500 mg/kg bodyweight
Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Not classified
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
pentane (109-66-0)		

pentane (109-66-0)	
NOAEL (animal/male, F0/P)	300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
NOAEL (animal/female, F0/P)	≥ 1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
naphthalene (91-20-3)	
LOAEL (animal/female, F1)	450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure	: May cause drowsiness or dizziness.
pentane (109-66-0)	

STOT-repeated exposure : Not classified

May cause drowsiness or dizziness.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pentane (109-66-0)	
NOAEC (inhalation, rat, vapour, 90 days)	30 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation Toxicity), Guideline: other:, Guideline: other:
naphthalene (91-20-3)	
LOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEC (inhalation, rat, vapour, 90 days)	0,011 mg/l air Animal: rat, Guideline: EPA OPP 82-4 (90-Day Inhalation Toxicity), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: May be fatal if swallowed and enters airways.
Eurol Air-Filter Fluid	
Viscosity, kinematic	< 20 mm²/s
pentane (109-66-0)	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Viscosity, kinematic

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : This product floats on water and may affect the oxygen-balance in the water.

0,356 mm²/s

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

naphthalene (91-20-3)	
LC50 fish 1	0,51 mg/l
EC50 Daphnia 1	2,16 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	0,59 mg/l Test organisms (species): Daphnia pulex Duration: '125 d'

12.2. Persistence and degradability

Eurol Air-Filter Fluid	
9	Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.

12.3. Bioaccumulative potential

Eurol Air-Filter Fluid	
Log Pow	> 3
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

Eurol Air-Filter Fluid	
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Product/Packaging disposal recommendations

Waste disposal recommendations

: Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations. Do not discharge

into drains or the environment.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : When not empty dispose of this container at hazardous or special waste collection point.

European List of Waste (LoW) code : 14 06 03* - other solvents and solvent mixtures

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
UN 1993	UN 1265	UN 1993	UN 1993	UN 1993		
14.2. UN proper shippin	g name					
FLAMMABLE LIQUID, N.O.S.	PENTANES	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.		
Transport document descr	iption					
UN 1993 FLAMMABLE LIQUID, N.O.S. (Pentane), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1265 PENTANES (Pentane), 3, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1993 Flammable liquid, n.o.s. (Pentane), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Pentane), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Pentane), 3, III, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard	class(es)					
3	3	3	3	3		
3	33	**************************************	3 22	3		
14.4. Packing group						
III	II	III	III	III		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.5. Environmental hazards					
Dangerous for the environment: Yes environment: Yes Dangerous for the environment: Yes					
No supplementary information available					

14.6. Special precautions for user

Overland transport

Classification code (UN) : F1
Special provisions (ADR) : 274, 601
Limited quantities (ADR 2011) : 51
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1993

Tunnel restriction code (ADR) : D/E EAC code : •3Y

Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1 EmS-No. (Fire) F-E : S-D EmS-No. (Spillage) Stowage category (IMDG) Ε

Properties and observations (IMDG) : Colourless liquids with a paraffin-like odour. Explosive limits: 1.4% to 8%. normal-

 $\label{eq:pentane:boiling} \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water . Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } 36\mbox{°C. Immiscible with water .} \mbox{Slightly irritating to skin, eyes and } \mbox{PENTANE: boiling point } \mbox{Slightly irritating to skin, eyes and } \mbox{Slightly irritating to skin, eyes and } \mbox{Slightly irritating } \mbox{S$

mucous membranes. Narcotic in high concentrations.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 366 CAO max net quantity (IATA) 220L Special provisions (IATA) : A3 ERG code (IATA) 3L

Inland waterway transport

Classification code (ADN) : F1 Special provisions (ADN) : 274, 601

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 274, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(c)	Eurol Air-Filter Fluid ; pentane	
3(a)	Eurol Air-Filter Fluid ; pentane	
3(b)	Eurol Air-Filter Fluid; pentane; Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil—unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.]	
40.	pentane	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content : 299,5 g/l VOC-CH: 39.00%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of c	hanges		
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	
	Special provisions (RID)	Added	
	Special provisions (IATA)	Added	
	Special provisions for carriage - Packages (ADR)	Added	
	Special provisions for carriage – Packages (RID)	Added	
	UN-No. (RID)	Modified	
	Number of blue cones/lights (ADN)	Modified	
	Excepted quantities (ADN)	Modified	
	Limited quantities (ADN)	Modified	
	Proper Shipping Name (RID)	Modified	
	Hazard identification number (RID)	Modified	
	Colis express (express parcels) (RID)	Modified	
	Transport category (RID)	Modified	
	Tank codes for RID tanks (RID)	Modified	
	Portable tank and bulk container special provisions (RID)	Modified	
	Packing instructions (RID)	Modified	
	Excepted quantities (RID)	Modified	
	Limited quantities (RID)	Modified	
	Packing group (RID)	Modified	
	ERG code (IATA)	Modified	
	CAO max net quantity (IATA)	Modified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
	CAO packing instructions (IATA)	Modified		
	PCA max net quantity (IATA)	Modified		
	PCA packing instructions (IATA)	Modified		
	PCA limited quantity max net quantity (IATA)	Modified		
	PCA Limited quantities (IATA)	Modified		
	PCA Excepted quantities (IATA)	Modified		
	Proper Shipping Name (IATA)	Modified		
	Special provisions for carriage - Operation (ADR)	Modified		
	Tank code (ADR)	Modified		
	Portable tank and bulk container special provisions (ADR)	Modified		
	Packing instructions (ADR)	Modified		
1.2	Main use category	Modified		
2.1	Adverse physicochemical, human health and environmental effects Added			
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified		
2.2	Precautionary statements (CLP)	Modified		
2.2	Hazard statements (CLP)	Modified		
4.1	First-aid measures general	Modified		
4.1	First-aid measures after skin contact	Modified		
4.1	First-aid measures after inhalation	Modified		
4.1	First-aid measures after ingestion	Modified		
4.1	First-aid measures after eye contact	Modified		
4.2	Symptoms/effects	Added		
4.2	Symptoms/injuries after skin contact	Modified		
4.2	Symptoms/injuries after ingestion	Modified		
5.1	Suitable extinguishing media	Modified		
5.2	Fire hazard	Modified		
5.3	Protection during firefighting	Modified		
5.3	EAC code	Modified		
6.1	Protective equipment	Modified		
6.1	Emergency procedures Modified			
6.2	Environmental precautions	Modified		
6.3	For containment	Modified		
6.3	Methods for cleaning up	Modified		
6.3	Other information Modified			
7.1	Precautions for safe handling	Modified		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
7.1	Hygiene measures	Modified		
7.2	Technical measures	Modified	dified	
7.2	Storage conditions	Modified		
8.2	Environmental exposure controls	Modified		
8.2	Respiratory protection	Modified		
8.2	Hand protection	Modified		
8.2	Eye protection	Modified		
8.2	Appropriate engineering controls	Modified		
8.2	Skin and body protection	Modified		
9.1	Melting point	Added		
9.1	Upper explosive limit (UEL)	Added		
9.1	Lower explosive limit (LEL)	Added		
9.1	Viscosity, kinematic	Added		
9.1	Flash point	Modified		
10.1	Reactivity Modified			
10.4	Conditions to avoid	Modified		
12.1	Ecology - general	Modified		
13.1	Product/Packaging disposal recommendations	Added		
13.1	Additional information	Modified		
14.1	UN-No. (ADN)	Modified		
14.1	UN-No.	Modified		
14.1	UN-No. (ICAO)	Modified		
14.2	Proper Shipping Name (ADN)	Modified		
14.2	Proper Shipping Name	Modified		
14.4	Packing group (ADN)	Modified		
14.4	Packing group (IATA)	Modified		
14.4	Packing group (UN)	Modified		
14.6	Special provisions (ADN)	Added		
14.6	Special provisions (ADR)	Added		
14.6	Excepted quantities (ADR)	Modified		
14.6	Hazard identification number (Kemler No.)	Modified		
14.6	Limited quantities (ADR) Modified			
14.6	Transport category (ADR)	Modified		
15.1	REACH Annex XVII	Added		
15.2	Chemical safety assessment	Added		
16	Abbreviations and acronyms	Added		
16	Data sources	Added		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
16	Other information	Added		

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2 H225 On basis of test data		
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.