

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	SynPower™ MST C3 5W40	
Product code	:	907841	
1.2 Relevant identified uses of th	ne s	substance or mixture and uses advised against	
Use of the substance/mixture	:	Engine, gear & lubricating oil.	
1.3 Details of the supplier of the safety data sheet			
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands	
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person	
E-mail address of person responsible for the SDS	:	SDS@valvolineglobal.com	

## 1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- xxxx	Asp. Tox. 1; H304	>= 10 - < 20
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx	Asp. Tox. 1; H304	>= 1 - < 10
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- xxxx	Asp. Tox. 1; H304	>= 1 - < 10
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7 265-174-4 649-477-00-2	Asp. Tox. 1; H304	>= 1 - < 10



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

/ersion: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025		
C14-16-18 Alkyl phenol	Not Assigned 931-468-2 01-2119498288-19- xxxx	Skin Sens. 1B; H317 STOT RE 2; H373 (Liver)	>= 1 - < 10	
Distillates (petroleum), solvent dewaxed light paraffinic; Base unspecified		Asp. Tox. 1; H304	>= 1 - < 10	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
4.2 Most important symptoms	and (	effects, both acute and delayed
Symptoms	:	Symptoms caused by an allergic reaction can be immediate or may be delayed up to several hours after exposure.
4.3 Indication of any immediate	e me	dical attention and special treatment needed
Treatment	:	No hazards which require special first aid measures.
		Treat symptomatically.
		3 / 20



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

# SECTION 5: Firefighting measures

•	uishing media ble extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsui media	table extinguishing	:	High volume water jet
5.2 Specia	al hazards arising from	the	e substance or mixture
Hazar produ	dous combustion cts	:	carbon dioxide and carbon monoxide
5.3 Advice	e for firefighters		
•	al protective equipment	:	Wear self-contained breathing apparatus for firefighting if necessary.
Furthe	er information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective	e equipment and emergency procedures	
Personal precautions :	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.	
6.2 Environmental precautions		
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3 Methods and material for containment and cleaning up		
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

## 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	g	
Advice on safe handling	:	Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	No data available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

Personal protective equipment	
Eye/face protection :	Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	3
Material :	neoprene, nitrile rubber
	5/20



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
Break through time Glove thickness Directive	<ul> <li>&gt;= 240 min</li> <li>&gt;= 0.35 mm</li> <li>Equipment should conform to EN 374</li> </ul>	
Remarks	<ul> <li>Nitrile rubber butyl-rubber</li> <li>The selected protective gloves have to specifications of Regulation (EU) 2016/ EN 374 derived from it. Gloves should be replaced if there is any indication of dege breakthrough. Please observe the instrupermeability and breakthrough time which the supplier of the gloves. Also take into specific local conditions under which the such as the danger of cuts, abrasion, and The data about break through time/stres standard values! The exact break through material has to be obtained from the proprotective glove.</li> <li>The suitability for a specific workplace as with the producers of the protective glove</li> </ul>	425 and the standard be discarded and gradation or chemical uctions regarding ich are provided by b consideration the e product is used, and the contact time. angth of material are gh time/strength of boducer of the should be discussed
Skin and body protection	: Impervious clothing Choose body protection according to th	e amount and
Respiratory protection	<ul> <li>concentration of the dangerous substar</li> <li>No personal respiratory protective equiprequired.</li> </ul>	

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	: liquid : amber : oily : No data available
рН	: Not applicable
Pour point	: < -39 °C
Boiling point/boiling range	: No data available
Flash point	: 210 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data available
	6 / 20



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
Flammability (solid, gas)	: No data available	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 0.852 g/cm3 (15.6 °C)	
Solubility(ies) Water solubility Solubility in other solvents	: insoluble : No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: < 6,400 mPa.s (-30 °C)	
Viscosity, kinematic	: ca. 87 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information		
Particle size	: Not applicable	
Self-ignition	: No data available	

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No decomposition if stored and applied as directed.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
<b>10.2 Chemical stability</b> No decomposition if stored a	nd applied as directed.	
10.3 Possibility of hazardous re	eactions	
Hazardous reactions	: No decomposition if stored and app	lied as directed.
<b>10.4 Conditions to avoid</b> Conditions to avoid	: excessive heat	
<b>10.5 Incompatible materials</b> Materials to avoid	: Strong bases Strong oxidizing agents	

## **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute toxicity

Not classified due to lack of data.

## **Components:**

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: No mortality observed at this dose.

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Acute oral toxicity	•	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

Paraffin cile (netroloum)	ostalutia dowovad boovau Pasaail unanaaifiadu
Acute oral toxicity	catalytic dewaxed heavy; Baseoil — unspecified: : LD50 (Rat): > 2,000 mg/kg
	Assessment: The substance or mixture has no acute oral toxicity
	Remarks: The toxicological data has been taken from products of similar composition.
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg
ý	Assessment: The substance or mixture has no acute dermal toxicity
	Remarks: The toxicological data has been taken from products of similar composition.

## C14-16-18 Alkyl phenol:

•••		
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.

## Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	÷	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

## Skin corrosion/irritation

Not classified due to lack of data.

## Components:

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified:

Species	:	Rabbit
Result	:	No skin irritation



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025		
Distillates (petroleum), solv	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:			
Assessment	Slight, transient irritation			
Result	Slight, transient irritation			
Result				
Paraffin oils (petroleum), ca	atalytic dewaxed heavy; Baseoil — unspe	cified:		
Result	Slight, transient irritation			
C14-16-18 Alkyl phenol:				
Method	: OECD Test Guideline 431			
Result	No skin irritation			
_				
Distillates (petroleum), solv	/ent-dewaxed light paraffinic; Baseoil — ι	unspecified:		
Species	Rabbit			
Result	Slight, transient irritation			
Serious eye damage/eye irr Not classified due to lack of d <u>Components:</u>				
Lubricating oils (petroleum	), C20-50, hydrotreated neutral oil-based;	Baseoil — unspecified:		
Species	Rabbit			
Result	No eye irritation			
	vent-dewaxed heavy paraffinic; Baseoil —	- unspecified:		
Assessment	Slight, transient irritation			
Result	: Slight, transient irritation			
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:				
Result	Slight, transient irritation			
C14-16-18 Alkyl phenol:				
Species	Rabbit			
Result	: Slight, transient irritation			
Distillates (petroleum), solv	/ent-dewaxed light paraffinic; Baseoil — ι	unspecified:		
Species	Rabbit			
Result	Slight, transient irritation			



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

## Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### Product:

Remarks

: May cause sensitisation of susceptible persons by skin contact.

## **Components:**

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified:

Test Type Species Assessment	Buehler Test
Species	Guinea pig
Assessment	Does not cause skin sensitisation.

## C14-16-18 Alkyl phenol:

Test Type Species Assessment Method	: Local lymph node assay
Species	: Mouse
Assessment	The product is a skin sensitiser, sub-category 1B.
Method	: OECD Test Guideline 429

## Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

	-	
Test Type	:	Buehler Test
Species Assessment	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406

## Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

## C14-16-18 Alkyl phenol:

Genotoxicity in vitro :	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-------------------------	--



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

Carcinogenicity Not classified due to lack of data.	
Components:	
• • • //	20-50, hydrotreated neutral oil-based; Baseoil — unspecified
Carcinogenicity - : Assessment	Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)
Distillates (petroleum), hydrotre	eated heavy paraffinic; Baseoil — unspecified:
Carcinogenicity - : Assessment	Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)
Distillates (petroleum), solvent-	dewaxed heavy paraffinic; Baseoil — unspecified:
Carcinogenicity - : Assessment	Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)
Paraffin oils (petroleum), cataly	tic dewaxed heavy; Baseoil — unspecified:
Carcinogenicity - : Assessment	Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)
Distillates (petroleum), solvent-	dewaxed light paraffinic; Baseoil — unspecified:
Carcinogenicity - : Assessment	Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)
Reproductive toxicity Not classified due to lack of data.	
STOT - single exposure	
Not classified due to lack of data.	
<b>STOT - repeated exposure</b> Not classified due to lack of data.	
Components:	
C14-16-18 Alkyl phenol:	
Target Organs : Assessment :	Liver The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

Aspiration toxicity Not classified due to lack of data.

**Components:** 

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified: May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified: May be fatal if swallowed and enters airways.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: May be fatal if swallowed and enters airways.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified: May be fatal if swallowed and enters airways.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified: May be fatal if swallowed and enters airways.

**Further information** 

Product:

Remarks

: No data available

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified:

Toxicity to fish	<ul> <li>LL50 (Pimephales promelas (fathead minnow)): &gt; 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility</li> </ul>



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	0,000 mg/l
Toxicity to algae/aquatic plants	: NOEL (Pseudokirchneriella subcapitata 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	(green algae)): >=
Toxicity to fish (Chronic toxicity)	: NOELR: >= 1,000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow	<i>r</i> trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

2.00.0000 (pour 0.00.00.),		
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Species: Aquatic invertebrates
C14-16-18 Alkyl phenol:		

Toxicity to fish	LC50 (Cyprinus carpio (Carp)): > 100 mg/l
	Exposure time: <mark>96 h</mark>
	Test Type: static test
	Test substance: WAF



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024 Print Date: 13/06/	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	100 mg/l
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata ( End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF	(algae)): > 100 mg/l

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 211

12.2 Persistence and degradability

## **Components:**

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified:



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	
C14-16-18 Alkyl phenol:		
Biodegradability	: Result: Readily biodegradable. Remarks: Expert judgement	
12.3 Bioaccumulative potential		
Components:		
C14-16-18 Alkyl phenol:		
Partition coefficient: n- octanol/water	: log Pow: > 7.2	
12.4 Mobility in soil		
No data available		
12.5 Results of PBT and vPvB a	ssessment	
Product:		
Assessment	<ul> <li>This substance/mixture contains no cor to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher.</li> </ul>	and toxic (PBT), or
12.6 Other adverse effects		
Product:		
Endocrine disrupting potential	<ul> <li>The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.</li> </ul>	g properties according Delegated regulation
Additional ecological information	: No data available	

# **SECTION 13: Disposal considerations**

:

### 13.1 Waste treatment methods

Product

Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
	chemical or used container. Send to a licensed waste management o	ompany.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	
Waste Code	: The Waste code should be assigned in c the user and the waste disposal compan The following Waste Codes are only sug 13 02 06, synthetic engine, gear and lub	y. gestions:

# **SECTION 14: Transport information**

14.1 UN number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ_Ρ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ_Ρ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
IATA (Cargo)	: Not regulated as a dangerous goo	od

IATA\_P (Passenger) : Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions UK REACH Candidate list of concern (SVHC) for Authoriss	<ul><li>Not applicable</li><li>Not applicable</li></ul>	
concern (SVHC) for Authorisation The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)		d : Not applicable
Regulation (EC) No 1005/200 deplete the ozone layer	09 on substances that	: Not applicable
UK REACH List of substance (Annex XIV)	es subject to authorisation	: Not applicable
		Not applicable
The components of this product are reported in the fo		following inventories:
TCSI	: On the inventory, or i	in compliance with the inventory
TSCA	: All substances listed	as active on the TSCA inventory
AIIC	: Not in compliance with	th the inventory
DSL	: All components of thi	is product are on the Canadian DSL
ENCS	: On the inventory, or i	in compliance with the inventory



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0	Revision Date: 11.06.2024	Print Date: 13/06/2025
KECI	: On the inventory, or in compliance with	th the inventory
PICCS	: On the inventory, or in compliance with	th the inventory
IECSC	: On the inventory, or in compliance with	th the inventory
NZIoC	: Not in compliance with the inventory	

### **15.2 Chemical safety assessment**

#### No data available

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### **SECTION 16: Other information**

#### Full text of H-Statements

H304 H317 H373	: May c	e fatal if swallowed and enters airways. ause an allergic skin reaction. ause damage to organs through prolonged or repeated ure.
Full tout of other all brouds	4. a.u. a	

#### Full text of other abbreviations

Asp. Tox. :	Aspiration hazard
Skin Sens.	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ MST C3 5W40

Version: 11.0

Revision Date: 11.06.2024

Print Date: 13/06/2025

test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Internal information : 000000220033

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN