

Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name: SONAX Foam Berry

Article number:

06485000, 06486000, 06487050, 06488000, 06489000

UFI: KWS0-X0XG-E00R-NDJY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Product category** PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

#### SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1A H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05

P310

GHS07

#### Signal word Danger

### Hazard-determining components of labelling:

Sodium Laureth Sulfate 2-methylisothiazol-3(2H)-one Ethyl Methylphenylglycidate Linalool

Hazard statements

H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

(Contd. of page 1)

2.3 Other hazards
Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Aqueous tenside solution.

Dangerous components: CAS: 68891-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	15-<20%
NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	📀 Eye Dam. 1, H318; 🕚 Skin Irrit. 2, H315; Aquatic Chronic 3,	152076
	Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol Flam. Liq. 3, H226;  STOT SE 3, H336	3-<5%
CAS: 308062-28-4 EC No 931-292-6 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Alternative CAS number: 70592-80-2 ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315	<1%
CAS: 77-83-8 EINECS: 201-061-8	Ethyl methylphenylglycidate  Aquatic Chronic 2, H411;  Skin Sens. 1, H317	<0.25%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-xxxx	linalool	<0.25%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ↑ Skin Sens. 1A, H317  Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	≥15 - <30%
non-ionic surfactants	<5%
perfumes, linalool, alpha-isomethyl ionone, methylisothiazolinone, benzisothiazolinone, s pyrithione	sodium

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation / Eye damage

Skin irritation sensitization Allergic reactions

(Contd. on page 3)



Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

(Contd. of page 2)

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

#### 5.3 Advice for firefighters

#### Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

# Further information about storage conditions:

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### CAS: 107-98-2 1-Methoxy-2-propanol

WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Sk

IOELV (EU) Short-term value: 568 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Skin

(Contd. on page 4)



Version: 5.00 Printing date 29.10.2020 Revision: 20.05.2020

(Contd. of page 3)

Regulatory information		
WEL (Great Britain): EH40/2018		
IOELV (EU): (EU) 2017/164		

Oral	DNEL	15 mg/kg (VL)	
Dermal	DNEL	1,650 mg/kg (VL)	
		2,750 mg/kg (worker long-term)	
Inhalative	DNEL	52 mg/m³ (VL)	
	DNEL	175 mg/m³ (worker long-term)	
CAS: 107-	98-2 1	-Methoxy-2-propanol	
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)	
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)	
		50.6 mg/kg (worker) (long-term / systemic effects)	
Inhalative	DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)	
		553.5 mg/m³ (worker) (short-term / local effects)	
	DNEL	369 mg/m³ (worker) (long-term / systemic effects)	
CAS: 308	062-28-	-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	
Oral	DNEL	0.44 mg/kg bw/day (consumer) (longterm / systemic effects)	
Dermal	DNEL	5.5 mg/kg bw/day (consumer) (longterm / systemic effects)	
		11 mg/kg bw/day (worker) (longtime / systemic effects)	
Inhalative	DNEL	1.53 mg/m³ (consumer) (longterm / systemic effects)	
		6.2 mg/m³ (worker) (longterm / systemic effects)	

PNEC	10,000 mg/l (sewage plant)
	0.071 mg/l (sporadic release)
	0.24 mg/l (water (fresh water))
	10,000 mg/l (sewage plant) 0.071 mg/l (sporadic release) 0.24 mg/l (water (fresh water)) 0.024 mg/l (water (sea water))
PNEC	7.5 mg/kg (gro) 0.9168 mg/kg (sediment (fresh water)) 0.09168 mg/kg (sediment (sea water))
	0.9168 mg/kg (sediment (fresh water))
	0.09168 mg/kg (sediment (sea water))

## CAS: 107-98-2 1-Methoxy-2-propanol

PNEC	100 mg/	l (STP)
------	---------	---------

100 mg/l (water (intermittent release))

10 mg/l (water (fresh water))

1 mg/l (water (sea water))

PNEC 2.47 mg/kg (gro)

41.6 mg/kg (sediment (fresh water)) 4.17 mg/kg (sediment (sea water))

# CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

PNEC 0.0335 mg/l (water (intermittent release))

0.0335 mg/l (water (fresh water))

0.00335 mg/l (water (sea water))

PNEC 24 mg/kg (STP)

5.24 mg/kg (sediment (fresh water))

0.524 mg/kg (sediment (sea water))

1.02 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

(Contd. on page 5)



Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

(Contd. of page 4)

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection: Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Protective gloves

Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥ 480min)

Eye protection: Safety glasses [EN 166]

# SECTION 9: Physical and chemical properties

9 1 Information on	hasic nhve	ical and cho	mical properties

General Information

Appearance:

Form: Fluid
Colour: Yellowish
Odour: Fruit-like
Odour threshold: Not determined.

**pH-value at 20 °C:** 6.5 - 7.5

Change in condition

Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: 100 - 120 °C

Flash point: Not applicable.

Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

**Explosive properties:** Product does not present an explosion hazard.

**Explosion limits:** 

Lower: Not determined.

Upper: Not determined.

Vapour pressure: Not determined.

Density at 20 °C: 1,02,4 g/cm

Density at 20 °C:1.03 - 1.04 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.

Solubility in / Miscibility with

water: Fully miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Flow time at 20 °C 12 - 16 s (DIN EN ISO 2431/4mm)
9.2 Other information No further relevant information available.

# SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.



Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

(Contd. of page 5)

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No known incompatible materials.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

**11.1 Information on toxicological effects** There are no toxicological findings on this mixture. **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:		
CAS: 688	CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>5,000 mg/kg (rat) (OECD 402)	
CAS: 107	-98-2 1-M	ethoxy-2-propanol	
Oral	LD50	4,016 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC0 / 6h	>7,000 ppm (rat)	
CAS: 308	CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		
Oral	LD50	1,064 mg/kg (rat)	
CAS: 78-7	CAS: 78-70-6 linalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	LD50	5,610 mg/kg (rabbit)	

#### Primary irritant effect:

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

# Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Repeated dose toxicity

#### CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Oral NOAEL 88 mg/kg (rat) (subchronic effects)

Dermal LOAEL 0.045 mg/cm² (mouse) (subchronic effects)

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture

Aquatic	toxicity:	
CAS: 688	891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts	
LC 50	>10-≤100 mg/l (Leuciscus idus) (DIN EN ISO 7346-2)	
EC0	>100 mg/l (bacteria) (OECD 209)	
EC50	>100 mg/l (Scenedesmus subspicatus) (OECD 201)	
	>10-100 mg/l (Daphnia magna) (OECD 202)	

(Contd. on page 7)



Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

_			of page 6)
	NOEC	>1-10 mg/l (Leuciscus idus)	
Γ	CAS: 107-9	98-2 1-Methoxy-2-propanol	
	LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)	
	LC50 / 48h	23,300 mg/l (Daphnia magna)	
	EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)	
EC50/3h >1,000 mg/l (activated sludge) (OECD 209)			
	CAS: 3080	62-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	
	LC50 / 96h	2.67 mg/l (fish)	
	EC50	3.1 mg/l (waterflea /Wasserfloh)	
	IC 50	0.143 mg/l (seaweed (Seegras))	
	CAS: 2682-	-20-4 2-methylisothiazol-3(2H)-one	
	EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
	EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
_		<u> </u>	

#### 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

CAS: 107	07-98-2 1-Methoxy-2-propanol			
Biodegrad	adiation 90-100 % (OEECD 301E)			
12.3 Bioa	12.3 Bioaccumulative potential			
CAS: 107	CAS: 107-98-2 1-Methoxy-2-propanol			
log Kow :	≤0.43 log Kow (25°C)			

**12.4 Mobility in soil** No further relevant information available.

Additional ecological information:

#### General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

**12.6 Other adverse effects** No further relevant information available.

# SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

20 01 29\* detergents containing dangerous substances

#### Uncleaned packaging:

15 01 10\*: packaging containing residues of or contaminated by dangerous substances

#### Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

SECTION 14: Transport information		
14.1 UN-Number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	

Contd. on page 8)



Printing date 29.10.2020 Version: 5.00 Revision: 20.05.2020

		(Contd. of page 7
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	<b>ex II of</b> Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Reg	Classification according to Regulation (EC) No 1272/2008		
Skin corrosion/irritation	The classification of the mixture is generally based on the calculation		
Serious eye damage/eye irritation	method using substance data according to Regulation (EC) No		
Skin sensitisation	1272/2008.		

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. on page 9)



Version: 5.00 Printing date 29.10.2020 Revision: 20.05.2020

(Contd. of page 8)

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 4: Acute toxicity - oral – Category 4
Acute Tox. 2: Acute toxicity - inhalation – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Version history and indication of changes: Replaces version 4.00.

\* Data compared to the previous version altered.