according to Regulation (EC) No 1907/2006

Motorkaltreiniger

Revision date: 19.06.2018 Product code: 002273, 002280 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Motorkaltreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Eurolub GmbH Place: D-85386 Eching

Telephone: +49 (0) 81 65 95 91 - 0 Telefax: +49 (0) 81 65 95 91 - 20

e-mail: info@eurolub.com

1.4. Emergency telephone Giftnotruf Freiburg: +49 (0) 761 / 19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

tetrasodium 2,2',2",2"'-(ethane-1,2-diyldinitrilo)-tetraacetate

Alcohols, C9-11 ethoxylated, < 2.5 EO

Signal word: Danger

Pictograms:



Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Motorkaltreiniger

Revision date: 19.06.2018 Product code: 002273, 002280 Page 2 of 7

Hazardous components

Chemical name			Quantity
EC No	Index No	REACH No	
Classification according to Regulation	on (EC) No. 1272/2008 [CLP]	•	
2-butoxyethanol			5 - < 10 %
203-905-0		01-2119475108-36	
Acute Tox. 4, Acute Tox. 4, Acute Tox.	ox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 F	H312 H302 H315 H319	
tetrasodium 2,2',2",2"'-(ethane-1,2-	diyldinitrilo)-tetraacetate		5 - < 10 %
200-573-9			
Acute Tox. 4, Acute Tox. 4, Eye Dar	m. 1, STOT RE 2; H332 H302 H318	H373	
Alcohols, C9-11 ethoxylated, < 2.5 l	EO		1 - < 5 %
614-482-0		01-2119980051-45	
Acute Tox. 4, Eye Dam. 1; H302 H3	18		
sodium cumenesulphonate / potass	ium cumenesulphonate		1 - < 5 %
24-882-7			
Eye Irrit. 2; H319			
	EC No Classification according to Regulation 2-butoxyethanol 203-905-0 Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Acute Tox. 200-573-9 Acute Tox. 4, Acute Tox. 4, Eye Dar. Alcohols, C9-11 ethoxylated, < 2.5 in 614-482-0 Acute Tox. 4, Eye Dam. 1; H302 H3 sodium cumenesulphonate / potassis 24-882-7	EC No Classification according to Regulation (EC) No. 1272/2008 [CLP] 2-butoxyethanol 203-905-0 Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H tetrasodium 2,2',2",2"'-(ethane-1,2-diyldinitrilo)-tetraacetate 200-573-9 Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, STOT RE 2; H332 H302 H318 Alcohols, C9-11 ethoxylated, < 2.5 EO 614-482-0 Acute Tox. 4, Eye Dam. 1; H302 H318 sodium cumenesulphonate / potassium cumenesulphonate 24-882-7	EC No

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

Unsuitable extinguishing media

High power water jet

according to Regulation (EC) No 1907/2006

Motorkaltreiniger

Revision date: 19.06.2018 Product code: 002273, 002280 Page 3 of 7

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Contains: Solvent - Keep away from sources of ignition - No smoking. Ventilate affected area.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Safe handling: see section 7

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g.

sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Contains: Solvent - In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away. Use explosion-proof electrical equipment.

Never use pressure to empty container. Keep/Store only in original container. Do not allow to enter into surface water or drains. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Further information on handling

Do not breathe gas/fumes/vapour/spray. When using do not eat, drink, smoke, sniff. Do not put any product-impregnated cleaning rags into your trouser pockets. When diluting/dissolving, always have the water ready first, then slowly stir in the product. Wash hands before breaks and after work. Provide adequate ventilation as well as local exhaustion at critical locations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV)

Advice on storage compatibility

Do not store together with: Oxidising agent, Strong acid, Strong alkali

Further information on storage conditions

Notice the directions for use on the label. storage temperature of °C 5 up to °C 25

Contains: Solvent - Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep

according to Regulation (EC) No 1907/2006

Motorkaltreiniger

Revision date: 19.06.2018 Product code: 002273, 002280 Page 4 of 7

away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid	240 mmol/mol		Post shift

8.2. Exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Test method

pH-Value (at 20 °C): 11,3-11,5 ISO 4316

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Sublimation point:
not determined
Softening point:
not determined
Pour point:
not determined
not determined
not determined

Flash point: not determined DIN 53213

Sustaining combustion: No data available

Density (at 20 °C): 1,040 - 1,06 g/cm³ ASTM D 1296

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

10.4. Conditions to avoid

In case of warming: Formation of:Carbon dioxide

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO2), Carbon monoxide

according to Regulation (EC) No 1907/2006

Motorkaltreiniger

Revision date: 19.06.2018 Product code: 002273, 002280 Page 5 of 7

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
111-76-2	2-butoxyethanol							
	oral	LD50 mg/kg	1414	Guinea pig				
	dermal	LD50 mg/kg	1999	Guinea pig				
	inhalative (4 h) vapour	LC50	20 mg/l	Rat				
	inhalative aerosol	ATE	1,5 mg/l					
64-02-8	tetrasodium 2,2',2",2"'-(ethane-1,2-diyldinitrilo)-tetraacetate							
	oral	LD50 mg/kg	> 1913	Rat männlich				
	inhalative vapour	ATE	11 mg/l					
	inhalative aerosol	ATE	1,5 mg/l					
68439-46-3	Alcohols, C9-11 ethoxylated, < 2.5 EO							
	oral	LD50 mg/kg	> 5050	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit				
28348-53-0	sodium cumenesulphonate / potassium cumenesulphonate							
	oral	LD50 mg/kg	>5000	Ratte männlich	LD50			
	dermal	LD50 mg/kg	>2000	Kaninchen männlich / weiblich	LD50			
	inhalative (4 h) aerosol	LC50 mg/l	>12200	Ratte männlich / weiblich				

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No 1907/2006

Motorkaltreiniger

Revision date: 19.06.2018 Product code: 002273, 002280 Page 6 of 7

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol						
	Acute fish toxicity	LC50 mg/l	1474		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	1845		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	1800		Daphnia magna (Big water flea)		
64-02-8	tetrasodium 2,2',2",2"'-(ethane-1,2-diyldinitrilo)-tetraacetate						
	Acute fish toxicity	LC50	121 mg/l	96 h	Lepomis macrochirus		
	Acute algae toxicity	ErC50	>60 mg/l		Pseudokirchnerella subcapitata		
68439-46-3	Alcohols, C9-11 ethoxylated, < 2.5 EO						
	Acute fish toxicity	LC50	5 mg/l		Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50	9,9 mg/l	48 h			
28348-53-0	sodium cumenesulphonat	e / potassiur	m cumenesu	Iphonate			
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Cyprinus carpio		
	Acute algae toxicity	ErC50 mg/l	>100		>100mg/l Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol	0,81

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains.

Dispose according to legislation.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

	according to regulation (EG) No 1007/2000				
Motorkaltreiniger					
Revision date: 19.06.2018	Product code: 002273, 002280	Page 7 of 7			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Inland waterways transport (ADN)					
14.1. UN number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Marine transport (IMDG)					
14.1. UN number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	no				
14.6. Special precautions for user	anguart regulation				

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs (Atmungssystem) through prolonged or repeated exposure
	(inhalation, ingestion).

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)