Technicolla

Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name CIA-GLASS
Article number C-355

1.2. Relevant identified uses of the substance or mixture and uses advised against

identified uses: Cyanoacrylate adhesive bonds very strongly within several seconds: glass, metals, wood, rubber,

stone and most plastics.

uses advised against:

1.3. Details of the supplier of the safety data sheet

Manufacturer: NALMAT-Trzebinia

Marian Krzyworzeka ul. Kościuszki 88 32-540 Trzebinia tel. +48 32 612 10 10 fax. +48 32 612 10 66

www.technicqll.pl office@technicqll.pl

jakosc@technicqll.pl

1.4. Emergency telephone number:

+ 48 (032) 711 53 27 during normal office hours - Monday - Friday 6.00am - 2.00pm

112

2. Hazards identification

2.1. Classification of the substance or mixture

Human health hazards: H315 – Causes skin irritation.

H317 – May couse an allergic skin reaction. H319 – Causes serious eye irritation. H335 – May cause respiratory irritation.

Environmental hazards: - Physical and chemical hazards: -

2.2. Label elements

EUH202-Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

EUH208 - Contains hydroquinone. May produce an allergic reaction.

Warning symbol:



WARNING

H315 – Causes skin irritation.

H317 – May couse an allergic skin reaction. H319 – Causes serious eye irritation. H335 – May cause respiratory irritation.

www.technicqll.pl tel. +48 32 711 53 27 e-mail: jakosc@technicqll.pl page 1/7

Technicolla

Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

P102 - Keep out of reach of children.

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 – IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing...

P332+P313- If skin irritation or rash occurs: Get medical advice/attention. P337+ P313 – If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

PBT – lack of information concerning fulfilment of the criteria in accordance with annex XIII of Reach Directive. vPvB - lack of information concerning fulfilment of the criteria in accordance with annex XIII of Reach Directive.

3. Composition/information on ingredients

3.1. Substance: -

3.2. Mixtures

Description	CAS	EC	Reach No	Content %	Classification
Ethyl 2-cyanoacrylate	7085-85-0	230-391-5	01-	90 ÷99,5	Eye Irrit. 2, H319
			2119527766-		STOT SE.3, H335
			29-0000		Skin Irrit. 2, H315
hydroquinone	123-31-9	204-617-8	01-		Acute Tox. 4, H302,
			2119524016-	0,0-0,1	Eye Dam 1, H318,
			51-0000		Skin Sens. 1, H317,
					Muta 2, H341
					Carc 2, H351
					Aquatic. Acute 1, H400

4. First aid measures

4.1 Description of first aid measures

After eye contact: In case of contact with eyes, immediately flush them with plenty of water for at least 15 min.

Eyelids should be held away from eyeballs to ensure thorough rinsing. If irritation persists, contact

a doctor.

After skin contact: Before washing with water and soup, remove the adhesive with a dry cloth or a paper towel. Seek

medical advice if irritating develops. Bonded fingers should be carefully separated in a stream of

warm water. Do not separated cured adhesive from skin using force.

After inhalation: Remove victim to fresh air. In case of difficulty in breathing, seek medical advice. In case of

unconsciousness the victim should be transported in side position.

After swallowing: Do not eat! Rinse mouth several times with water. Consult a doctor showing this MSDS. Do not

induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

The decision of the method of further procedure should be made by a doctor after exact assessment of victim's conditions.

www.technicqll.pl tel. +48 32 711 53 27 e-mail: jakosc@technicqll.pl page 2/7

Technicolla

Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: CO2, powder, foams resistant to alcohols, atomized water jet.

Unsuitable extinguishing media: high volume water jet.

5.2. Special hazards arising from the substance or mixture

May be produced irritating vapours of organic substances.

5.3. Advice for firefighters

Special protective equipment: protective clothes and self-contained breathing apparatus.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For persons not belonging to the staff removing the results of accident: Limit access of outsiders to the accident area until cleaning operation is finished. Avoid pollution of eyes and skin. Ensure good ventilation.

6.2. Environmental precautions:

Do not allow the product to reach sewage system, ground water. If possible, remove spillage. Protect sink basins.

6.3. Methods and material for containment and cleaning up:

Cover small quantities of the spilled product with incombustible, absorptive material e.g. sand, diatomite, take up and collect in a closed and suitable labelled containers.

6.4. Reference to other sections

Information concerning safe holding – section / chapter 7.

Information concerning personal protective equipment - section / chapter 8.

Information concerning utilisation - section / chapter 13.

7. Handling and storage

7.1. Precautions for safe handling:

Handling and storage:

Work in accordance with the principle of occupational health and safety. Work in well ventilated rooms. Avoid ignition sources, higher temperatures, hot surfaces and naked fire. Avoid contacts with skin and eyes. Do not swallow. Unused packages should be kept tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Store in cold, dry and well ventilated rooms in closed original containers at: -15°C - +20°C. Store away from food. Protect from sun rays. The lower temperatures of storage the higher life of the adhesive. Do not store near ignition sources. Do not smoke.

7.3. Specific end use(s)

_

Technicoll^a

Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

8. Exposure controls/personal protection

The personal protection media should fulfil the requirements of instructions of the Cabinet of 21.12.2005 (Dz. U. No. 259, pos. 2173) Directive 89/686/WE (together with later changes). The employer is obliged to ensure measures of personal protection suitable for activities that are made and their cleaning and maintenance.

8.1. Control parameters

Ingredients wit limit values that require monitoring at the work place.

Exposure control	NDS [mg/m ³]	NDSCH [mg/m ³]	
-	-	-	

8.2. Exposure controls

Observe the general rules of hygiene and safety. Ensure good ventilation in a work place. During work, do not eat, drink and smoke tobacco. Wash hands before breaks and at the end of work. Avoid contacts with eyes.

Breathing equipment:

Avoid breathing vapours. In case of short tern contact with the mixture – the general ventilation of rooms. In case of prolonged and intensive contact – a device to protect inhalation system independent on the environmental air (breathing mask with an absorbent of vapours containing a suitable filter)

Protection of hands:

Gloves must be made of material that has to be impermeable and resistant to the action of the preparation. This material has to be checked prior to its application. It is recommended that the gloves should be changed regularly and also when they have any symptoms of their wear, damage or changes appearance, colour, elasticity, form and so on.

Eye protection:

Protective glasses.

Protection of body:

Working clothes.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Psychical state Liquid

Density -

Boiling point >100°C Ignition point >81°C

Self-ignition point The product does not undergo self-ignition

Odour Characteristic Solubility in water Insoluble

Solubility in ketones and esters Dynamic viscosity at 25°C -

9.2. Other information

Lack of additional tests.

10. Stability and reactivity

10.1. Reactivity

No data.

www.technicqll.pl tel. +48 32 711 53 27 e-mail: jakosc@technicqll.pl page 4/7



Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

10.2. Chemical stability

The product is stable if it is correctly stored and handled.

10.3. Possibility of hazardous reactions

Reactions with oxidising agents. Reactions with strong acids.

10.4. Conditions to avoid

Avid naked fire, higher temperatures, hot surfaces. Low temperatures increase live of adhesive.

10.5. Incompatible materials

No data.

10.6. Hazardous decomposition products

No data.

11. Toxicological information

11.1. Information on toxicological effects

In skin contact Irritates skin. May cause an allergy reaction in contact with skin.

In eye contact Irritating.

After swallowing Irritates mucous membrane of oral cavity, throat and farther segments of ingestion system.

Sensitisation May cause an allergy reaction in contact with skin.

Hydroquinone:

LD 50 (orally): rat: 310 mg/kg - 1064 mg/kg

LD 50 (skin): rat: > 900 mg/kg LD 50 (skin):rabbit: > 50 mg/kg

12. Ecological information

12.1. Toxicity

Hydroquinone: CL 50: 0,639 mg/kg

12.2. Persistence and degradability

No data.

12.3. Bioaccumulative potential

Possesses potential to bioaccumulation.

12.4. Mobility in soil

No data.

12.5. Results of PBT and vPvB assessment

PBT Lack of information concerning fulfilment of criteria in accordance with Annex XIII of Reach Directive. vPvB Lack of information concerning fulfilment of criteria in accordance with Annex XIII of Reach Directive.

12.6. Other adverse effects

No data.

www.technicqll.pl tel. +48 32 711 53 27 e-mail: jakosc@technicqll.pl page 5/7

Technicolla

Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

13. Disposal considerations

13.1. Waste treatment methods

Do not allow to reach sewage system. Store in original packaging. Utilize in accordance with suitable regulations.

Waste code:

Waste adhesives and sealants containing organic solvents or other dangerous substations.
 Packaging containing residues of dangerous substations or contaminated with them.

EU Legal Instruments

Directives of European Parliament and Council 2006/12/EC and 94/62/EC ,Directive of Council 91/689/EEC

State Legal Instruments

14. Transport information

14.1. UN-Number:

The product does not create any threat in transport. It is not subject to RID/ADR regulations. It can be transported in any means of transport in hermetically closed packages.

Land transport ADR/RID and GGVSEB Class ADR/RID- GGVSEB

(international/state)

Sea transport IMDG/VSee: Class IMDG/VSee
Air transport ICAO – TI I IATA – DGR: Class ICAO/IATA

14.2. Proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Hazards to environment

Not applicable.

14.6. Special precautions for user

While handling the cargo, apply personal protection measures according to section 8.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

15. Regulatory information

15.1. Legislation related to safety, health and environment protection specific for substance or mixture:

The regulation of European Parliament and Council (EC) no. 19o7/2006 of 18 December 2006 concerning the registration, evaluation, authorization and restriction of chemicals (REACH), for establishing the European Chemical Agency, changing the directive 1999 /45/EC and cancelling the regulation of

EEC) no.793/93 and the regulation of Committee(EC) no.1488/94, as well as the directive of council 76/769/EEC and the directives of Committee 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC,

www.technicqll.pl tel. +48 32 711 53 27 e-mail: jakosc@technicqll.pl page 6/7

Technicolla

Date: 2011-03-31 Update: 2017-01-08

CIA-GLASS

The regulation of European Parliament and Council (EC) no.1272/2008 of 16 December 2008 concerning the classification, labelling and packing the substances and mixtures, changing and cancelling the directives 67/548/EEC and 1999/45/EC and changing the regulation (EC) no.1907/2006

The regulation of Committee (EC) no.790/2009 of10 August 2009 adopting to the scientific and technological progress the regulation of European Parliament and Council (EC) no 1272/2008 of 16 December 2008 concerning the classification, labelling and packing the substances and mixtures

The regulation 453/2010/EU Council of 10.05.2010 changing the regulation no. 1907/2006/EU of European Parliament and Council concerning the registration, estimation, granting permissions and suitable limits in the range of chemicals (REACH)

The directive of European Parliament and Council no.2006/12/EC of5 April 2006 concerning waste.

The directive of Council no. 91/689/EEC of12 December 1991 concerning dangerous waste.

The directive of European Parliament and Council no 94/62/EU. of 20 December 1994 concerning packaging and packaging waste.

15.2. Estimation of chemical safety:

•

16. Other information

Explanation of symbols in the 3 point of Safety Data Sheet:

H351- Suspected of causing cancer

H341- Suspected of causing genetic defects

H302- Harmful if swallowed

H318- Causes serious eye damage

H317- May cause an allergic skin reaction.

H400 - Very toxic to aquatic life

H315 - Causes skin irritation

H319 – Causes serious eye irritation

H335 – May cause respiratory irritation

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MSDS developed by NALMAT Trzebinia

www.technicqll.pl tel. +48 32 711 53 27 e-mail: jakosc@technicqll.pl page 7/7