

according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name California Scents Car Scents Balboa Bubblegum

Registration number (REACH) not relevant (mixture)

Alternative number(s) 091400029876

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

## 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

## Poison centre

Name	Postal code/city	Telephone
UK poison centre		Product information has been sub- mitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health pro- fessionals.

United Kingdom: en Page: 1 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS05, GHS07



- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

- Precautionary statements

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with national regulations.

## 2.2.1.7 - Hazardous ingredients for labelling

Cinnamal, Methyl salicylate, Coumarin

Labelling of packages where the contents do not exceed 125 ml

- Signal word danger

- Hazard pictogram(s)

Danger. GHS05, GHS07

United Kingdom: en Page: 2 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

#### - Hazard statements

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

## - Precautionary statements

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

8 to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with national regulations.

- Contains Cinnamal, Methyl salicylate, Coumarin

#### 2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Pentyl acetate	628-63-7	10 - < 25	Flam. Liq. 3 / H226	
Cinnamal	104-55-2	10 - < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	<b>(1)</b>
Methyl salicylate	119-36-8	10 - < 25	Acute Tox. 4 / H302 Eye Dam. 1 / H318	
Ethyl butyrate	105-54-4	5 – < 10	Flam. Liq. 3 / H226 Eye Irrit. 2 / H319	<b>♦</b> (!)
Pentyl butyrate	540-18-1	5 – < 10	Flam. Liq. 3 / H226	
Vanillin	121-33-5	1-<5	Eye Irrit. 2 / H319	1>

United Kingdom: en Page: 3 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Benzaldehyde	100-52-7	1-<5	Acute Tox. 4 / H302	<u>(1)</u>
Coumarin	91-64-5	<1	Acute Tox. 4 / H302 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	<u>(1)</u>

Name of sub- stance	CAS No	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methyl salicylate	119-36-8			887 <sup>mg</sup> / <sub>kg</sub>	oral
Benzaldehyde	100-52-7			1,430 <sup>mg</sup> / <sub>kg</sub>	oral
Coumarin	91-64-5			500 <sup>mg</sup> / <sub>kg</sub>	oral

For full text of abbreviations: see SECTION 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

## Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom: en Page: 4 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 5 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

#### 7.3 Specific end use(s)

See section 16 for a general overview.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
EU	pentyl acetate	628-63-7	IOELV	50	270	100	540				2000/ 39/EC
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified)

United Kingdom: en Page: 6 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Methyl salicylate	119-36-8	DNEL	285 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Methyl salicylate	119-36-8	DNEL	17.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Methyl salicylate	119-36-8	DNEL	285 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Methyl salicylate	119-36-8	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cinnamal	104-55-2	DNEL	2.513 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects
Cinnamal	104-55-2	DNEL	2.204 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl butyrate	105-54-4	DNEL	49.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl butyrate	105-54-4	DNEL	2.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Benzaldehyde	100-52-7	DNEL	1.14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	6.78 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	0.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

## Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Methyl salicylate	119-36-8	PNEC	200 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Methyl salicylate	119-36-8	PNEC	20 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)

United Kingdom: en Page: 7 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Methyl salicylate	119-36-8	PNEC	2 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Methyl salicylate	119-36-8	PNEC	140 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Methyl salicylate	119-36-8	PNEC	0.52 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methyl salicylate	119-36-8	PNEC	0.052 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Methyl salicylate	119-36-8	PNEC	0.35 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Cinnamal	104-55-2	PNEC	1.004 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Cinnamal	104-55-2	PNEC	0.1004 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Cinnamal	104-55-2	PNEC	13.12 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cinnamal	104-55-2	PNEC	159.2 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cinnamal	104-55-2	PNEC	159.2 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Cinnamal	104-55-2	PNEC	0.0003333 mg/ <sub>kg</sub>	aquatic organ- isms	water	short-term (single instance)
Cinnamal	104-55-2	PNEC	56.08 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Cinnamal	104-55-2	PNEC	1.004 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Ethyl butyrate	105-54-4	PNEC	29.7 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	2.97 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	23.6 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	0.173 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	17.3 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)

United Kingdom: en Page: 8 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Ethyl butyrate	105-54-4	PNEC	17.1 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Vanillin	121-33-5	PNEC	0.118 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Vanillin	121-33-5	PNEC	0.012 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Vanillin	121-33-5	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Vanillin	121-33-5	PNEC	58.22 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Vanillin	121-33-5	PNEC	5.822 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Vanillin	121-33-5	PNEC	11.54 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.011 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Benzaldehyde	100-52-7	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	7.59 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.004 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.001 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.056 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Coumarin	91-64-5	PNEC	19 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	1.9 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Coumarin	91-64-5	PNEC	6.4 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom: en Page: 9 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

## Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Coumarin	91-64-5	PNEC	0.15 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.015 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.018 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 10 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	various
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	121 °C at 972.4 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	>94 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

## Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

Vapour pressure	1,750 Pa at 20 °C

Density and/or relative density

United Kingdom: en Page: 11 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

Density	not determined
Vapour density	this information is not available
Relative vapour density	Information on this property is not available not relevant (liquid)

Particle characteristics	no data available
--------------------------	-------------------

#### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards):
Other safety characteristics	there is no additional information

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom: en Page: 12 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

## Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Methyl salicylate	119-36-8	oral	887 <sup>mg</sup> / <sub>kg</sub>
Benzaldehyde	100-52-7	oral	1,430 <sup>mg</sup> / <sub>kg</sub>
Coumarin	91-64-5	oral	500 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

United Kingdom: en Page: 13 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the danger-

United Kingdom: en Page: 14 / 21

ous goods regulations



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## **Information for each of the UN Model Regulations**

DO<sub>1</sub>

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
California Scents Car Scents Balboa Bubblegum	this product meets the criteria for clas- sification in accordance with Regula- tion No 1272/2008/EC		R3	3
Pentyl acetate	flammable / pyrophoric		R40	40
Ethyl butyrate	flammable / pyrophoric		R40	40
Pentyl butyrate	flammable / pyrophoric		R40	40

#### Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

United Kingdom: en Page: 15 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

#### Legend

5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public

belled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commis-

R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

United Kingdom: en Page: 16 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Revision: 2020-12-15 Version number: GHS 3.0 Replaces version of: 2020-12-04 (GHS 2)

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation AICS CICR CSCL-ENCS

List of Existing and New Chemical Substances (CSCL-ENCS)

DSL

Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI** 

Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

**INSQ** National Inventory of Chemical Substances

ISHA-ENCS KECI

NZIoC

Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory TCSI

**TSCA Toxic Substance Control Act** 

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United Kingdom: en Page: 17 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: non-combustible	yes
9.1	Evaporation rate: not determined		yes
9.1	Viscosity: not determined		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not determined	yes
9.1		Density and/or relative density	yes
9.1	Relative density: information on this property is not available	Relative vapour density: Information on this property is not available not relevant (liquid)	yes
9.1		Particle characteristics: no data available	yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	yes
9.2		Other safety characteristics: there is no additional information	yes

United Kingdom: en Page: 18 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
11.2		Information on other hazards: There is no additional information.	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name: not assigned	yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN): Not subject to ADR, RID and ADN.	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: not assigned	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

United Kingdom: en Page: 19 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15

Replaces version of: 2020-12-04 (GHS 2)

Abbr.	Descriptions of used abbreviations
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom: en Page: 20 / 21



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Balboa Bubblegum

Version number: GHS 3.0 Revision: 2020-12-15 Replaces version of: 2020-12-04 (GHS 2)

# Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 21 / 21