

according to 1907/2006/EC, Article 31

Page 1/9

Printing date 16.02.2023 Revision: 16.02.2023

Version number 12 (replaces version 11)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Aluminium Polish
- · UFI: 7Q15-V0EH-E00A-1EP6
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22 42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795

www.autosol.de

· Further information obtainable from:

Department Product Safety

labor@autosol.de

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: German & English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local regulations.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Page 2/9

Printing date 16.02.2023

Revision: 16.02.2023

Version number 12 (replaces version 11)

Trade name: Aluminium Polish

(Contd. of page 1)

- · Additional information: Keep out of reach of children.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|--------------------------------|---|---------|
| EC number: 920-750-0 | Naphtha (petroleum), hydrotreated light | 10-<25% |
| Reg.nr.: 01-2119473851-33-xxxx | ♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H336 | |
| EC number: 918-481-9 | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, | 1-<10% |
| Reg.nr.: 01-2119457273-39-xxxx | <2% | |
| | aromatics | |
| | ♦ Asp. Tox. 1, H304, EUH066 | |
| EC number: 926-141-6 | Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics, | 1-<10% |
| Reg.nr.: 01-2119456620-43-xxxx | <2% aromatics | |
| | 🗞 Asp. Tox. 1, H304 | |
| CAS: 64-17-5 | ethanol | 1-<10% |
| EINECS: 200-578-6 | ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 | |
| Reg.nr.: 01-2119457610-43-xxxx | Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 % | |
| EC number: 918-811-1 | Hydrocarbons, C10, aromatics, <1% naphthalene | 1-<10% |
| Reg.nr.: 01-2119463583-34-xxxx | Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336, EUH066 | |

| · Regulation (EC) No 648/2004 on detergents / Labelling for contents | |
|--|-----------|
| aliphatic hydrocarbons | ≥30% |
| soap | ≥5 - <15% |
| aromatic hydrocarbons | <5% |
| Benzisothiazolinone | |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 16.02.2023

Revision: 16.02.2023

Version number 12 (replaces version 11)

Trade name: Aluminium Polish

(Contd. of page 2)

Page 3/9

· 4.3 Indication of any immediate medical attention and special treatment needed. No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

- GB —



according to 1907/2006/EC, Article 31

Printing date 16.02.2023

Revision: 16.02.2023 Version number 12 (replaces version 11)

Trade name: Aluminium Polish

(Contd. of page 3)

Page 4/9

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: ≥ 0.5 mm

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Grey

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Page 5/9

Printing date 16.02.2023 Revision: 16.02.2023 Version number 12 (replaces version 11)

Trade name: Aluminium Polish

(Contd. of page 4)

| | (Contd. of page 4) |
|--|--|
| · Boiling point or initial boiling point and boiling | |
| range | 100 °C |
| Flammability | Not applicable. |
| Lower and upper explosion limit | 11 |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| Flash point: | >100 °C |
| Decomposition temperature: | Not determined. |
| pH | Not determined. |
| Viscosity: | |
| · Kinematic viscosity at 40 °C | >21 mm²/s |
| · Dynamic: | Not determined. |
| · Solubility | |
| · water: | Not miscible or difficult to mix. |
| · Partition coefficient n-octanol/water (log value) | Not determined. |
| · Vapour pressure: | Not determined. |
| Density and/or relative density | |
| Density at 20 °C: | 1.048 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| 0.2 Other information | |
| 9.2 Other information | |
| · Appearance: | Docty |
| · Form: · Important information on protection of health | Pasty |
| and environment, and on safety. | |
| · Auto-ignition temperature: | Product is not colfigniting |
| Explosive properties: | Product is not selfigniting. Product does not present an explosion hazard. |
| Change in condition | Product does not present an explosion hazard. |
| · Evaporation rate | Not determined. |
| • | Not determined. |
| Information with regard to physical hazard | |
| classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable | |
| gases in contact with water | Void |
| Oxidising liquids | Void Void |
| Oxidising solids | Void Void |
| · Organic peroxides | Void |

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 16.02.2023

Page 6/9

Revision: 16.02.2023

Version number 12 (replaces version 11)

| Trade name: Aluminium Polish | | | | |
|------------------------------|------|-------------------|--|--|
| | | (Contd. of page 5 | | |
| · Corrosive to metals | Void | | | |
| · Desensitised explosives | Void | | | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 \ | · LD/LC50 values relevant for classification: | | |
|-------------|---|-----------------------|--|
| Naphtha (| Naphtha (petroleum), hydrotreated light | | |
| Oral | LD50 | 5,000 mg/kg (rat) | |
| Dermal | LD50 | 2,800 mg/kg (rabbit) | |
| Inhalative | LC50 (4 h) | >23.3 mg/l (rat) | |
| _ | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics | | |
| Oral | LD50 | >5,000 mg/kg (rat) | |
| Dermal | LD50 | >5,000 mg/kg (rabbit) | |
| Inhalative | LC50 (4 h) | 4,951 mg/l (rat) | |
| Hydrocarl | Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics, <2% aromatics | | |
| Oral | LD50 | >5,000 mg/kg (rat) | |
| Dermal | LD50 | >5,000 mg/kg (rabbit) | |
| Inhalative | LC50 (4 h) | >5,000 mg/l (rat) | |
| 64-17-5 et | 64-17-5 ethanol | | |
| Oral | LD50 | 7,060 mg/kg (rat) | |
| Inhalative | LC50 (4 h) | 20,000 mg/l (rat) | |

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Page 7/9

Printing date 16.02.2023 Revision: 16.02.2023

Version number 12 (replaces version 11)

Trade name: Aluminium Polish

(Contd. of page 6)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

78-93-3 butanone

List II

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

EC50 >1,000 mg/l (daphnia)

LC50 (96 h) >1,000 mg/l (Oncorhynchus mykiss)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Page 8/9

Printing date 16.02.2023 Revision: 16.02.2023

Version number 12 (replaces version 11)

Trade name: Aluminium Polish

(Contd. of page 7) · 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Department issuing SDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

- Contact: labor@autosol.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Page 9/9

(Contd. of page 8)

Printing date 16.02.2023

Revision: 16.02.2023

Version number 12 (replaces version 11)

Trade name: Aluminium Polish

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

- GB —