Revision: 04.12.2020



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2020

Version number 6

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: BikeCare CLEANER Motorbike Cleaning Gel
- · Article number:

55130100500, 55130100501, 55130100521, 55130100520, 55130100507, 55130100511

- · UFI: YDFS-R2M0-Y00A-GHM8
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

POLO Motorrad und Sportswear GmbH

Polostr. 1 41363 Jüchen

Tel: 02165 84 40 200 Fax: 01265 84 40 450

E-Mail: info@polo-motorrad.com

· Further information obtainable from:

Safety Department

sicherheit@dr-stoecker.de

· 1.4 Emergency telephone number:

INTERNATIONAL: +49 (0) 6132 / 84463 (GBK Gefahrgut Büro GmbH, Ingelheim)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

EU -



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salt	2.5-10%
EC number: 307-055-2	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2,	
Reg.nr.: 01-2119489924-20	H315; Aquatic Chronic 3, H412	
EC number: 939-265-0	Sulfuric acid, C12-14 (even numbered)-alkyl-esters,	0- <i>≤</i> 2.5%
Reg.nr.: 01-2119970645-28	compds. with triethanolamine	
	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	≥5 - <15%
phosphates, non-ionic surfactants, phosphonates	<5%
preservation agents (BENZISOTHIAZOLINONE, LAURYLAMINE	
DIPROPYLENEDIAMINE, SODIUM PYRITHIONE,	
METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE (3:	
1))	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If swallowed, seek medical advice immediately and show this container or label.

 \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

EU



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Keep container tightly sealed.

- · Storage class: 10
- \cdot 7.3 Specific end use(s) No further relevant information available.

ΕI



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- $\cdot \textit{Ingredients with limit values that require monitoring at the workplace:}$

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

97489-15-	1 Sulfonic acids, C14-17-sec-alkane	, sodii	um salt	
Oral	Long term - systemic effects, gen population	neral	7.1 mg/kg bw/day (general population)	
Dermal	Acute - local effects, worker		2.8 mg/cm2 (worker)	
	Long-term - systemic effects, worker		5 mg/kg bw/day (worker)	
	Long-term - local effects, worker		2.8 mg/cm2 (worker)	
	Acute - local effects, general popula	tion	2.8 mg/cm2 (general population)	
	Long term - systemic effects, gen population	neral	3.57 mg/kg bw/day (general population)	
	Long term - local effects, ger population	ieral	2.8 mg/cm2 (general population)	
Inhalative	Long-term - systemic effects, worker		35 mg/m3 (worker)	
	Long term - systemic effects, general population		12.4 mg/m3 (general population)	
Sulfuric a	cid, C12-14 (even numbered)-alkyl-e	esters,	compds. with triethanolamine	
Oral	Long term - systemic effects, general population		24 mg/kg bw/day (general population)	
Dermal	Long-term - systemic effects, worker		4,060 mg/kg bw/day (worker)	
	Long term - systemic effects, gen population	neral	2,440 mg/kg bw/day (general population	
Inhalative	Long-term - systemic effects, worker		285 mg/m3 (worker)	
	Long term - systemic effects, general population		85 mg/m3 (general population)	
PNECs				
07/20 15	1 Sulfonic acids, C14-17-sec-alkane	, sodii	um salt	
7/ 4 07-13-	Aquatic compartment - freshwater		0.04 mg/l (Sweet Water / Süsswasser)	
	mpartment - freshwater		0.004 mg/l (marine water)	
Aquatic co	mpartment - freshwater mpartment - marine water		4 mg/l (marine water)	
Aquatic co Aquatic co	•	0.004		
Aquatic co Aquatic co Aquatic c releases	mpartment - marine water	0.004 0.06	mg/l (intermittent release water)	

(Contd. on page 5)



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

	(Contd. of page 4)
Terrestrial compartment - soil	9.4 mg/kg dw (soil)
sewage treatment plant	600 mg/l (sewage treatment plant)
Oral secondary poisoning	53.3 mg/kg food (food sec poisoning)
Sulfuric acid, C12-14 (even numbered)-alkyl-	esters, compds. with triethanolamine
Aquatic compartment - freshwater	0.012 mg/l (freshwater)
Aquatic compartment - marine water	0.0012 mg/l (marine water)
Aquatic compartment - sediment in freshwater	0.422 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	0.0422 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	0.083 mg/kg dw (soil)
sewage treatment plant	1.35 mg/l (sewage treatment plant)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves
- · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- $\cdot \textit{General Information}$
- · Appearance:

Form: Colour: Fluid Green

· Odour:

C---:

· Odour threshold:

Specific type
Not determined.

· pH-value at 20 °C:

8.8 (DIN 19268)

(Contd. on page 6)



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

(Contd. of page 5)

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** ca. 100 °C

· Flash point:

>90 °C

· Flammability (solid, gas):

Not applicable.

· Decomposition temperature:

Not determined.

· Auto-ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Explosion limits:

Lower: Upper:

Not determined.
Not determined.

· Oxidising properties

Not determined.

· Vapour pressure at 20 °C:

23 hPa

· Density at 20 °C:

1.04 g/cm³ (DIN 51757) Not determined.

Relative densityVapour densityEvaporation rate

Not determined.
Not determined.

· Solubility in / Miscibility with

water:

Fully miscible.

· Partition coefficient: n-octanol/water:

Not determined.

· Viscosity:

Dynamic: Kinematic:

Not determined. Not determined.

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Version number 6 Printing date 04.12.2020 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

		(Contd. of page 6)
· LD/LC5	0 valu	es relevant for classification:
97489-1	5-1 Su	lfonic acids, C14-17-sec-alkane, sodium salt
Oral	LD50	>500-2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (mouse)
Sulfuric	acid, (C12-14 (even numbered)-alkyl-esters, compds. with triethanolamine
Oral	LD50	1,800 mg/kg (rat) (EU Method B.1)
Dermal	LD50	>2,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

97489-15-1 S	ulfonic acids, C14-17-sec-alkane, sodium salt
NOEC	600 mg/l (Pseudomonas putida) (DIN 38412 T.8)
	0.36 mg/l (Daphnia magna) (OECD 202) 22 d
NOEC 28 d	0.85 mg/l (Oncorhynchus mykiss) (OECD 204)
NOEC 56 d	470 mg/l (Eisenia foetida) (OECD 222)
OECD 301 B	78 % (_) (28 d)
LC50/96 h	1-10 mg/l (Danio rerio) (OECD 203)
EC50/48 h	9.81 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	>61 mg/l (Desmodesmus subspicatus) (OECD 201)
Sulfuric acid,	C12-14 (even numbered)-alkyl-esters, compds. with triethanolamine
NOEC	0.88 mg/l (Ceriodaphnia dubia)
	≥1,357 mg/l (Pimephlas promelas) 42 d
LC50/96 h	3.6 mg/l (Oncorhynchus mykiss) (OECD 203)
EC50/48 h	7.1 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	9.3 mg/l (Desmodesmus subspicatus) (EU Method C.3)



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

(Contd. of page 7)

EC50/3h 135 mg/l (bel) (OECD 209)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

- · Uncleaned packaging:
- $\cdot \textit{Recommendation:} \ \textit{Disposal must be made according to official regulations.}$
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.
 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

(Contd. on page 9)



Printing date 04.12.2020 Version number 6 Revision: 04.12.2020

Trade name: BikeCare CLEANER Motorbike Cleaning Gel

(Contd. of page 8)

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Department R&D
- · Contact: Department R&D
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data compared to the previous version altered.