

Printing date 12.02.2021 Version: 9.00 Revision: 16.09.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: SONAX XTREME WheelCleaner PLUS

Article number:

02301000,

02302000-230, 02302000-280,

02302090,

02302410,

02304000, 02304000-205, 02304000-280,

02305050, 02309410.

02309410

UFI: DUT3-P01S-H004-AV2J

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Product category** PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

### Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

### United Kingdom:

Saxon

Everland Road,

Hungerford, Berkshire, RG17 0DX, UK Tel: 01488 689 400 | Fax: 01488 684317

e-mail: info@saxon-brands.com

### 1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

### Signal word Warning

### Hazard-determining components of labelling:

Sodium mercaptoacetate

(Contd. on page 2)



Printing date 12.02.2021 Version: 9.00 Revision: 16.09.2020

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 1)

#### Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing spray. P280 Wear protective gloves.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: aqueous tenside solution with additives

Dangerous components:		
CAS: 367-51-1 EINECS: 206-696-4 Reg.nr.: 01-2119968564-24-xxxx	sodium mercaptoacetate solution (46%)  • Acute Tox. 4, H302; Skin Sens. 1B, H317	25-<50%
CAS: 147170-44-3 EC No 931-333-8 Reg.nr.: 01-2119489410-39-xxxx	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts Alternative CAS number: 61789-40-0  Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 4 % ≤ C < 10 %	1-<3%
CAS: 37971-36-1 EINECS: 253-733-5	2-phosphonobutane-1,2,4-tricarboxylic acid  ♦ Met. Corr.1, H290; ♦ Eye Irrit. 2, H319	1-<3%

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
amphoteric surfactants, phosphonates, non-ionic surfactants	<5%
perfumes, limonene	

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

## 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Induce vomiting only, if affected person is fully conscious.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

sensitization Headache Dizziness Drowsiness

(Contd. on page 3)



Printing date 12.02.2021 Version: 9.00 Revision: 16.09.2020

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 2)

Gastric or intestinal disorders

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

## 5.3 Advice for firefighters

### Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

## Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

# 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

## Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with alkalis (caustic solutions).

Do not store together with acids.

Store away from foodstuffs.

### Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Printing date 12.02.2021 Version: 9.00 Revision: 16.09.2020

Trade name: SONAX XTREME WheelCleaner PLUS

DNELO		(Contd.
DNELs	470 44	0.4 December 10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
CAS: 147		-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
Oral	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)
Dermal	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)
		12.5 mg/kg (worker) (longterm systematic effects)
		44 mg/m³ (worker) (longterm systematic effects)
CAS: 379	71-36-1	2-phosphonobutane-1,2,4-tricarboxylic acid
Oral	DNEL	2.1 mg/kg bw/day (worker) (longterm systematic effects)
		65 mg/kg bw/day (consumer) (short-term systematic effects)
Dermal	DNEL	40 mg/bw/day (consumer) (short-term systematic effects)
		80 mg/bw/day (worker) (short-term systematic effects)
	DNEL	2.1 mg/kg bw/day (consumer) (longterm systematic effects)
		4.5 mg/kg bw/day (worker) (longterm systematic effects)
	DNEL	3.7 mg/kg (consumer) (longterm systematic effects)
	DNEL	79 mg/kg (consumer) (short-term systematic effects)
Inhalative	DNEL	15 mg/m³ (worker) (longterm systematic effects)
	DNEL	158 mg/m³ (worker) (short-term systematic effects)
PNECs		
CAS: 147	170-44	-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even
DNE	C 2 00	numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
FINE		
		35 mg/l (water (fresh water))
		1135 mg/l (water (sea water))
PINE		g/kg (sediment (fresh water))
		mg/kg (sediment (sea water))
CAC: 270		mg/kg (soil)
		2-phosphonobutane-1,2,4-tricarboxylic acid
		ng/kg food (Secondary poisoning)
PINE		mg/l (sewage plant)
		(2 mg/l (water (intermittent release))
		mg/l (water (fresh water))
DA / E		mg/l (water (sea water))
PINE		mg/kg (sediment (fresh water))
	0.49	mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

## 8.2 Exposure controls

### Personal protective equipment:

# General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

## Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Protective gloves

# Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

(Contd. on page 5)



Printing date 12.02.2021 Version: 9.00 Revision: 16.09.2020

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 4)

### Penetration time of glove material

Value for the permeation: Level 4 (<240min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection:

Goggles recommended during refilling

[EN 166]

SECTION 9: Phy	ysıcal and	cnemical	proper	ties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid

Colour: colourless - light red

Odour: Sulphidic
Odour threshold: Not determined.

pH-value at 20 °C: 5.1 - 5.3

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C (CAS: 7732-18-5 water)

Flash point:Not applicable.Flammability (solid, gas):Not applicable.Ignition temperature:Not determined.

**Decomposition temperature:** Not determined.

Explosive properties: Product does not present an explosion hazard.

Product is not selfigniting.

Explosion limits:

Auto-ignition temperature:

Lower: Not determined. Upper: Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Density at 20 °C:1.10 - 1.12 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.

Solubility in / Miscibility with

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Flow time at 20 °C 18 - 22 s (DIN EN ISO 2431/4mm)
9.2 Other information No further relevant information available.

Fully miscible.

# SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Nitrogen oxides

(Contd. on page 6)



Printing date 12.02.2021 Version: 9.00 Revision: 16.09.2020

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 5)

Sulphur dioxide Sulphuric acid Phosphorus oxides (e.g. P2O5)

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD/LC5	0 valu	es relevant for classification:
Oral	ATE	1,000-2,000 mg/kg (Additivity formula)

Dermal ATE >5,000 mg/kg (Additivity formula)

## CAS: 367-51-1 sodium mercaptoacetate solution (46%)

 Oral
 LD50
 200-500 mg/kg (rat) (OECD 423 (Conc. 46%))

 Dermal
 LD50
 1,000-2,000 mg/kg (rat) (OECD 402 (Conc. 98%))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral LD50 >5,000 mg/kg (rat) (OECD 401)
Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

CAS: 37971-36-1 2-phosphonobutane-1,2,4-tricarboxylic acid

Dermal LD50 >4,000 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

## Repeated dose toxicity

CAS: 37971-36-1 2-phosphonobutane-1,2,4-tricarboxylic acid

Oral NOAEL 90 d 424 mg/kg (rat) (OECD 408, 90d, target organ: liver) 632 mg/kg (Ratte) (OECD 408, 90d, target organ: liver)

NOEC / 14 d | >1,042 mg/kg (Danio rerio) (OECD 204)

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

### Values relevant for classification:

CAS: 37971-36-1 2-phosphonobutane-1,2,4-tricarboxylic acid

Oral NOAEL 1,000 mg/kg/day (rat) (OECD 414)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

LC50 / 96h >100 mg/l (Oncorhynchus mykiss) (OECD 203 (Subs. thioglycolic acid))

(Contd. on page 7)



Revision: 16.09.2020 Printing date 12.02.2021 Version: 9.00

Trade name: SONAX XTREME WheelCleaner PLUS

	(Contd. of page 6)
LC50 / 48h	880 mg/l (Leuciscus idus) (DIN 38412 / 15 (Subs. thioglycolic acid))
EC50 / 48h	38 mg/l (Daphnia magna) (84/449/EWG (Subs. thioglycolic acid))
EC50 / 72h	13 mg/l (Pseudokirchneriella subcapitata) (OECD 201 (Subs. thioglycolic acid))
CAS: 147170	-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
LC 50	>1-10 mg/l (Pimephales promelas) (OECD 203)
EC0	>100 mg/l (Pseudomonas putida) (OECD 209)
EC50	>1-10 mg/l (Daphnia magna) (OECD 202)
	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC	≤1 mg/l (Oncorhynchus mykiss) (OECD210)
	≤1 mg/l (Daphnia magna) (OECD 211)
CAS: 37971-	36-1 2-phosphonobutane-1,2,4-tricarboxylic acid
NOEC/NOEL	1,000 mg/l (rat)
	EC50 / 48h EC50 / 72h CAS: 147170 LC 50 EC0 EC50 NOEC

### 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

### 12.3 Bioaccumulative potential

## CAS: 367-51-1 sodium mercaptoacetate solution (46%)

log POW ≤2.99 log POW (20°C OECD 107 (thioglycolic acid))

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

#### General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

## European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 29*	detergents containing hazardous substances	
15 01 10*	packaging containing residues of or contaminated by hazardous substances	Π

## SECTION 14: Transport information 14.1 UN-Number ADR, IMDG, IATA Void 14.2 UN proper shipping name ADR, IMDG, IATA Void 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Void 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: No

(Contd. on page 8)



Revision: 16.09.2020 Printing date 12.02.2021 Version: 9.00

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 7)

14.6 Special precautions for user	Not applicable.		
14.7 Transport in bulk according to Ai	nnex II of		
Marpol and the IBC Code	Not applicable.		
UN "Model Regulation":	Void		

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

### National regulations:

### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

### Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Skin sensitisation

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)
NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - oral - Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Version history and indication of changes: Replaces version 8.00.

\* Data compared to the previous version altered.