

according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Specol UHF CHF/PSF Synthetic

Substance / mixture mixture

UFI RMF0-0023-8007-95VN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Hydraulic Fluid.

For specific application advice see appropriate Technical Data Sheet or consult our company representative.

Mixture uses advised against

Not defined.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name SPECOL Sp. z o.o.

Address ul. Kluczborska 31, Chorzów, 41-508

Poland

VAT Reg No PL6272453121
Phone 32 245 91 33
E-mail info@specol.com.pl
Web address www.specol.com.pl

Competent person responsible for the safety data sheet

Name SPECOL Sp. z o.o. E-mail info@specol.com.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Asp. Tox. 1, H304 Acute Tox. 4, H332

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways. Harmful if inhaled.

2.2. Label elements

Hazard pictogram





Signal word

Danger

Hazardous substances

1-Dodecene, dimer with 1-decene, hydrogenated

Hazard statements

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

10th March 2023 Creation date

Revision date Version 1.0

P271 Use only outdoors or in a well-ventilated area. P301+P310 IF SWALLOWED: Immediately call a doctor. P312 Call a POISON CENTER if you feel unwell.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 151006-58-5 EC: 604-766-2	1-Dodecene, dimer with 1-decene, hydrogenated		Asp. Tox. 1, H304 Acute Tox. 4, H332	
Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 Registration number: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic	0,06-0,96	Asp. Tox. 1, H304	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

DNFI

Distillates (petroleum), hydrotreated light paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.97 mg/kg/24h	Chronic effects systemic		
Workers	Inhalation	2.73 mg/m ³	Chronic effects systemic		
Consumers	Oral	0.74 mg/kg/24h	Chronic effects systemic		
Consumers	Inhalation	1.19 mg/m³	Chronic effects local		

PNEC

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg of dry substance of sediment		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	green
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	155 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	19 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,815-0,825 g/cm ³ at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

liquid

liquid

10th March 2023 Creation date

1.0 Revision date Version

Amines, C16-18 and C16-18-unsatd. alkyl (CAS:

Distillates (petroleum), hydrotreated light paraffinic

(CAS: 64742-55-8)

Methyl-1H-benzotriazole (CAS: 29385-43-1) solid: bulk

solid: particulate/powder Methyl-1H-benzotriazole (CAS: 29385-43-1)

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-

liquid isoalkyloxy) derivs., C10-rich (CAS: 398141-87-2)

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Harmful if inhaled.

Distillates (petroleum), hydrotreated light paraffinic

=						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	>5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	5000 mg/kg		Rabbit	
Oral	LD ₅₀	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit
Skin	Slightly irritating	OECD 404		Rabbit

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 411	30 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	
Inhalation (dust/mist)	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	
Inhalation (dust/mist)	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 412	0.05 mg/l	28 lub 14 days	Rat (Rattus norvegicus)	

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Value	Exposure time	Species	Environment
EL 50	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL 50	>100 mg/l	96 hours	Fish (Pimephales promelas)	
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability

Biodegradability

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

not available

12.3. Bioaccumulative potential



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 01 11 synthetic hydraulic oils *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.
P301+P310 IF SWALLOWED: Immediately call a doctor.
P312 Call a POISON CENTER if you feel unwell.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EL₅₀ Effective Loading for 50% of the tested organisms

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LL₅₀ Lethal Loading for 50% of tested organisms

log Kow Octanol-water partition coefficient NOAEL No observed adverse effect level

NOEL No observed effect level OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail



according to Commission Regulation (EU) 2020/878 as amended

Specol UHF CHF/PSF Synthetic

Creation date 10th March 2023

Revision date Version 1.0

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity
Asp. Tox. Aspiration hazard

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.