

Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

Article number:

03365050

UFI: X330-D0MA-M00H-N8SW

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product

Cleaning material/ Detergent

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH

Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1A H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

Additional information:

Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2):

no self-sustained combustion

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Signal word Warning

Hazard-determining components of labelling:

1-Methoxy-2-propanol

2-methylisothiazol-3(2H)-one

1,2-benzisothiazol-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

(Contd. of page 1)

H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapours.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P312 Call a POISON CENTER/doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous formulation of alcohol, glycol and tensides.

Dangerous components:		
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	20-<50%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	3-<5%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.1%
CAS: 3811-73-2 EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	pyridine-2-thiol 1-oxide, sodium salt Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H332	<0.1%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents anionic surfactants methylisothiazolinone, perfumes (LIMONENE, LINALOOL), sodium pyrithione, benzisothiazolinone

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

(Contd. on page 3)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

(Contd. of page 2)

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

sensitization Allergic reactions

Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Water spray

Fire-extinguishing powder

Carbon dioxide

Alcohol resistant foam

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

(Contd. on page 4)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

(Contd. of page 3)

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C. Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with lin	mit values that require monitoring at the workplace:	
CAS: 107-98-2 1-Methoxy-2-propanol		
WEL (Great Britain)	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk	
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin	
OEL (Ireland)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm IOELV	
CAS: 64-17-5 ethar	nol	
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm	
OEL (Ireland)	Short-term value: 1000 ppm	

Regulatory information

WEL (Great Britain): EH40/2020 IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

DNELs			
CAS: 107-	CAS: 107-98-2 1-Methoxy-2-propanol		
Oral	DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)		
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)	
		50.6 mg/kg (worker) (long-term / systemic effects)	
Inhalative	DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)	
		553.5 mg/m³ (worker) (short-term / local effects)	
	DNEL	369 mg/m³ (worker) (long-term / systemic effects)	
CAS: 64-1	7-5 eth	nanol	
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)	
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)	
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)	
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)	
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)	
		950 mg/m³ (worker) (long-term exposure - systemic effects)	

PNECs

CAS: 107-98-2 1-Methoxy-2-propanol

PNEC 100 mg/l (STP)

100 mg/l (water (intermittent release))

10 mg/l (water (fresh water)) 1 mg/l (water (sea water))

PNEC 2.47 mg/kg (gro)

(Contd. on page 5)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

	(Contd. of page 4	.)
	41.6 mg/kg (sediment (fresh water))	1
	4.17 mg/kg (sediment (sea water))	
CAS: 6	64-17-5 ethanol	Ī
	580 mg/l (sewage plant)	1
	0.96 mg/l (water (fresh water))	
	0.79 mg/l (water (sea water))	
PNEC	3.6 mg/kg (sediment (fresh water))	
	0.63 mg/kg (soil)	

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Fully miscible.

Not determined. Not determined.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid Colour: Green Odour: Citrus Undetermined.

Melting point/freezing point:

Boiling point or initial boiling point and boiling

78 - 120 °C range

Flammability Combustible liquid.

Lower and upper explosion limit

Not determined. Lower: Upper: Not determined. Flash point: 47 °C (DIN 51755) Decomposition temperature: Not determined. 8.5-9.5

pH at 20 °C

Viscosity: Kinematic viscosity at 40 °C <20.5 mm²/s Dynamic: Not determined.

Solubility water:

Partition coefficient n-octanol/water (log value)

Vapour pressure:

Density and/or relative density

Density at 20 °C: 0.99-1 g/cm3 Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Not determined.

(Contd. on page 6)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

	(Contd. of page
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	isses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2):
	no self-sustained combustion
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	ble
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	evant for classification:
CAS: 107-	-98-2 1-Me	thoxy-2-propanol
Oral	LD50	4,016 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC0 / 6h	>7,000 ppm (rat)
CAS: 64-1	7-5 ethano	ol .
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

(Contd. of page 6) Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity

CAS: 64-17-5 ethanol

Oral NOAEL 1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxic	city:	
CAS: 107-98-	-2 1-Methoxy-2-propanol	
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)	
LC50 / 48h	C50 / 48h 23,300 mg/l (Daphnia magna)	
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)	
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)	
CAS: 64-17-5	ethanol	
LC50 / 48h	8,140 mg/l (Leuciscus idus)	
EC50 / 48h	>10,000 mg/l (Daphnia magna)	
EC50 / 72h	275 mg/l (Chlorella vulgaris)	
CAS: 2682-20	0-4 2-methylisothiazol-3(2H)-one	
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
CAS: 3811-73	3-2 pyridine-2-thiol 1-oxide, sodium salt	
LC50 / 96h	0.00767 mg/l (Zebrabärbling)	
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)	
EC50/3h	1.81 mg/l (KS) (OECD 209)	
EC50 / 48h	0.022 mg/l (daphnia)	
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)	
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)	
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
NOEL 21 d	1.2 mg/l (daphnia) (OECD 211)	
LC50/4d	2.2 mg/l (Regenbogenforelle) (OECD 203)	
EC 20 / 3h	3.3 mg/l (KS)	
EC50/3h	13 mg/l (KS)	
NOEC / 28d	0.21 mg/l (Regenbogenforelle) (OECD 215)	
EC10 / 72 h	0.04 mg/l (Selenastrum capricornutum) (OECD 201)	
EC50 / 2 d	3.27 mg/l (daphnia) (OECD 202)	
EC50 / 3 d	0.11 mg/l (Selenastrum capricornutum) (OECD 201)	
12.2 Persiste	ence and degradability	

CAS: 107-98-2 1-Methoxy-2-propanol

Biodegradation 90-100 % (OEECD 301E)

(Contd. on page 8)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

	(Contd. of page 7)
CAS: 38	311-73-2 pyridine-2-thiol 1-oxide, sodium salt
Biodegra	adation >70 % (activated sludge) (OECD 301 B)
12.3 Bio	paccumulative potential
CAS: 10	77-98-2 1-Methoxy-2-propanol
log Kow	0.37 (25°C)
CAS: 26	82-20-4 2-methylisothiazol-3(2H)-one
BCF	3.16
log Kow	≤0.32
CAS: 38	311-73-2 pyridine-2-thiol 1-oxide, sodium salt
log Kow	<-1.09 ((n-Octanol/Wasser) OECD 107)
CAS: 26	34-33-5 1,2-benzisothiazol-3(2H)-one
BCF	6.95 (fish) (OECD 305)
log Kow	0.7 (octan-1-ol/water (OECD 117))

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PRT

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 13*	solvents
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/RID/ADN, IMDĠ, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	

(Contd. on page 9)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

14.5 Environmental hazards:
Marine pollutant:
No

14.6 Special precautions for user
Not applicable.

14.7 Maritime transport in bulk according to IMO instruments
Not applicable.

UN "Model Regulation":
Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 29.75 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Skin sensitisation Specific target organ toxicity (single exposure) Calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 14.09.2022 Version number of previous version: 1.00

Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration EC50 = half maximal effective concentration

(Contd. on page 10)



Printing date 23.03.2023 Version: 2.00 (replaces version 1.00) Revision: 22.12.2022

(Contd. of page 9)

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.