



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date 25th March 2022
Revision date Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Top Efekt MAX mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Universal office cleaning product. Neutral in working solution. Easily removes greasy stains, creates delicate protective layer and leaves a pleasant aroma
Mixture uses advised against
not available
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name TENZI Sp. z o.o.
Address Skarbimierzyce 20, Dołuje, 72-002
Poland
VAT Reg No PL8512583405
Phone +48 91 3119777
E-mail info@tenzi.pl
Web address www.tenzi.pl
- Competent person responsible for the safety data sheet**
Name technolog@tenzi.pl
E-mail technolog@tenzi.pl
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Eye Irrit. 2, H319

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye irritation.

- 2.2. Label elements**
Hazard pictogram



Signal word
Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental information



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date 25th March 2022
Revision date Version 2.0

<5 % anionic surfactants, <5 % non-ionic surfactants, perfumes

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43-XXXX	ethanol	<2	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25-XXXX	propan-2-ol	<1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date 25th March 2022
Revision date Version 2.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date

25th March 2022

Revision date

Version

2.0

ethanol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	343 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	950 mg/m ³	Systemic acute effects		SDS
Workers	Dermal	1900 mg/kg	Systemic acute effects		SDS
Consumers	Dermal	206 mg/kg	Systemic chronic effects		SDS
Consumers	Oral	87 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	114 mg/m ³	Systemic chronic effects		SDS
Consumers	Dermal	950 mg/kg	Systemic acute effects		SDS
Consumers	Inhalation	950 mg/m ³	Systemic acute effects		SDS

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	888 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	500 mg/m ³	Systemic chronic effects		SDS
Consumers	Dermal	319 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	89 mg/m ³	Systemic chronic effects		SDS
Consumers	Oral	26 mg/kg	Systemic chronic effects		SDS

PNEC

ethanol

Route of exposure	Value	Determining method
Soil (agricultural)	0.63 mg/kg	
Microorganisms in wastewater treatment plants	580 mg/l	
Seawater	0.79 mg/l	
Freshwater sediment	3.6 mg/kg	
Drinking water	0.96 mg/l	

propan-2-ol

Route of exposure	Value	Determining method
Drinking water	140.9 mg/l	
Seawater	140.9 mg/l	
Freshwater sediment	552 mg/kg	
Sea sediments	552 mg/kg	
Soil (agricultural)	28 mg/kg	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

In case of splash use safety glasses.

Skin protection

It is not needed.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date 25th March 2022
Revision date Version 2.0

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	violet
Odour	characteristic of the composition used for
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	78 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	9 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Relative density	1,007 g/cm ³ (+-) 0,020
Form	violet liquid

9.2. Other information

Flash point: based on a similar product

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

ethanol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	6.2-15 g/l		Rat (Rattus norvegicus)		SDS
Oral	LDL0	6000 mg/kg		Human		SDS
	LDL0	7060 mg/kg		Rat (Rattus norvegicus)		SDS
Inhalation	LC ₅₀	<50 mg/l	4 hour	Rat (Rattus norvegicus)		SDS



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date 25th March 2022
Revision date Version 2.0

propan-2-ol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	>2000 mg/kg				SDS
Skin	LD ₅₀	>2000 mg/kg				SDS
Inhalation	LC ₅₀	>5 mg/l				SDS

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

propan-2-ol

Parameter	Value	Time of exposure	Species	Environment	Source
LC ₅₀	>100 mg/l	48 hour	Fishes (<i>Leuciscus idus</i>)		SDS
EC ₅₀	>100 mg/l	48 hour	Daphnia (<i>Daphnia magna</i>)		SDS
EC ₅₀	>100 mg/l	72 hour	Algae (<i>Scenedesmus subspicatus</i>)		SDS

12.2. Persistence and degradability

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date	25th March 2022	Version	2.0
Revision date			

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date 25th March 2022
Revision date Version 2.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For the following substances, mixtures:

Ethanol: the manufacturer has performed a chemical safety assessment.

Propanol 2-ol: the manufacturer has performed a chemical safety assessment.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road
BCF Bioconcentration Factor
CAS Chemical Abstracts Service
CE₅₀ Concentration of a substance when it is affected 50% of the population
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL Derived no-effect level
EINECS European Inventory of Existing Commercial Chemical Substances
EmS Emergency plan
EuPCS European Product Categorisation System
IATA International Air Transport Association
IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry
LC₅₀ Lethal concentration of a substance in which it can be expected death of 50% of the population
LD₅₀ Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow Octanol-water partition coefficient
LZO Volatile organic compounds
MARPOL International Convention for the Prevention of Pollution from Ships
OEL Occupational Exposure Limits
PBT Persistent, Bioaccumulative and Toxic



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt MAX

Creation date	25th March 2022	Version	2.0
Revision date			

PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS

Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.
Classification procedure - based on flash point test results.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.