No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product EAP 320 DIESEL-WINTERZUSATZ

Art-Nr 004xxx

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Product categories [PC]

PC0 - Other

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor EUROLUB GmbH

Freisingerstraße 25-27, D-85386 Eching b. München Phone +49 8165 9591-0, Fax +49 8165 9591-210

E-Mail info@eurolub.com Internet www.eurolub.com

1.4. Emergency telephone number

Emergency advice

Phone +49 8165 9591-0

This number is only available at office times.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

classification according to negulation (EC) NO 12/2/2006 [CLP/GH3]

Hazard classes and Hazard categories

Asp. Tox. 1 H304

Hazard statements for health hazards

H304 May be fatal if swallowed and enters airways.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS08

Signal word

Danger

Hazard statements for health hazards

H304 May be fatal if swallowed and enters airways.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

EUROLUB GmbH Page 1/9

Hazard Statements Classification procedure

No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



Precautionary Statements

General

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P338 and easy to do. Continue rinsing.

Disposal

P501 Dispose of contents / container in accordance with local regulations.

Hazardous ingredients for labelling

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclo-alkanes, <2% aromatics

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

! SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

! Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
91-20-3	202-049-5	naphthalene	0,1 - 0,5	Carc. 2, H351 / Acute Tox. 4, H302 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410
95-63-6	202-436-9	1,2,4-trimethylbenzene	1 - 2,5	Flam. Liq. 3, H226 / Acute Tox. 4, H332 / Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315 / Aquatic Chronic 2, H411
149-57-5	205-743-6	2-ethylhexanoic acid	0,01 - 0,05	Repr. 2, H361d
64742-94-5	265-198-5	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclo-alkanes, <2% aromatics	75 - 100	Asp. Tox. 1, H304

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the event of persistent symptoms receive medical treatment.

In case of inhalation

In case of inhalation remove the casualty into fresh air and seek medical advice.

In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

If swallowed seek medical advice immediately and show the doctor packing or label.

EUROLUB GmbH Page 2/9

No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

No information available.

Physician's information / possible dangers

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In fires, hazardous combustion gases are formed:

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

For emergency responders

Use personal protective clothing.

6.2. Environmental precautions

Collect contaminated water / firefighting water separately.

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

After taking up the material dispose according to regulation.

Additional Information

Informations for disposal see chapter 13.

EUROLUB GmbH Page 3/9

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

General protective measures

Avoid explosion - before application obtain special instructions.

Hygiene measures

Clean skin thoroughly after working.

At work do not eat, drink and smoke.

Remove soaked clothing immediately.

Advice on protection against fire and explosion

The product is combustible.

7.2. Conditions for safe storage, including any incompatibilities

Advice on storage compatibility

No information available.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Storage group 10 Fire class B

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2004/37/EC, 2006/15/EC or 2009/161/EU)

CAS No	Name	Code	[mg/m3] [ppm]		Remark	
91-20-3	naphthalene	8 hours	50	10		
95-63-6	1,2,4-trimethylbenzene	8 hours	100 20			
biological li	mits (TRGS 903)					
CAS No	Name	Parameter	BGW		Examination material	Test date
95-63-6	Trimethylbenzol (alle Isomeren): 1,2,4-Trimethylbenzol	Dimethylbenzoesäuren (Summe aller Isomeren nach Hydrolyse)	400 mg/g Kreatinin U c, b		c, b	

8.2. Exposure controls

Respiratory protection

no

Hand protection

Gloves (oil-resistant)

EUROLUB GmbH Page 4/9

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



Eye protection

safety goggles with side protection

Other protection measures

Oil-resistant protective clothing

Limitation and surveillance of the environment

Further information: see exposure scenarios attached to this safety data sheet.

Appropriate engineering controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdourliquidNo information available.characteristic

Odour threshold not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	No data available				
Boiling temperature / boiling range	not determined				
Melting point / Freezing point	not determined				
Flash point	> 61 °C				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	0,83 g/cm3	15 °C		DIN 51757	
Vapour density	not determined				
Solubility in water	not determined				
Solubility/other	not determined				

EUROLUB GmbH Page 5/9

No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



	Value	Temperature	at	Method	Remark
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity kinematic	2,5 mm2/s	20 °C			
Oxidising properties No information available.					
Explosive properties No information available.					
9.2. Other information No information available.					

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Substances to avoid

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 2000 mg/kg	rat	OECD 420	
LD50 acute dermal	> 2000 mg/kg	rabbit	OECD 402	
LC50 acute inhalation	> 5,53 mg/l (4 h)	rat	OECD 403	
Skin irritation		not determined		
Eye irritation		not determined		
Skin sensitization		not determined		

EUROLUB GmbH Page 6/9

No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



Value/Validation Method Remark **Species** not determined Sensitization respiratory system **Subacute Toxicity - Carcinogenicity** Value Method Validation **Species Subacute Toxicity** not determined **Subchronic Toxicity** not determined **Chronic Toxicity** not determined Mutagenicity not determined Reproductionnot determined **Toxicity** Carcinogenicity not determined Specific target organ toxicity (single exposure) not determined Specific target organ toxicity (repeated exposure) not determined **Aspiration hazard**

SECTION 12: Ecological information

12.1. Toxicity

not determined

Ecotoxicological effects

Value Species Method Validation

Fish LC50 > 3,2 mg/l

Daphnia EC50 > 1000 mg/l

Algae EC50 > 10 mg/l (72 h)

12.2. Persistence and degradability

Elimination rate Method of analysis Method Validation

Physico-chemical No information degradability available.

Biological No information degradability available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

EUROLUB GmbH Page 7/9

No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

Name of waste

13 02 04*

mineral-based chlorinated engine, gear and lubricating oils

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Totally emptied packaging may be taken for recycling.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name		-	-
14.3. Transport hazard class(es)		-	-
14.4. Packing group	-	-	-
14.5. Environmental hazard	ds -	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

Marine transport IMDG

No dangerous goods as defined by these transport regulations.

Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

EUROLUB GmbH Page 8/9

No. 1907/2006 (REACH)

Revision 14.12.2020 (GB) Version 1.1

EAP 320 DIESEL-WINTERZUSATZ

004xxx



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

 VOC content
 =99,3 %

 VOC value
 829 g/L

National regulations

Water hazard class 1 self-classification

Decree for case of interference/

Accident decree, addendum II: not named.

remarks

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.0

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H361d	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

EUROLUB GmbH Page 9/9