



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

California Scents Car Scents California Crush

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

#### 1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd.  
Sword House  
Totteridge Road  
High Wycombe HP13 6DG  
United Kingdom

Telephone: +44(0)88000353376  
e-mail: ConsumerServiceEU@energizer.com

#### 1.4 Emergency telephone number

Emergency information service

This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Name	Postal code/city	Telephone
UK poison centre		Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### 2.2 Label elements

Labelling

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P302+P352

IF ON SKIN: Wash with plenty of water.

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

P501

Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

Benzyl salicylate, 3,7-dimethylnona-1,6-dien-3-ol, Hexyl cinnamaldehyde, Cyclamal, Linalool, Linalyl acetate, Dorisyl, Aquanal, Mayol, Damascone Alpha

### 2.3 Other hazards

of no significance

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzyl salicylate	CAS No 118-58-1	1 – < 5	Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	
Benzyl benzoate	CAS No 120-51-4	1 – < 5	Acute Tox. 4 / H302 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	 
3,7-dimethylnona-1,6-dien-3-ol	CAS No 10339-55-6	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
















# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0	1 – < 5	Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	 
Cyclamal	CAS No 103-95-7	1 – < 5	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	
Dorisyl	CAS No 32210-23-4	< 1	Skin Sens. 1B / H317	
Aquanal	CAS No 1205-17-0	< 1	Skin Sens. 1B / H317 Repr. 2 / H361 Aquatic Chronic 2 / H411	  
Linalool	CAS No 78-70-6	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Hexamethylindanopyran	CAS No 1222-05-5	< 1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
Linalyl acetate	CAS No 115-95-7	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Fixolide	CAS No 1506-02-1	< 1	Acute Tox. 4 / H302 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	 
Mayol	CAS No 5502-75-0	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	
Damascone Alpha	CAS No 24720-09-0	< 1	Acute Tox. 4 / H302 Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	 

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Benzyl benzoate	-	-	500 mg/kg	oral
Fixolide	-	-	920 mg/kg	oral
Damascone Alpha	-	-	1,500 mg/kg	oral

For full text of abbreviations: see SECTION 16.



## Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

###### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

###### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

###### Following skin contact

Wash with plenty of soap and water.

###### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

###### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

##### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

##### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

###### Unsuitable extinguishing media

Water jet

##### 5.2 Special hazards arising from the substance or mixture

###### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



## Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

##### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

##### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

##### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

##### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### 7.2 Conditions for safe storage, including any incompatibilities

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	cellulose	9004-34-6	WEL		10		20			i	EH40/2005
GB	cellulose	9004-34-6	WEL		4					r	EH40/2005

#### Notation

Ceiling-C

i

r

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Benzyl salicylate	118-58-1	DNEL	7.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl salicylate	118-58-1	DNEL	2.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzyl benzoate	120-51-4	DNEL	14.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl benzoate	120-51-4	DNEL	70.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Benzyl benzoate	120-51-4	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	0.078 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	6.28 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
Cyclamal	103-95-7	DNEL	7.43 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Cyclamal	103-95-7	DNEL	1.23 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	0.35 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aquanal	1205-17-0	DNEL	1.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Aquanal	1205-17-0	DNEL	0.17 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	24.58 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexamethylindanopyran	1222-05-5	DNEL	13.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hexamethylindanopyran	1222-05-5	DNEL	36.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
Fixolide	1506-02-1	DNEL	0.525 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Fixolide	1506-02-1	DNEL	1.8 mg/kg	human, dermal	worker (industry)	chronic - local effects
Fixolide	1506-02-1	DNEL	0.175 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Fixolide	1506-02-1	DNEL	0.525 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Fixolide	1506-02-1	DNEL	0.61 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Mayol	5502-75-0	DNEL	6.63 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Mayol	5502-75-0	DNEL	1.88 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Damascone Alpha	24720-09-0	DNEL	2.74 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Damascone Alpha	24720-09-0	DNEL	0.78 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl salicylate	118-58-1	PNEC	0.0103 mg/l	aquatic organisms	water	intermittent release



## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant PNECs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl salicylate	118-58-1	PNEC	80 mg/kg	aquatic organ-isms	water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.001 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.583 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.058 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	1.41 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Benzyl benzoate	120-51-4	PNEC	0.003 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Benzyl benzoate	120-51-4	PNEC	0.322 µg/l	aquatic organ-isms	marine water	short-term (single instance)
Benzyl benzoate	120-51-4	PNEC	100 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Benzyl benzoate	120-51-4	PNEC	2.043 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Benzyl benzoate	120-51-4	PNEC	0.204 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Benzyl benzoate	120-51-4	PNEC	0.406 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	8.53 mg/kg	aquatic organ-isms	water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.23 mg/l	aquatic organ-isms	water	intermittent re-lease
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.023 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.002 mg/l	aquatic organ-isms	marine water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.223 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.031 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	3.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.064 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.398 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cyclamal	103-95-7	PNEC	33.3 mg/kg	aquatic organisms	water	short-term (single instance)
Cyclamal	103-95-7	PNEC	10.92 µg/l	aquatic organisms	water	intermittent release
Cyclamal	103-95-7	PNEC	8.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.88 µg/l	aquatic organisms	marine water	short-term (single instance)
Cyclamal	103-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cyclamal	103-95-7	PNEC	1.02 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.102 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.199 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	5.3 µg/l	aquatic organisms	freshwater	short-term (single instance)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant PNECs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Dorisyl	32210-23-4	PNEC	0.53 µg/l	aquatic organ-isms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.21 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 mg/kg	aquatic organ-isms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 µg/l	aquatic organ-isms	water	intermittent re-lease
Aquanal	1205-17-0	PNEC	0.005 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Aquanal	1205-17-0	PNEC	0.001 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Aquanal	1205-17-0	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Aquanal	1205-17-0	PNEC	0.057 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Aquanal	1205-17-0	PNEC	0.006 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Aquanal	1205-17-0	PNEC	0.008 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organ-isms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organ-isms	water	intermittent re-lease
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	6.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	0.44 µg/l	aquatic organisms	marine water	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	0.394 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	1.5 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 mg/l	aquatic organisms	water	intermittent release
Linalyl acetate	115-95-7	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 mg/kg	terrestrial organisms	soil	short-term (single instance)
Fixolide	1506-02-1	PNEC	6.1 µg/l	aquatic organisms	water	intermittent release
Fixolide	1506-02-1	PNEC	2.2 µg/l	aquatic organisms	freshwater	short-term (single instance)



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Fixolide	1506-02-1	PNEC	0.22 µg/l	aquatic organisms	marine water	short-term (single instance)
Fixolide	1506-02-1	PNEC	2.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Fixolide	1506-02-1	PNEC	1.72 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Fixolide	1506-02-1	PNEC	0.345 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Fixolide	1506-02-1	PNEC	0.01 mg/kg	terrestrial organisms	soil	short-term (single instance)
Mayol	5502-75-0	PNEC	4.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
Mayol	5502-75-0	PNEC	0.44 µg/l	aquatic organisms	marine water	short-term (single instance)
Mayol	5502-75-0	PNEC	1.9 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Mayol	5502-75-0	PNEC	266 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Mayol	5502-75-0	PNEC	26.6 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Mayol	5502-75-0	PNEC	51 µg/kg	terrestrial organisms	soil	short-term (single instance)
Damascone Alpha	24720-09-0	PNEC	1.09 µg/l	aquatic organisms	freshwater	short-term (single instance)
Damascone Alpha	24720-09-0	PNEC	0.11 µg/l	aquatic organisms	marine water	short-term (single instance)
Damascone Alpha	24720-09-0	PNEC	3.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Damascone Alpha	24720-09-0	PNEC	0.107 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Damascone Alpha	24720-09-0	PNEC	0.011 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Damascone Alpha	24720-09-0	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light orange
Odour	characteristic
Melting point/freezing point	not determined



## Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Boiling point or initial boiling point and boiling range	196.2 °C at 101.3 kPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	94 °C
Auto-ignition temperature	259 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	23.5 Pa at 25 °C
-----------------	------------------

#### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## 9.2 Other information



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Benzyl benzoate	120-51-4	oral	500 mg/kg
Fixolide	1506-02-1	oral	920 mg/kg
Damascone Alpha	24720-09-0	oral	1,500 mg/kg



## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl salicylate	118-58-1	EC50	1.21 mg/l	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	LC50	4.34 mg/l	aquatic invertebrates	24 h
Benzyl benzoate	120-51-4	LC50	11 mg/l	aquatic invertebrates	24 h
Benzyl benzoate	120-51-4	EC50	>10,000 mg/l	microorganisms	3 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	59 mg/l	aquatic invertebrates	24 h

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	28 mg/l	fish	3 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 µg/l	aquatic invertebrates	21 d
Cyclamal	103-95-7	EC50	1.7 mg/l	aquatic invertebrates	21 d
Dorisyl	32210-23-4	EC50	302 mg/l	microorganisms	3 h
Aquanal	1205-17-0	EC50	≤1,000 mg/l	microorganisms	3 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Hexamethylindanopyran	1222-05-5	LC50	>0.14 mg/l	fish	36 d
Hexamethylindanopyran	1222-05-5	EC50	0.282 mg/l	aquatic invertebrates	21 d
Linalyl acetate	115-95-7	LC50	11.14 mg/l	fish	20 h
Fixolide	1506-02-1	LC50	100 µg/l	fish	36 d
Fixolide	1506-02-1	EC50	>800 µg/l	aquatic invertebrates	3 d
Mayol	5502-75-0	LC50	7.5 mg/l	fish	3 h
Mayol	5502-75-0	EC50	190 mg/l	microorganisms	3 h
Damascone Alpha	24720-09-0	EC50	275 mg/l	microorganisms	3 h

## 12.2 Persistence and degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Benzyl salicylate	118-58-1	oxygen depletion	93 %	28 d		ECHA
Benzyl benzoate	120-51-4	oxygen depletion	94 %	28 d		ECHA
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	oxygen depletion	6 %	4 d		ECHA

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Degradability of components of the mixture						
Name of sub-stance	CAS No	Process	Degradation rate	Time	Method	Source
Hexyl cinnamal-dehyde	165184-98-5 101-86-0	oxygen deple-tion	97 %	28 d		ECHA
Cyclamal	103-95-7	carbon dioxide generation	65.5 %	28 d		ECHA
Dorisyl	32210-23-4	carbon dioxide generation	75 %	29 d		ECHA
Linalool	78-70-6	oxygen deple-tion	40.9 %	5 d		ECHA
Hexamethyl-indanopyran	1222-05-5	carbon dioxide generation	1 %	28 d		ECHA
Linalyl acetate	115-95-7	oxygen deple-tion	≥0 – ≤10 %	1 d		ECHA
Mayol	5502-75-0	oxygen deple-tion	91 %	28 d		ECHA
Damascone Al-pha	24720-09-0	oxygen deple-tion	56 %	28 d		ECHA

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Benzyl salicylate	118-58-1		4 (35 °C)	
Benzyl benzoate	120-51-4	193.4	3.97 (25 °C)	
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6		3.3 (20 °C)	
Hexyl cinnamaldehyde	165184-98-5 101-86-0		5.3 (24 °C)	
Cyclamal	103-95-7		3.4 (pH value: ~7, 35 °C)	
Dorisyl	32210-23-4	234	4.8 (25 °C)	
Aqualan	1205-17-0		2.4 (25 °C)	
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
Hexamethylindanopyran	1222-05-5	1,635	5.3 (pH value: 7, 25 °C)	
Linalyl acetate	115-95-7	174	3.9 (25 °C)	



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Fixolide	1506-02-1	596	5.7 (24 °C)	
Mayol	5502-75-0		3.55 (pH value: 6, 30 °C)	
Damascone Alpha	24720-09-0	>8.4 – <20	3.66 (pH value: 5.82, 25 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Information on this property is not available.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

14.1 UN number or ID number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

DOT

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Hexamethylindanopyran		a)	
Linalool		a)	
Cyclamal		a)	
Aquanal		a)	

#### Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Regulation on drug precursors

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

### National regulations (GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
California Scents Car Scents California Crush	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3

### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

#### Legend

AIIC Australian Inventory of Industrial Chemicals  
CICR Chemical Inventory and Control Regulation



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

### Legend

CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSC	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	- Hazardous ingredients for labelling: Benzyl salicylate, 3,7-dimethylnona-1,6-dien-3-ol, Hexyl cinnamaldehyde, Cyclamal	- Hazardous ingredients for labelling: Benzyl salicylate, 3,7-dimethylnona-1,6-dien-3-ol, Hexyl cinnamaldehyde, Cyclamal, Linalool, Linalyl acetate, Dorisyl, Aquanal, Mayol, Damascone Al- pha	yes
2.3	Other hazards	Other hazards: of no significance	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Colour: various	Colour: light orange	yes
9.1	Flash point: >94 °C	Flash point: 94 °C	yes
9.1	Vapour density: this information is not available		yes



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1	Relative vapour density: Information on this property is not available not relevant (liquid)	Relative vapour density: information on this property is not available	yes
9.1	Particle characteristics: no data available	Particle characteristics: not relevant (liquid)	yes
9.2	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2	Other safety characteristics	Other safety characteristics: there is no additional information	yes
9.2	Temperature class (EU, acc. to ATEX): T3 (maximum permissible surface temperature on the equipment: 200°C)		yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.6	Endocrine disrupting properties: The mixture contains substance(s) with an endocrine disrupting potential.	Endocrine disrupting properties: Information on this property is not available.	yes
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant	yes
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: not assigned		yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: none of the ingredients are listed		yes
15.1		List of pollutants (WFD): change in the listing (table)	yes





# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		Regulation on the marketing and use of explosives precursors: none of the ingredients are listed	yes
15.1		Regulation on drug precursors: none of the ingredients are listed	yes
15.1		Regulation on persistent organic pollutants (POP): None of the ingredients are listed.	yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Abbr.	Descriptions of used abbreviations
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents California Crush

Version number: GHS 6.0  
Replaces version of: 2020-12-15 (GHS 5)

Revision: 2022-06-08

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.