

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Brake cleaner 60L 40 27289 00205 7

UFI: 50J0-D0EN-U00E-TQ8K

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaner

**1.3. Details of the supplier of the safety data sheet**

Company name: Auto-Teile-Ring GmbH  
Street: Marie-Curie-Straße 3  
Place: D-73770 Denkendorf  
Telephone: + 49 (0) 711/91 89 79-99  
e-mail: info@cartechnic.de

**1.4. Emergency telephone number:** 111 NHS (National Health Service)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 2; H225  
Skin Irrit. 2; H315  
STOT SE 3; H336  
Asp. Tox. 1; H304  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt; 5% n-hexane

**Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P243 Take action to prevent static discharges.  
P260 Do not breathe vapours.

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 2 of 10

|           |                                                                            |
|-----------|----------------------------------------------------------------------------|
| P271      | Use only outdoors or in a well-ventilated area.                            |
| P273      | Avoid release to the environment.                                          |
| P280      | Wear protective gloves.                                                    |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor.                     |
| P331      | Do NOT induce vomiting.                                                    |
| P302+P352 | IF ON SKIN: Wash with plenty of water.                                     |
| P332+P313 | If skin irritation occurs: Get medical advice/attention.                   |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P312      | Call a POISON CENTER/doctor if you feel unwell.                            |
| P501      | Dispose of contents/container according to the official regulations.       |

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 3: Composition/information on ingredients****3.1. Substances****Hazardous components**

| CAS No | Chemical name                                                                                    |          |                       | Quantity     |
|--------|--------------------------------------------------------------------------------------------------|----------|-----------------------|--------------|
|        | EC No                                                                                            | Index No | REACH No              |              |
|        | Classification (GB CLP Regulation)                                                               |          |                       |              |
|        | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane                               |          |                       | 50 - < 100 % |
|        | 921-024-6                                                                                        |          | 01-2119475514-35-XXXX |              |
|        | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411 |          |                       |              |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No | EC No     | Chemical name                                                                                           | Quantity     |
|--------|-----------|---------------------------------------------------------------------------------------------------------|--------------|
|        |           | Specific Conc. Limits, M-factors and ATE                                                                |              |
|        | 921-024-6 | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane                                      | 50 - < 100 % |
|        |           | inhalation: LC50 = > 25,2 mg/l (vapours); dermal: LD50 = > 2800 - 3100 mg/kg; oral: LD50 = > 5000 mg/kg |              |

**Labelling for contents according to Regulation (EC) No 648/2004**

>= 30 % aliphatic hydrocarbons.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

**After inhalation**

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with eyes**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

# Safety Data Sheet

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 3 of 10

**After ingestion**

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

**4.2. Most important symptoms and effects, both acute and delayed**

Headache, nausea, dizziness, fatigue, skin irritation

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Wear personal protection equipment.

**For non-emergency personnel**

First aider: Pay attention to self-protection!

**For emergency responders**

Fight fire with normal precautions from a reasonable distance.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

**6.3. Methods and material for containment and cleaning up****For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 4 of 10

**Advice on safe handling**

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

**Advice on general occupational hygiene**

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

**Further information on handling**

Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Observe legal regulations and provisions.

**Hints on joint storage**

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

**Further information on storage conditions**

Store in a cool dry place. Observe legal regulations and provisions.

**7.3. Specific end use(s)**

Cleaner

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

| CAS No                   | Substance                                                          |                |          |                  |
|--------------------------|--------------------------------------------------------------------|----------------|----------|------------------|
| DNEL type                |                                                                    | Exposure route | Effect   | Value            |
|                          | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane |                |          |                  |
| Worker DNEL, long-term   |                                                                    | inhalation     | systemic | 2035 mg/m³       |
| Worker DNEL, long-term   |                                                                    | dermal         | systemic | 773 mg/kg bw/day |
| Consumer DNEL, long-term |                                                                    | inhalation     | systemic | 608 mg/m³        |
| Consumer DNEL, long-term |                                                                    | dermal         | systemic | 699 mg/kg bw/day |
| Consumer DNEL, long-term |                                                                    | oral           | systemic | 699 mg/kg bw/day |

**Additional advice on limit values**

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 5 of 10

**Eye/face protection**

Suitable eye protection: Tightly sealed safety glasses.  
EN 166

**Hand protection**

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min  
Thickness of the glove material 0,45 mm  
EN ISO 374

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
When exceeding the relevant workplace exposure limits, note the following:  
Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..  
Filtering device with filter or ventilator filtering device of type: A  
Observe the wear time limits as specified by the manufacturer.  
Observe legal regulations and provisions.

**Environmental exposure controls**

Observe legal regulations and provisions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                 |                |
|-----------------|----------------|
| Physical state: | liquid         |
| Colour:         | colourless     |
| Odour:          | characteristic |

|                                                           | Test method                                                                                      |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Boiling point or initial boiling point and boiling range: | 88 °C                                                                                            |
| Lower explosion limits:                                   | 0,6 vol. %                                                                                       |
| Upper explosion limits:                                   | 7 vol. %                                                                                         |
| Flash point:                                              | -12 °C ISO 3679                                                                                  |
| Auto-ignition temperature:                                | > 200 °C                                                                                         |
| pH-Value (at 20 °C):                                      | DIN 19268                                                                                        |
| Viscosity / kinematic:<br>(at 40 °C)                      | < 7 mm²/s DIN EN ISO 3104                                                                        |
| Water solubility:                                         | The study does not need to be conducted because the substance is known to be insoluble in water. |
| Density (at 20 °C):                                       | 0,714 g/cm³ DIN 51757                                                                            |
| Viscosity / dynamic:                                      | DIN 53019-1                                                                                      |
| Flow time:<br>(at 20 °C)                                  | DIN EN ISO 2431                                                                                  |

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Flammable, Ignition hazard.

**10.2. Chemical stability**

The product is stable under normal conditions.

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 6 of 10

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

**10.5. Incompatible materials**

Oxidizing agents. Pyrophoric or self-heating substances.

**10.6. Hazardous decomposition products**Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.**Further information**

Do not mix with other chemicals.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name                                                      |                          |         |        |        |
|--------|--------------------------------------------------------------------|--------------------------|---------|--------|--------|
|        | Exposure route                                                     | Dose                     | Species | Source | Method |
|        | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane |                          |         |        |        |
|        | oral                                                               | LD50 > 5000 mg/kg        | Rat     |        |        |
|        | dermal                                                             | LD50 > 2800 - 3100 mg/kg | Rat     |        |        |
|        | inhalation (4 h) vapour                                            | LC50 > 25,2 mg/l         | Rat     |        |        |

**Irritation and corrosivity**

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

**STOT-single exposure**

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt; 5% n-hexane)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Specific effects in experiment on an animal**

No information available.

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 7 of 10

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

| CAS No | Chemical name                                                      |                    |           |                                 |                                         |                    |
|--------|--------------------------------------------------------------------|--------------------|-----------|---------------------------------|-----------------------------------------|--------------------|
|        | Aquatic toxicity                                                   | Dose               | [h]   [d] | Species                         | Source                                  | Method             |
|        | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane |                    |           |                                 |                                         |                    |
|        | Acute fish toxicity                                                | LC50 > 1-10 mg/l   | 96 h      | Pimephales promelas             |                                         |                    |
|        | Acute algae toxicity                                               | ErC50 10 - 30 mg/l | 72 h      | Pseudokirchneriella subcapitata | Study report (1995)                     | OECD Guideline 201 |
|        | Acute crustacea toxicity                                           | EC50 > 1-10 mg/l   | 48 h      | Daphnia magna                   |                                         |                    |
|        | Fish toxicity                                                      | NOEC 2,045 mg/l    | 28 d      | Oncorhynchus mykiss             | CONCAWE, Brussels, Belgium (2010)       |                    |
|        | Crustacea toxicity                                                 | NOEC 1 mg/l        | 21 d      | Daphnia magna                   | SIDS Initial Assessment Report For SIAM | OECD Guideline 211 |

**12.2. Persistence and degradability**

The product has not been tested.

| CAS No | Chemical name                                                      |       |    |        |
|--------|--------------------------------------------------------------------|-------|----|--------|
|        | Method                                                             | Value | d  | Source |
|        | Evaluation                                                         |       |    |        |
|        | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane |       |    |        |
|        | OECD Guideline 301 F                                               | 98%   | 28 |        |
|        | Easily biodegradable (concerning to the criteria of the OECD)      |       |    |        |

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

| CAS No | Chemical name                                                      | Log Pow   |
|--------|--------------------------------------------------------------------|-----------|
|        | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane | 3,4 - 5,2 |

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of UK REACH.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow uncontrolled discharge of product into the environment.

**SECTION 13: Disposal considerations**

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 8 of 10

**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

**List of Wastes Code - used product**

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Water (with cleaning agent). Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1268  
**14.2. UN proper shipping name:** PETROLEUM PRODUCTS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3  
Classification code: F1  
Special Provisions: 363 640D 664  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 33  
Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1268  
**14.2. UN proper shipping name:** PETROLEUM PRODUCTS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3  
Classification code: F1  
Special Provisions: 363 640D  
Limited quantity: 1 L  
Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1268  
**14.2. UN proper shipping name:** PETROLEUM PRODUCTS, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3  
Marine pollutant: yes

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 9 of 10

Special Provisions: -  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-E, S-E

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1268  
**14.2. UN proper shipping name:** PETROLEUM PRODUCTS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3  
 Special Provisions: A3  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y341  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 353  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 364  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes  
 Danger releasing substance: Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane

**14.6. Special precautions for user**

Warning: Combustible liquids.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**Safety Data Sheet**

according to UK REACH Regulation

**Brake cleaner 60L 40 27289 00205 7**

Revision date: 07.03.2023

Product code: 11ACO002057

Page 10 of 10

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL: Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

ATEL (EC): Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

**Relevant H and EUH statements (number and full text)**

- |      |                                                  |
|------|--------------------------------------------------|
| H225 | Highly flammable liquid and vapour.              |
| H304 | May be fatal if swallowed and enters airways.    |
| H315 | Causes skin irritation.                          |
| H336 | May cause drowsiness or dizziness.               |
| H411 | Toxic to aquatic life with long lasting effects. |

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.