Revision: 21.02.2022



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 7 (replaces version 6)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VehiclePro Rim Cleaner, alkaline CP 901
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Exterior vehicle cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

### Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

### Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

#### · Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

### · 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 1)

Revision: 21.02.2022

### · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Polyamine, anionically modified potassium hydroxide

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Cleaning agent

	Polyamine, anionically modified	5-10%
	Eye Dam. 1, H318; 🗘 Acute Tox. 4, H332	
CAS: 1310-58-3	potassium hydroxide	≥2-<5%
EINECS: 215-181-3 Index number: 019-002-00-8	Met. Corr.1, H290; Skin Corr. 1A, H314; Acute Tox. 4, H302	
Reg.nr.: 01-2119487136-33-xxxx	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5	
	% Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2	

(Contd. on page 3)

Revision: 21.02.2022



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

CAS: 1310-73-2	sodium hydroxide	ontd. o ≥0.5	5-<29
EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	Met. Corr.1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %		
CAS: 5064-31-3	nitrilotriacetate, trisodium salt	0.1	1-1%
EINECS: 225-768-6 Index number: 607-620-00-6 Reg.nr.: 01-2119519239-36-XXXX	Carc. 2, H351;  Acute Tox. 4, H302; Eye Irrit. 2, H319 Specific concentration limit: Carc. 2; H351: C ≥ 5 %		
Regulation (EC) No 648/2004	on detergents / Labelling for contents		
amphoteric surfactants, TRISODIL	JM NTA		<5%

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

- GE



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 3)

Revision: 21.02.2022

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Store only in the original receptacle.

(Contd. on page 5)



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 4)

Revision: 21.02.2022

· Information about storage in one common storage facility:

Do not store together with acids.

Keep away from food, beverages and feed.

· Further information about storage conditions:

Protect from frost.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredier	· Ingredients with limit values that require monitoring at the workplace:		
1310-58-3	potassium hydroxide		
WEL Sho	WEL Short-term value: 2 mg/m³		
1310-73-2	sodium hydroxide		
WEL Sho	WEL Short-term value: 2 mg/m³		
· DNELs			
1310-73-2	sodium hydroxide		
Inhalative	DNEL 1 mg/m3 (employee)		
	1 mg/m3 (consumer)		

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A/P2.

- · Hand protection
- \* chemical resistant protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

· Material of gloves Butyl rubber, BR

(Contd. on page 6)



Printing date 31.03.2023 Version number

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

Version number 7 (replaces version 6)

(Contd. of page 5)

Revision: 21.02.2022

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
  - \* butyl rubber 0,7 mm, 480 min (EN 374)
- · As protection from splashes gloves made of the following materials are suitable:
- \* nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

· Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Red

Odour: Product specificOdour threshold: Not determined.

• Melting point/freezing point: -6 °C

· Boiling point or initial boiling point and boiling

range 100 °C • Flammability Not applicable.

Lawer and conservation limit

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Ignition temperature: not applicable
Decomposition temperature: Not determined.

• pH at 20 °C 13.1 • pH-value 1 %: 10-11

· Viscosity:

· Kinematic viscosity Not determined.

· dynamic at 20 °C: 9 mPas

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Fully miscible
 Not determined.

Density and/or relative density

Density at 20 °C:

Relative density
Vapour density
Relative gas density

1.093 g/cm³

Not determined.

Not determined.
Not determined.

(Contd. on page 7)



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 6)

Revision: 21.02.2022

	(Contd. of page 6
· Particle characteristics	Not applicable.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of h	ealth
and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	' '
· Solids content:	25.0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical haza	ırd
classes	
· Explosives	Void
Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	nable
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void

Void

May be corrosive to metals.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability

· Corrosive to metals

· Desensitised explosives

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong acids

Strong exothermic reaction with acids

Reacts with light alloys to form hydrogen

(Contd. on page 8)



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 7)

Revision: 21.02.2022

#### Corrodes aluminium

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:			
102-71-	102-71-6 Triethanolamine			
Oral	LD50	6400 mg/kg (Rat) (OECD 401)		
Dermal	LD50	>2000 mg/kg (Rabbit) (OECD 402)		
1310-58	1310-58-3 potassium hydroxide			
Oral	Oral LD50 333 mg/kg (Rat)			
5064-31	5064-31-3 nitrilotriacetate, trisodium salt			
Oral	LD50	1470 mg/kg (Rat)		
Dermal	LD50	>10000 mg/kg (Rabbit)		

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

	4.5			• •	
$\Delta \alpha i$	ıatic	to	vic		/-
Aut	auic	LU	NIL	, I L V	

### 102-71-6 Triethanolamine

LC50/96 h	>10000 mg/l (Pimephales promelas)
EC50/48 h (static)	609.88 mg/l (Ceriodaphnia dubia)

(Contd. on page 9)

Revision: 21.02.2022



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

	(Contd. of page 8)	
NOEC	16 mg/l /21 d (F15)	
1310-58-3 potassi	um hydroxide	
LC50/96 h	80 mg/l (Gambusia affinis)	
	165 mg/l (Poecilia reticulata)	
1310-73-2 sodium	1310-73-2 sodium hydroxide	
LC50/96 h	125 mg/l (Gambusia affinis)	
EC50/48 h	76 mg/l (Daphnia magna)	
	40.4 mg/l (Ceriodaphnia dubia)	
EC50/15 min	22 mg/l (Photobacterium phosphoreum)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 9)

Revision: 21.02.2022

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29\* detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Tr	ansport information
----------------	---------------------

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

UN1814

- · 14.2 UN proper shipping name
- · ADR

1814 POTASSIUM HYDROXIDE SOLUTION

· IMDG, IATA POTASSIUM HYDROXIDE SOLUTION

- · 14.3 Transport hazard class(es)
- · ADR



· Class

8 (C5) Corrosive substances.

· Label

· IMDG, IATA



· Class

8 Corrosive substances.

· Label

- · 14.4 Packing group
- · ADR, IMDG, IATA

Ш

8

(Contd. on page 11)



Printing date 31.03.2023 Version number 7 (replaces version 6) Revision: 21.02.2022

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

	(Contd. of page
· 14.5 Environmental hazards: · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Segregation Code</li> </ul>	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according t	<u> </u>
· Transport/Additional information:	
<ul><li>ADR</li><li>Limited quantities (LQ)</li><li>Excepted quantities (EQ)</li></ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul><li>Transport category</li><li>Tunnel restriction code</li></ul>	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)



Printing date 31.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, alkaline CP 901

(Contd. of page 11)

Revision: 21.02.2022

A product information sheet can be provided if requested.

#### · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

#### · Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

### · \* Data compared to the previous version altered.

0.011-362.0

CP 901/3

2.553

GB