

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 18/11/2024 Revision date: 30/08/2024 Supersedes version of: 26/06/2023 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Graffiti Remover

UFI : Y1KX-58E5-E003-G4RG

Product code : BDS000443AE
Type of product : Detergent
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Cleaners - Heavy duty

1.3. Details of the supplier of the safety data sheet

Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium

T +32(0)52/45.60.11, F +32(0)52/45.00.34 hse@crcind.com, www.crcind.com

1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11

Office hours: 9-17h CET

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336

Narcosis

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

Contains : propan-2-ol; isopropyl alcohol; isopropanol; 1-methoxy-2-propanol; monopropylene glycol

methyl ether

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours/spray.

P271 - Use only outdoors or in a well-ventilated area.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents/container to a hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	10 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
1-methoxy-2-propanol; monopropylene glycol methyl ether substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	10 – 25	Flam. Liq. 3, H226 STOT SE 3, H336
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Carbon dioxide (CO2) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 124-38-9	1 – 5	Press. Gas (Comp.), H280
Decan-1-ol, ethoxylated	CAS-No.: 26183-52-8 EC-No.: 500-046-6	< 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-	(50 ≤ C < 100) Eye Irrit. 2; H319	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop,

get medical attention.

First-aid measures after skin contact : Wash skin with plenty of water. Seek medical attention if irritation develops.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical

attention if irritation develops.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard

firefighting procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

30/08/2024 (Revision date) GB - en 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. For large spills, confine the spill in a dike and charge it

with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to

remove residual contamination.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For disposal of contaminated materials refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn,

even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial

hygiene and safety procedures.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated

place. Keep cool. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Regulatory reference

National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Propan-2-ol		
999 mg/m³		
400 ppm		
1250 mg/m³		
500 ppm		
EH40/2005 (Fourth edition, 2020). HSE		
ethanol; ethyl alcohol (64-17-5)		
United Kingdom - Occupational Exposure Limits		
Ethanol		
1920 mg/m³		
1000 ppm		

EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	1-methoxy-2-propanol; monopropylene g	glycol methyl ether (107-98-2)	
OEL TWA 375 mg/m³ 100 ppm 100 ppm OEL STEL 568 mg/m³ Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Juited Kingdom - Occupational Exposure Limits	EU - Indicative Occupational Exposure Limit (IOEL)		
100 ppm 100	Local name	1-Methoxypropanol-2	
DELISTEL 658 mg/m³ 150 ppm Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name 1-Methoxypropan-2-ol 375 mg/m³ 100 ppm WEL STEL (OEL STEL) 560 mg/m³ 150 ppm Remark Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA	IOEL TWA	375 mg/m³	
Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Jnited Kingdom - Occupational Exposure Limits Local name 1-Methoxypropan-2-ol 375 mg/m² 100 ppm WEL STEL (OEL STEL) 560 mg/m² 150 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m² 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC Jnited Kingdom - Occupational Exposure Limits Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m² 5000 ppm WEL STEL (OEL STEL) 27400 mg/m² 5000 ppm WEL STEL (OEL STEL) 27400 mg/m² 15000 ppm		100 ppm	
Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Jointed Kingdom - Occupational Exposure Limits Local name 1-Methoxypropan-2-ol 375 mg/m² 100 ppm WEL TWA (OEL TWA) 560 mg/m² 150 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m² 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC Joited Kingdom - Occupational Exposure Limits Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m² 5000 ppm WEL TWA (OEL TWA) 9150 mg/m² 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	IOEL STEL	568 mg/m³	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Julited Kingdom - Occupational Exposure Limits Jocal name 1-Methoxypropan-2-ol 375 mg/m³ 100 ppm WEL TWA (OEL TWA) 560 mg/m³ 150 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE EU - Indicative Occupational Exposure Limit (IOEL) Jocal name Carbon dioxide Regulatory reference COMMISSION DIRECTIVE 2006/15/EC Julited Kingdom - Occupational Exposure Limits Jocal name Carbon dioxide Regulatory reference COMMISSION DIRECTIVE 2006/15/EC Julited Kingdom - Occupational Exposure Limits Jocal name Carbon dioxide MEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm		150 ppm	
United Kingdom - Occupational Exposure Limits Local name MEL TWA (OEL TWA) AFRICATION	Remark	Skin	
Local name MEL TWA (OEL TWA) 755 mg/m³ 100 ppm MEL STEL (OEL STEL) 660 mg/m³ 150 ppm Remark Regulatory reference Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide COMMISSION DIRECTIVE 2006/15/EC Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide Carbon dioxide Carbon dioxide Commission Directive 2006/15/EC Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide Carbon dioxide Carbon dioxide Commission Directive 2006/15/EC Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide Carbon dioxide Carbon dioxide Carbon dioxide Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide Carbon dioxide Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide 2400 mg/m³ 5000 ppm NEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
WEL TWA (OEL TWA) 375 mg/m³ 100 ppm NEL STEL (OEL STEL) 660 mg/m³ 150 ppm Remark Remark Regulatory reference Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference Commission Directive 2006/15/EC Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference Commission Directive 2006/15/EC Jointed Kingdom - Occupational Exposure Limits Local name Carbon dioxide VEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm NEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	United Kingdom - Occupational Exposure Lim	nits	
MEL STEL (OEL STEL) 600 mg/m³ 150 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference CoMMISSION DIRECTIVE 2006/15/EC Juited Kingdom - Occupational Exposure Limits Local name Carbon dioxide VEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm NEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	Local name	1-Methoxypropan-2-ol	
WEL STEL (OEL STEL) 560 mg/m³ 150 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC Juited Kingdom - Occupational Exposure Limits Local name Carbon dioxide NEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm NEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	WEL TWA (OEL TWA)	375 mg/m³	
Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC Jnited Kingdom - Occupational Exposure Limits Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm		100 ppm	
Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	WEL STEL (OEL STEL)	560 mg/m³	
are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm		150 ppm	
Carbon dioxide (CO2) (124-38-9) EU - Indicative Occupational Exposure Limit (IOEL) Local name Carbon dioxide OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide VEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm VEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Carbon dioxide OEL TWA	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Carbon dioxide OEL TWA OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide VEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm VEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	Carbon dioxide (CO2) (124-38-9)		
OEL TWA 9000 mg/m³ 5000 ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	EU - Indicative Occupational Exposure Limit (IOEL)	
Sound ppm Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide VEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm VEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	Local name	Carbon dioxide	
Regulatory reference COMMISSION DIRECTIVE 2006/15/EC United Kingdom - Occupational Exposure Limits Local name Carbon dioxide P150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	IOEL TWA	9000 mg/m³	
United Kingdom - Occupational Exposure Limits		5000 ppm	
Local name Carbon dioxide WEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm 15000 ppm	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
WEL TWA (OEL TWA) 9150 mg/m³ 5000 ppm WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	United Kingdom - Occupational Exposure Lin	nits	
5000 ppm NEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	Local name	Carbon dioxide	
WEL STEL (OEL STEL) 27400 mg/m³ 15000 ppm	WEL TWA (OEL TWA)	9150 mg/m³	
15000 ppm		5000 ppm	
	WEL STEL (OEL STEL)	27400 mg/m³	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		15000 ppm	
	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

DNEL and PNEC

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	500 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	89 mg/m³	
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
PNEC (Water)		
PNEC aqua (freshwater)	140.9 mg/l	
PNEC aqua (marine water)	140.9 mg/l	
PNEC aqua (intermittent, freshwater)	140.9 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	552 mg/kg dwt	
PNEC sediment (marine water)	552 mg/kg dwt	
PNEC (Soil)		
PNEC soil	28 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	160 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	2251 mg/l	
ethanol; ethyl alcohol (64-17-5)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	1900 mg/m³	
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	950 mg/m³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	950 mg/m³	
Long-term - systemic effects,oral	87 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	114 mg/m³	
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.96 mg/l	
PNEC aqua (marine water)	0.79 mg/l	
PNEC aqua (intermittent, freshwater)	2.75 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3.6 mg/kg dwt	
PNEC sediment (marine water)	2.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	0.72 g/kg food	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	553.5 mg/m³	
Acute - local effects, inhalation	553.5 mg/m³	
Long-term - systemic effects, dermal	183 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	369 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	33 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	43.9 mg/m³	
Long-term - systemic effects, dermal	78 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	10 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	100 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	52.3 mg/kg dwt	
PNEC sediment (marine water)	5.2 mg/kg dwt	
PNEC (Soil)		
PNEC soil	4.59 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):





Eye and face protection

Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Butyl-rubber protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.

Appearance : CO2 propelled liquid.

Odour : Solvent.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability : Extremely flammable aerosol.

Explosive properties : Pressurised container: May burst if heated.

Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 12 °C : > 200 °C Auto-ignition temperature : Not available Decomposition temperature : Not applicable рΗ : Not available Viscosity, kinematic : Insoluble in water. Solubility Partition coefficient n-octanol/water (Log Kow) : Not applicable Vapour pressure : Not available Not available Vapour pressure at 50°C Density 0.94 g/cm3 at 20 °C : 0.94 at 20 °C Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Information with regard to physical hazard classes

% of flammable ingredients : 25-50~%

Other safety characteristics

VOC content : 900 g/l

Additional information : For aerosols data for the product without propellant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

: Not classified (Based on available data, the classification criteria are not met) Acute toxicity (oral) Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

(
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight	
Decan-1-ol, ethoxylated (26183-52-8)		
LD50 dermal rabbit	> 3000 mg/kg bodyweight	
ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	15010 mg/kg bodyweight	
LD50 dermal	15800 mg/kg bodyweight	
LC50 Inhalation - Rat (Vapours)	> 116.9 mg/l/4h	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LD50 oral rat	4016 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	> 25.8 mg/l	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable	
Serious eye damage/irritation	: Causes serious eye irritation.	

	p⊓. Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.

: Causes serious eye irritation. nH: Not applicable

propan-2-ol; isopro	yl alcohol;	; isopropanol	(67-63-0)
---------------------	-------------	---------------	-----------

STOT-single exposure May cause drowsiness or dizziness.

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

ethanol; ethyl alcohol (64-17-5)

NOAEL (subchronic, oral, animal/female, 90 days) > 9400 mg/kg bodyweight

30/08/2024 (Revision date) GB - en 9/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LOAEL (oral, rat, 90 days)	2757 mg/kg bodyweight	
NOAEL (oral, rat, 90 days)	919 mg/kg bodyweight	
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
Graffiti Remover		
Vaporizer	Aerosol	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
Viscosity, kinematic	1.848 mm²/s	

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse $% \left(1\right) =\left(1\right) \left(1\right) \left($

effects in the environment.

Hazardous to the aquatic environment, short–term (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic)

: Not classified (Based on available data, the classification criteria are not met)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LC50 - Fish [1]	10000 mg/l	
LC50 - Fish [2]	9640 mg/l	
ethanol; ethyl alcohol (64-17-5)		
LC50 - Fish [1]	14.2 g/l	
EC50 - Other aquatic organisms [1]	5012 mg/l	
ErC50 algae	275 mg/l	
NOEC (chronic)	9.6 mg/l	
1-methoxy-2-propanol; monopropylene glyco	l methyl ether (107-98-2)	
LC50 - Fish [1]	6812 mg/l	
LC50 - Fish [2]	20800 mg/l	
EC50 - Crustacea [1]	21100 – 25900 mg/l	
EC50 - Other aquatic organisms [1]	2954 mg/l	
ErC50 algae	> 1000 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence	and d	egradability
-------------------	-------	--------------

Persistence and degradability Not established. No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Graffiti Remover

Partition coefficient n-octanol/water (Log Kow)

Not applicable

ethanol; ethyl alcohol (64-17-5)

Partition coefficient n-octanol/water (Log Pow) -0.32

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)

Bioconcentration factor (BCF REACH) < 100

Partition coefficient n-octanol/water (Log Pow) 0.37

Carbon dioxide (CO2) (124-38-9)

Partition coefficient n-octanol/water (Log Pow)

0.83

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Graffiti Remover

Results of PBT assessment Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Additional information

: No other effects known

Global warming potential (GWP)

: 0.05 (Fluorinated greenhouse gases - (EC) No 2024/573)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
2	2	2	2	2
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200

Special packing provisions (IMDG) : PP87, L2

Stowage category (IMDG) : None

Stowage and handling (IMDG) : SW1, SW22

Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content : 900 g/l

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
non-ionic surfactants	<5%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.