Page 1/6

*

*



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2019

Version number 14

Revision: 25.11.2019

1.1	Product identifier
Tra	le name: presto stop Rust Converter
1.2 No j Sec SU2 SU2 SU2 Pro Pro	cle number: 603086, 603079 Relevant identified uses of the substance or mixture and uses advised against auther relevant information available. or of Use 1 Consumer uses: Private households / general public / consumers 2 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) fuct category PC14 Metal surface treatment products ress category PROC10 Roller application or brushing lication of the substance / the mixture Rust remover/ rust-removing agent
Ma MO Kur D-7 Tel.	Details of the supplier of the safety data sheet nufacturer/Supplier: TIP DUPLI GmbH t Vogelsang Strasse 6 4855 Haßmersheim t +49/6266/75-0 s@de.motipdupli.com
1.4 Tel. Fax	ther information obtainable from: Department Product Safety Emergency telephone number: +49 6266-75-310 +49 6266-75-362 - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)
SE	CTION 2: Hazards identification
Cla	Classification of the substance or mixture sification according to Regulation (EC) No 1272/2008 product is not classified, according to the CLP regulation.
Lab Haz Sigi Haz Pre	Label elements elling according to Regulation (EC) No 1272/2008 Void ard pictograms Void aal word Void ard statements Void cautionary statements
P10 P50	 If medical advice is needed, have product container or label at hand. Keep out of reach of children. Dispose of contents / container in accordance with regional regulations.
EUI 2.3	itional information: 1210 Safety data sheet available on request. Other hazards Ilts of PBT and vPvB assessment
	its of PB1 and vPvB assessment : Not applicable.

(Contd. on page 2)

Page 2/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2019

Version number 14

Revision: 25.11.2019

Trade name: presto stop Rust Converter

(Contd. of page 1)

	terisation: Substances				
CAS No. Description					
7732-18-5 water, distilled, conductivity or of similar purity					
· Identification number(s)					
EC number: 231-79	1-2				
3.2 Chemical charac	terisation: Mixtures				
Description: Mixture	of substances listed below with nonhazardous additions.				
Dangerous compone	nts:				
CAG 1401 55 4	Tannins	2.5-<5%			
CAS: 1401-55-4					

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Take affected persons into fresh air and keep quiet.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

2

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- No further relevant information available.
- · 5.3 Advice for firefighters -
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · 6.4 Reference to other sections
- No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2019

Version number 14

Revision: 25.11.2019

(Contd. of page 2)

Trade name: presto stop Rust Converter

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands:

In case of contact with spray dust protective gloves made of butyl shoud be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products

Solvent resistant gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves
- Nitrile rubber, NBR
- Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min
Butyl acetate: 60 min
Ethyl acetate: 170 min
Xylene: 42 min
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection: Goggles recommended during refilling

(Contd. on page 4)

GR

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2019

Version number 14

Revision: 25.11.2019

Trade name: presto stop Rust Converter

(Contd. of page 3)

9.1 Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	2.2
Change in condition	
Melting point/freezing point:	0 °C (32 °F)
Initial boiling point and boiling range	e: 100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
<i>Density at 20 °C (68 °F):</i>	1 g/cm ³ (8.3 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
<i>Dynamic at 20 °C (68 °F):</i>	1 mPas
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	
	0.0 g/l
VOC-EU%	0.00 %
Solids content:	0.9 %
9.2 Other information	No further relevant information available.

*

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2019

Version number 14

Revision: 25.11.2019

Trade name: presto stop Rust Converter

(Contd. of page 4)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

2

- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage
- Do not allow unalluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- *Recommendation Smaller* quantities can be disposed of with household waste.
- · European waste catalogue

15 01 02 plastic packaging

- · Uncleaned packaging:
- · Recommendation:
- Disposal must be made according to official regulations.
- Safety data sheet available for professional user on request.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	tion
-------------------------------	------

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

not regulated

- \cdot 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2019

Version number 14

Revision: 25.11.2019

Trade name: presto stop Rust Converter

		(Contd. of page 5)
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anno Marpol and the IBC Code	e x II of Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

	4
	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
	H412 Harmful to aquatic life with long lasting effects.
	Abbreviations and acronyms:
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
	International Transport of Dangerous Goods by Rail)
	IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
	ICAO: International Civil Aviation Organisation
	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
	Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	VOC: Volatile Organic Compounds (USA, EU)
	PBT: Persistent, Bioaccumulative and Toxic
	SVHC: Substances of Very High Concern
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
·	* Data compared to the previous version altered.