According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.11	20.04.2023	800001003941	Print Date 21.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Rimula R3 10W (CF)
Product code	: 001C4570

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Engine oil.	
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.	Э

1.3 Details of the supplier of the safety data sheet

	Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Contact for Safety Data Sheet	 : (+44) 08007318888 : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44 (0) 1235 239 670 (This telephone number is available 24 hours per day, 7 days per week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms Signal word	:	No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023	SDS Numl 800001003	
		criteria. CLP crit	IEALTH HAZARDS: Not classified as a health hazard under CLP criteria. ENVIRONMENTAL HAZARDS: Not classified as environmental hazard according to Pria.
Preca	utionary statements	: Preven	on:
			lo precautionary phrases.
		Respor	Se:
			lo precautionary phrases.
		Storage	
			lo precautionary phrases.
		Dispos	I:
		-	No precautionary phrases.
Safety	v data sheet available o	on request.	
Sensit	tising components	: Contai	s calcium sulphonate.

Sensitising components : Contains calcium sulphonate. May produce an allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Highly refined mineral oils and additives.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.11	20.04.2023	800001003941	Print Date 21.04.2023
		extract, accordin Classification bar tion (EC) 1272/2 * contains one of (REACH registra 34), 64742-54-7 2119487077-29) 0 (01-211947129 72623-86-0 (01-2 2119474889-13) 9 (01-000002016 151006-60-9 (01	Sed on DMSO extract content < 3% (Regula- 008, Annex VI, Part 3, Note L). r more of the following CAS-numbers tition numbers): 64742-53-6 (01-2119480375- (01-2119484627-25), 64742-55-8 (01- , 64742-56-9 (01-2119480132-48), 64742-65- 99-27), 68037-01-4 (01-2119486452-34), 2119474878-16), 72623-87-1 (01- , 8042-47-5 (01-2119487078-27), 848301-69- 63-82), 68649-12-7 (01-2119527646-33), -2119523580-47), 163149-28-8 (01- , 64741-88-4 (01-2119488706-23), 64741-89-

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox. 1; H304	0 - 90
Sulphurised calcium phenate **	Not Assigned	Aquatic Chronic 4; H413	< 3
Calcium alkaryl sulphonate**	Not Assigned	Skin Sens. 1B; H317	< 0.99

Remarks

: ** polymer exempt.

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available.

According to EC No 1907/2006 as amended as at the date of this SDS

Vers 3.11	-	Revision Date: 20.04.2023		S Number: 0001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023
				If persistent irritation	on occurs, obtain medical attention.
	In case	of eye contact	:	Remove contact le rinsing.	bious quantities of water. enses, if present and easy to do. Continue on occurs, obtain medical attention.
	If swalld	owed	:		ment is necessary unless large quantities wever, get medical advice.
4.2	Most im	portant symptoms an	nd e	ffects, both acute	and delayed
	Sympto		:	Oil acne/folliculitis of black pustules a	signs and symptoms may include formation and spots on the skin of exposed areas. ult in nausea, vomiting and/or diarrhoea.
4.3 I	ndicatio	on of any immediate r	ned	lical attention and	special treatment needed
	Treatmo	ent	:	Notes to doctor/ph Treat symptomatic	
SEC	CTION !	5: Firefighting meas	sure	es	
51	Extingui	ishing media			
5.11	-	e extinguishing media	:		/ or fog. Dry chemical powder, carbon diox- may be used for small fires only.
	Unsuita media	ble extinguishing	:	Do not use water i	n a jet.
5.2	Special	hazards arising from	the	substance or mix	ture
	Specific fighting	hazards during fire-	:	A complex mixture gases (smoke). Carbon monoxide occurs.	stion products may include: e of airborne solid and liquid particulates and may be evolved if incomplete combustion ic and inorganic compounds.
5.3	Advice f	or firefighters			
	Special for firefi	protective equipment ghters	:	gloves are to be w large contact with Breathing Apparat a confined space.	equipment including chemical resistant forn; chemical resistant suit is indicated if spilled product is expected. Self-Contained us must be worn when approaching a fire in Select fire fighter's clothing approved to s (e.g. Europe: EN469).
	Specific ods	extinguishing meth-	:		measures that are appropriate to local cir- ne surrounding environment.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.11	20.04.2023	800001003941	Print Date 21.04.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.		
		Local authorities should be advised if significant spillages cannot be contained.		
3 Methods and material for containment and cleaning up				

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Vers 3.11	ion	Revision Date: 20.04.2023	-	S Number: 0001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023			
	Hygiene measures		:	: Exposure to this product should be reduced as low as reasor ably practicable. Reference should be made to the Health an Safety Executive's publication "COSHH Essentials".				
7.2 (Conditio	ons for safe storage, i	incl	uding any incomp	atibilities			
	Further age sta	information on stor- bility	 Keep container tightly closed and in a cool, well-ventilate place. Use properly labeled and closable containers. Store at ambient temperature. Refer to section 15 for any additional specific legislation ering the packaging and storage of this product. 		ed and closable containers. emperature. 5 for any additional specific legislation cov-			
				The storage of this Pollution (Oil Stora ance may be obtain office.	s product may be subject to the Control of age) (England) Regulations. Further guid- ined from the local environmental agency			
	Packag	ing material	:	Suitable material: steel or high densi Unsuitable materia				
	Contain	er Advice	:	: Polyethylene containers should not be exposed to high tem peratures because of possible risk of distortion.				
7.3 5	Specific	end use(s)						
	Specific	: use(s)	:	Not applicable				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.11	20.04.2023	800001003941	Print Date 21.04.2023

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.	
Hand protection			
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023	SDS Number: 800001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023
		depending on th	e glove make and model.
Skin a	nd body protection	work clothes.	is not ordinarily required beyond standard ce to wear chemical resistant gloves.
Respir	ratory protection	conditions of us In accordance w tions should be If engineering co tions to a level w select respirator cific conditions of Check with resp Where air-filterin priate combinati Select a filter su	vith good industrial hygiene practices, precau- taken to avoid breathing of material. ontrols do not maintain airborne concentra- vhich is adequate to protect worker health, by protection equipment suitable for the spe- of use and meeting relevant legislation. diratory protective equipment suppliers. The respirators are suitable, select an appro- on of mask and filter. ditable for combined particulate/organic gases (pe A/Type P boiling point > 65°C (149°F)]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Liquid at room temperature.		
Colour	:	amber		
Odour	:	Data not available		
Odour Threshold	:	Data not available		
pour point	:	-33 °C Method: ASTM D97		
Melting / freezing point		Data not available		
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)		
Flammability				
Flammability (solid, gas)	:	Not applicable		
Flammability (liquids)	:	Not classified as flammable but will burn.		
Lower explosion limit and upper explosion limit / flammability limit				

Upper explosion limit /	:	Typical 10 %(V)
upper flammability limit		

According to EC No 1907/2006 as amended as at the date of this SDS

Versi 3.11	on Revision Date: 20.04.2023		S Number: 0001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023
	Lower explosion limit / Lower flammability limi		Typical 1 %(V)	
ł	Flash point	:	219 °C Method: ASTM I	D92 (COC)
/	Auto-ignition temperature	:	> 320 °C	
[Decomposition temperature Decomposition tempera- ture		Data not availab	le
k	Н	:	Not applicable	
١	Viscosity Viscosity, dynamic	:	Data not availab	le
	Viscosity, kinematic	:	43 mm2/s (40.0 Method: ASTM I	
			7 mm2/s (100 °C Method: ASTM I	C) D445
	Solubility(ies) Water solubility	:	negligible	
	Solubility in other solven	its :	Data not availab	le
	Partition coefficient: n- octanol/water	:	log Pow: > 6 (based on inform	nation on similar products)
١	Vapour pressure	:	< 0.5 Pa (20 °C) estimated value	
F	Relative density	:	0.885 (15 °C)	
[Density	:	885 kg/m3 (15.0 Method: ASTM I	°C) D4052
F	Relative vapour density	:	> 5	
F	Particle characteristics Particle size	:	Data not availab	le
	ther information			
E	Explosives	:	Classification Co	ode: Not classified
(Oxidizing properties	:	Data not availab	le
F	Flammability (liquids)	:	Not classified as	flammable but will burn.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023	SDS Number: 800001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023		
•	pration rate	: Data not availal : This material is	ble not expected to be a static accumulator.		
SECTION 10: Stability and reactivity					

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Skin and eye contact are the primary routes of exposure alt-
exposure		hough exposure may occur following accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity :	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.
Acute inhalation toxicity :	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

sion 1	Revision Date: 20.04.2023	SDS Number: 800001003941		Date of last issue: 21.02.2023 Print Date 21.04.2023		
Skin	corrosion/irritation					
<u>Produ</u>	uct:					
Remarks		:	 Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as acne/folliculitis. Based on available data, the classification criteria are not m 			
Serio	us eye damage/eye irr	itati	on			
<u>Produ</u>	uct:					
Rema	arks	:	Slightly irritating Based on availab	to the eye. ble data, the classification criteria are not m		
Resp	iratory or skin sensitis	satio	on			
<u>Produ</u>	uct:					
Rema	arks	:	Not a sensitiser.	nd skin sensitisation: ble data, the classification criteria are not m		
Germ	cell mutagenicity					
<u>Produ</u>	uct:					
Geno	toxicity in vivo	:		utagenic ble data, the classification criteria are not m		
Germ sessn	cell mutagenicity- As- nent	:	This product doe categories 1A/1E	s not meet the criteria for classification in 3.		
Carci	nogenicity					
Produ	uct:					
Rema	ırks	:	Not a carcinoger Based on availat	n. ble data, the classification criteria are not m		
Rema	ırks	:	carcinogenic in a Highly refined mi	mineral oils of types shown to be non- nimal skin-painting studies. ineral oils are not classified as carcinogenic nal Agency for Research on Cancer (IARC)		
Carcir ment	nogenicity - Assess-	:	This product doe categories 1A/1E	is not meet the criteria for classification in 3.		
Mater				genicity Classification		

Material	GHS/CLP Carcinogenicity Classification			
Highly refined mineral oil	No carcinogenicity classification.			

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023	SDS Number: 800001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023
Repr	oductive toxicity		
Prod			
Effec	ts on fertility		t a developmental toxicant., Does not impair ed on available data, the classification criteria are
Repro sessr	oductive toxicity - As- nent	: This product categories 1/	does not meet the criteria for classification in \/1B.

STOT - single exposure

Product:

Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		

Product:

Remarks		Based on available data, the classification criteria are not met.
Remarks	•	

Aspiration toxicity

Product:

Not an aspiration hazard., Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product: Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product: Remarks :	Used oils may contain harmful impurities that have accumu- lated during use. The concentration of such impurities will

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023		DS Number: 00001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023	
			environment on c	uld be handled with caution and skin contact	
Remarks		:	Continuous contact with used engine oils has caused skin cancer in animal tests.		
Remarks		:	Slightly irritating to respiratory system.		
Remarks		:	Classifications by other authorities under varying regulator frameworks may exist.		
Remarks :		:	Unless indicated otherwise, the data presented is represe tive of the product as a whole, rather than for individual co ponent(s).		

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product:

According to EC No 1907/2006 as amended as at the date of this SDS

Versi 3.11	ion	Revision Date: 20.04.2023		OS Number: 0001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023
	Biodeg	radability	:	Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contains ponents that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund defini "A non-persistent oil is oil, which, at the time of shipment, co of hydrocarbon fractions, (a) at least 50% of which, by volum distills at a temperature of 340°C (645°F) and (b) at least 95% which, by volume, distils at a temperature of 370°C (700°F) w tested by the ASTM Method D-86/78 or any subsequent revis thereof."	
12.3	Bioaco	cumulative potential			
	Produc Bioacci	:t: umulation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4	Mobilit	ty in soil			
<u> </u>	Produc	<u>:t:</u>			
	Mobility	1	:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
				Remarks: Floats	on water.
12.5	Result	s of PBT and vPvB a	sse	ssment	
	Produc	st:			
	Assess	ment	:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB
12.6	Endoc	rine disrupting prope	ertie	S	
	Produc	<u>>t:</u>			
	Assess	ment	:	have endocrine dist 57(f) or Commission	ture does not contain components considered to rupting properties according to REACH Article on Delegated regulation (EU) 2017/2100 or ation (EU) 2018/605 at levels of 0.1% or higher.
	Assess	ment	:	have endocrine dist 57(f) or Commission	ture does not contain components considered to rupting properties according to REACH Article on Delegated regulation (EU) 2017/2100 or ation (EU) 2018/605 at levels of 0.1% or higher.
12.7	Other	adverse effects			
	Produc	<u>:t:</u>			
		nal ecological infor-	:		ne depletion potential, photochemical ozone crea- bbal warming potential.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023	SDS Number: 800001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023		
		Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use. Poorly soluble mixture. Causes physical fouling of aquatic organisms.			
			Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).		
		Mineral oil does not cause chronic toxicity to aquatic organisms at concentrations less than 1 mg/l.			

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product Recover or recycle if possible. : It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships. Contaminated packaging Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local legislation Waste catalogue : EU Waste Disposal Code (EWC): Waste Code : 13 02 05*

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version	Revision Date: 20.04.2023	SDS Number:	Date of last issue: 21.02.2023
3.11		800001003941	Print Date 21.04.2023
Rema	arks	user. Disposal shoul	of waste is always the responsibility of the end d be in accordance with applicable regional, ocal laws and regulations.

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ		Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ		Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ		Not regulated as a dangerous good		
14.5 Environmental hazards				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
14.6 Special precautions for user				
Remarks	:	Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.		

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Revisi
20.04.2

on Date: SDS Number: 2023 800001003941

Date of last issue: 21.02.2023 Print Date 21.04.2023

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

REACH	:	Not established.
-------	---	------------------

TSCA : Notified with Restrictions.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.11	20.04.2023	800001003941	Print Date 21.04.2023

SECTION 16: Other information

Full text of H-Statements			
H304	:	May be fatal if swallowed and enters airways.	
H317	:	May cause an allergic skin reaction.	
H413	:	May cause long lasting harmful effects to aquatic life.	
Full text of other abbreviations			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Asp. Tox.	:	Aspiration hazard	
Skin Sens.	:	Skin sensitisation	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
ACGIH / TWA	:	8-hour, time-weighted average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice

: Provide adequate information, instruction and training for operators.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Rimula R3 10W (CF)

Version 3.11	Revision Date: 20.04.2023		DS Number: 00001003941	Date of last issue: 21.02.2023 Print Date 21.04.2023
Other information		:	 No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous s stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contain have been integrated into the core sections 1-16 of this SI A vertical bar (I) in the left margin indicates an amendmen 	
			from the previous version.	
	es of key data used to le the Safety Data	:	sources of information Health Services, r	are from, but not limited to, one or more ation (e.g. toxicological data from Shell naterial suppliers' data, CONCAWE, EU e, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN