

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Car Scents Beverly Hills Berga-

mo

Alternative number(s) 5020144230229, 5020144229599, 5020144230212,

091400041915, 5020144229933, 091400000486

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd. Sword House Totteridge Road High Wycombe HP13 6DG United Kingdom

Telephone: +44(0)88000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	skin sensitisation	1	Skin Sens. 1	H317

United Kingdom: en Page: 1 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Replaces version of: 2023-04-25 (GHS 3)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word warning

- Pictograms

GHS07, GHS09



- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing mist/vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

Benzyl salicylate, Lime (Citrus aurantifolia), ext.,
Lime Terpenes, Aldehyde C12 MNA

Labelling of packages where the contents do not exceed 125 ml

- Signal word warning

United Kingdom: en Page: 2 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

- Hazard pictogram(s)

Warning. GHS07, GHS09

509

- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing mist/vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with national regulations.

- Contains Benzyl salicylate, Lime (Citrus aurantifolia), ext., Lime Terpenes, Aldehyde C12 MNA

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzyl salicylate	CAS No 118-58-1 EC No 204-262-9	10 - < 25	Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	!

United Kingdom: en Page: 3 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Replaces version of: 2023-04-25 (GHS 3)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hexamethylindanopyran	CAS No 1222-05-5	10-<25	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	***
	EC No 214-946-9			•
	Index No 603-212-00-7			
Lime (Citrus aurantifolia), ext.	CAS No 90063-52-8 EC No 290-010-3	5-<10	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
	51511			<u> </u>
Lime Terpenes	CAS No 68917-71-5	1-<5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
Dihydromyrcenol	CAS No 18479-58-8 EC No 242-362-4	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H336	<u>(1)</u>
Vanillin	CAS No 121-33-5	1-<5	Eye Irrit. 2 / H319	
	EC No 204-465-2			·
Aldehyde C12 MNA	CAS No 110-41-8	<1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aguatic Acute 1 / H400	<u>(!)</u>
	EC No 203-765-0		Aquatic Active 17 H400 Aquatic Chronic 1 / H410	V V

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

United Kingdom: en Page: 4 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

United Kingdom: en Page: 5 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

United Kingdom: en Page: 6 / 26





acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Replaces version of: 2023-04-25 (GHS 3)

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Benzyl salicylate	118-58-1	DNEL	7.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl salicylate	118-58-1	DNEL	2.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexamethylindan- opyran	1222-05-5	DNEL	13.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexamethylindan- opyran	1222-05-5	DNEL	36.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Lime (Citrus auranti- folia), ext.	90063-52-8	DNEL	18.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Lime (Citrus auranti- folia), ext.	90063-52-8	DNEL	5.34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Lime (Citrus auranti- folia), ext.	90063-52-8	DNEL	185.8 μg/ cm²	human, dermal	worker (industry)	acute - local effects
Lime Terpenes	68917-71-5	DNEL	18.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Lime Terpenes	68917-71-5	DNEL	5.34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Lime Terpenes	68917-71-5	DNEL	185.8 μg/ cm²	human, dermal	worker (industry)	acute - local effects

United Kingdom: en Page: 7 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Dihydromyrcenol	18479-58-8	DNEL	24.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C12 MNA	110-41-8	DNEL	36.89 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C12 MNA	110-41-8	DNEL	352.6 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Aldehyde C12 MNA	110-41-8	DNEL	92.21 mg/ m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Aldehyde C12 MNA	110-41-8	DNEL	881.6 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
Aldehyde C12 MNA	110-41-8	DNEL	10.46 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C12 MNA	110-41-8	DNEL	100 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl salicylate	118-58-1	PNEC	0.0103 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Benzyl salicylate	118-58-1	PNEC	80 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.583 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.058 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

United Kingdom: en Page: 8 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl salicylate	118-58-1	PNEC	1.41 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Hexamethylindan- opyran	1222-05-5	PNEC	6.8 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Hexamethylindan- opyran	1222-05-5	PNEC	0.44 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Hexamethylindan- opyran	1222-05-5	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hexamethylindan- opyran	1222-05-5	PNEC	2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Hexamethylindan- opyran	1222-05-5	PNEC	0.394 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Hexamethylindan- opyran	1222-05-5	PNEC	1.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Lime (Citrus auranti- folia), ext.	90063-52-8	PNEC	5.4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Lime (Citrus auranti- folia), ext.	90063-52-8	PNEC	0.54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Lime (Citrus auranti- folia), ext.	90063-52-8	PNEC	2.1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Lime (Citrus auranti- folia), ext.	90063-52-8	PNEC	1.3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Lime (Citrus auranti- folia), ext.	90063-52-8	PNEC	0.13 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Lime (Citrus auranti- folia), ext.	90063-52-8	PNEC	0.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Lime Terpenes	68917-71-5	PNEC	5.4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Lime Terpenes	68917-71-5	PNEC	0.54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Lime Terpenes	68917-71-5	PNEC	2.1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Lime Terpenes	68917-71-5	PNEC	1.3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Lime Terpenes	68917-71-5	PNEC	0.13 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

United Kingdom: en Page: 9 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Lime Terpenes	68917-71-5	PNEC	0.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	111 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Dihydromyrcenol	18479-58-8	PNEC	27.8 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Vanillin	121-33-5	PNEC	0.118 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Vanillin	121-33-5	PNEC	0.012 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Vanillin	121-33-5	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Vanillin	121-33-5	PNEC	58.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Vanillin	121-33-5	PNEC	5.822 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Vanillin	121-33-5	PNEC	11.54 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Aldehyde C12 MNA	110-41-8	PNEC	0.66 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C12 MNA	110-41-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C12 MNA	110-41-8	PNEC	0.265 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

United Kingdom: en Page: 10 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Replaces version of: 2023-04-25 (GHS 3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Aldehyde C12 MNA	110-41-8	PNEC	26.5 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C12 MNA	110-41-8	PNEC	52.6 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 11 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	green
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	130 °C at 1,030 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	64 °C
Auto-ignition temperature	259 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

Vapour pressure	170.9 Pa at 25 °C
-----------------	-------------------

Density and/or relative density

United Kingdom: en Page: 12 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Replaces version of: 2023-04-25 (GHS 3)

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom: en Page: 13 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl salicylate	118-58-1	LC50	1.03 ^{mg} / _l	fish	96 h
Benzyl salicylate	118-58-1	EC50	1.21 ^{mg} / _l	aquatic invertebrates	24 h

United Kingdom: en Page: 14 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl salicylate	118-58-1	ErC50	1.29 ^{mg} / _l	green algae (Selen- astrum capricornutum)	72 h
Benzyl salicylate	118-58-1	NOEC	0.894 ^{mg} / _l	aquatic invertebrates	48 h
Hexamethylindan- opyran	1222-05-5	LC50	0.95 ^{mg} / _l	fish	96 h
Hexamethylindan- opyran	1222-05-5	EC50	0.194 ^{mg} / _l	aquatic invertebrates	48 h
Hexamethylindan- opyran	1222-05-5	ErC50	>0.854 ^{mg} / _l	green algae (Selen- astrum capricornutum)	72 h
Hexamethylindan- opyran	1222-05-5	NOEC	0.201 ^{mg} / _l	green algae (Selen- astrum capricornutum)	72 h
Lime (Citrus aurantifo- lia), ext.	90063-52-8	LL50	>18 ^{mg} / _l	fish	96 h
Lime (Citrus aurantifo- lia), ext.	90063-52-8	EL50	5 ^{mg} / _l	aquatic invertebrates	48 h
Lime (Citrus aurantifo- lia), ext.	90063-52-8	NOELR	2.2 ^{mg} / _l	aquatic invertebrates	48 h
Lime Terpenes	68917-71-5	LL50	>18 ^{mg} / _I	fish	96 h
Lime Terpenes	68917-71-5	EL50	5 ^{mg} / _l	aquatic invertebrates	48 h
Lime Terpenes	68917-71-5	NOELR	2.2 ^{mg} / _l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	LC50	27.8 ^{mg} / _l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 ^{mg} / _l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 ^{mg} / _I	green algae (Selen- astrum capricornutum)	72 h
Dihydromyrcenol	18479-58-8	NOEC	<3.5 ^{mg} / _l	fish	96 h
Dihydromyrcenol	18479-58-8	LOEC	50 ^{mg} / _l	green algae (Selen- astrum capricornutum)	72 h
Vanillin	121-33-5	LC50	57 ^{mg} / _l	fish	96 h
Vanillin	121-33-5	EC50	36.79 ^{mg} / _l	aquatic invertebrates	48 h
Vanillin	121-33-5	ErC50	120 ^{mg} / _l	green algae (Selen- astrum capricornutum)	72 h
Vanillin	121-33-5	NOEC	26.8 ^{mg} / _l	aquatic invertebrates	48 h

United Kingdom: en Page: 15 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Aldehyde C12 MNA	110-41-8	LC50	>0.46 ^{mg} / _I	fish	24 h
Aldehyde C12 MNA	110-41-8	EC50	0.21 ^{mg} / _l	aquatic invertebrates	48 h
Aldehyde C12 MNA	110-41-8	ErC50	0.18 ^{mg} / _l	green algae (Selen- astrum capricornutum)	72 h
Aldehyde C12 MNA	110-41-8	NOEC	0.11 ^{mg} / _l	fish	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl salicylate	118-58-1	EC50	1.21 ^{mg} / _l	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	LC50	4.34 ^{mg} / _l	aquatic invertebrates	24 h
Hexamethylindan- opyran	1222-05-5	LC50	>0.14 ^{mg} / _l	fish	36 d
Hexamethylindan- opyran	1222-05-5	EC50	0.282 ^{mg} / _l	aquatic invertebrates	21 d
Hexamethylindan- opyran	1222-05-5	NOEC	0.068 ^{mg} / _l	fish	36 d
Hexamethylindan- opyran	1222-05-5	LOEC	0.075 ^{mg} / _l	aquatic invertebrates	5.5 d
Lime Terpenes	68917-71-5	EL50	15 ^{mg} / _l	aquatic invertebrates	24 h
Dihydromyrcenol	18479-58-8	EC50	17 ^{mg} / _l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	NOEC	9.5 ^{mg} / _l	aquatic invertebrates	21 d
Vanillin	121-33-5	EC50	24 ^{mg} / _l	aquatic invertebrates	21 d
Vanillin	121-33-5	LOEC	18 ^{mg} / _l	aquatic invertebrates	21 d
Vanillin	121-33-5	NOEC	10 ^{mg} / _l	aquatic invertebrates	21 d
Aldehyde C12 MNA	110-41-8	NOEC	33 ^{µg} / _l	aquatic invertebrates	21 d
Aldehyde C12 MNA	110-41-8	LOEC	59 ^{µg} / _l	aquatic invertebrates	21 d

United Kingdom: en Page: 16 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Benzyl salicyl- ate	118-58-1	oxygen deple- tion	93 %	28 d		ECHA
Hexamethyl- indanopyran	1222-05-5	carbon dioxide generation	1 %	28 d		ECHA
Dihydromyrcen- ol	18479-58-8	carbon dioxide generation	72 %	28 d		ECHA
Dihydromyrcen- ol	18479-58-8	DOC removal	100 %	28 d		ECHA
Aldehyde C12 MNA	110-41-8	oxygen deple- tion	11 %	2 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	ВСБ	Log KOW	BOD5/COD
Benzyl salicylate	118-58-1		4 (35 °C)	
Hexamethylindanopyran	1222-05-5	1,635	5.3 (pH value: 7, 25 °C)	
Lime (Citrus aurantifolia), ext.	90063-52-8		3.33 - 7.12	
Lime Terpenes	68917-71-5		3.33 - 7.12	
Dihydromyrcenol	18479-58-8	64.8	3.25 (pH value: 7, 40 °C)	
Vanillin	121-33-5		1.29 - 1.33	
Aldehyde C12 MNA	110-41-8		4.9 (35 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

United Kingdom: en Page: 17 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

JN number or ID number	
DR/RID	UN 3082
MDG-Code	UN 3082
CAO-TI	UN 3082
JN proper shipping name	
DR/RID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
MDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
CAO-TI	Environmentally hazardous substance, liquid, n.o.s.
echnical name (hazardous ingredients)	Hexamethylindanopyran, Lime (Citrus aurantifolia), ext.
ransport hazard class(es)	
DR/RID	9
MDG-Code	9
CAO-TI	9
acking group	
DR/RID	III
MDG-Code	III
CAO-TI	III
	MDG-Code CAO-TI N proper shipping name DR/RID MDG-Code CAO-TI echnical name (hazardous ingredients) ransport hazard class(es) DR/RID MDG-Code CAO-TI acking group DR/RID MDG-Code

United Kingdom: en Page: 18 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

14.5 Environmental hazards

hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment)

Hexamethylindanopyran, Lime (Citrus aurantifolia),

ext.

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7

IATA: special provision A197, DOT

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Particulars in the transport document UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., (contains: Hexamethylindanopyran, Lime (Citrus aurantifolia), ext.), 9, III,

(-)

Classification code M6

Danger label(s) 9, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) Hazard identification No 90
Emergency Action Code 32

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code M6

Danger label(s) 9, fish and tree

United Kingdom: en Page: 19 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)



Environmental hazards yes (hazardous to water)
Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Hazard identification No 90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., (contains: Hexamethylindanopyran, Lime (Citrus aurantifolia), ext.), 9, III

Marine pollutant yes (hazardous to the aquatic environment) (Hexamethylindan-

opyran)

Danger label(s) 9, fish and tree



Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F
Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, li-

quid, n.o.s., (contains: Hexamethylindanopyran,

Lime (Citrus aurantifolia), ext.), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

United Kingdom: en Page: 20 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Hexamethylindanopyran		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
California Scents Car Scents Beverly Hills Bergamot	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3
Lime (Citrus aurantifolia), ext.	flammable / pyrophoric		40
Lime Terpenes	flammable / pyrophoric		40

United Kingdom: en Page: 21 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Revision: 2023-09-11 Version number: GHS 4.1 Replaces version of: 2023-04-25 (GHS 3)

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL) CICR

CSCL-ENCS

DSL

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS) KECI

Korea Existing Chemicals Inventory National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) NCI NZIoC

PICCS

REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

United Kingdom: en Page: 22 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances

United Kingdom: en Page: 23 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Version number: GHS 4.1 Replaces version of: 2023-04-25 (GHS 3)

Abbr.	Descriptions of used abbreviations
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of
LLSO	the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NOELR	No Observed Effect Loading Rate
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

United Kingdom: en Page: 24 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11

Replaces version of: 2023-04-25 (GHS 3)

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

United Kingdom: en Page: 25 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Beverly Hills Bergamot

Version number: GHS 4.1 Revision: 2023-09-11 Replaces version of: 2023-04-25 (GHS 3)

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 26 / 26