

Printing date 27.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR
Article number: 02103000 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Consumer uses: Private households / general public / consumers Professional uses Coating Uses advised against None
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> Product safety <i>E-mail: erp@sonax.de</i> Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
 1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT **vPvB**:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures Description: Formulation of oil and additives.

(Contd. on page 2)

⁻ GB



Printing date 27.03.2023

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR

		(Contd. of page 1)
Dangerous components:			
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27-xxxx	White mineral oil, petroleum	🚸 Asp. Tox. 1, H304	50 - <75%
Additional information: For the	wording of the listed hazard phrases rea	fer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures
General information: No special measures required.
After inhalation: No special measures required
After skin contact: Wash the areas of skin affected with water and a mild detergent.
After eye contact: Rinse opened eye for several minutes under running water.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide Water spray For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Sulphur dioxide (SO2) 5.3 Advice for firefighters Protective equipment: The normal measures for firefighting are to be taken. Do not inhale explosion gases or combustion gases. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel
The usual precautionary measures are to be adhered to when handling chemicals.
For emergency responders
The usual precautionary measures are to be adhered to when handling chemicals.
6.2 Environmental precautions:
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
6.4 Reference to other sections
See Section 7 for information on safe handling.
(Contd. on page 3)

GB



Printing date 27.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

(Contd. of page 2)

Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor. **Information about storage in one common storage facility:**

Store away from foodstuffs. Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
CAS: 8042-47-5 White mineral oil, petroleum		
Oral	DNEL	40 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	92 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		220 mg/kg bw/day (worker) (long-term exposure - systemic effects)
Inhalative	DNEL	35 mg/m ³ (consumer) (long-term exposure - systemic effects)
	DNEL	160 mg/m³ (worker) (long-term exposure - systemic effects)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required in normal cases

Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical p	properties
General Information	
Physical state	Fluid
Colour:	Opaque
Odour:	Odourless
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	>300 °C
Flammability	Combustible liquid.
Lower and upper explosion limit	
Lower:	Not determined.

(Contd. on page 4)

- GB



Printing date 27.03.2023

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR

	(Contd. of page
Upper:	Not determined.
Flash point:	>150 °C (CAS: 8042-47-5 White mineral oil,
	petroleum)
Decomposition temperature:	Not determined.
ρΗ	Not applicable.
Viscosity:	
Kinematic viscosity at 40 °C	>20.5 mm²/s
	~20.5 mm /5
Solubility	Not missible or difficult to mix
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.84-0.85 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	T luid
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	3
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void
Desensused explosives	

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB



Printing date 27.03.2023

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR

(Contd. of page 4) LD/LC50 values relevant for classification: CAS: 8042-47-5 White mineral oil, petroleum Oral LD50 >5,000 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rabbit) Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Viscosity: > 20,5mm²/s (40°C) Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects. None of the ingredients is listed.

SECTION 12: Ecological information 12.1 Toxicity There are no ecotoxicological data available on this mixture. Aquatic toxicity: CAS: 8042-47-5 White mineral oil, petroleum NOFI R >100 mg/l (Pseudokirchneriella subcapitata) (OECD 201) LC50 / 96h >1,000 mg/l (Leuciscus idus) (OECD 203) EC50 / 48h >100 mg/l (daphnia) NOEC/NOEL ≥100 mg/l (fish) (96h) ≥100 mg/l (algae) (72h) ≥100 mg/l (daphnia) (48h) 12.2 Persistence and degradability CAS: 8042-47-5 White mineral oil, petroleum Biodegradation >60 % (28d (OECD 301B)) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB 12.6 Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment. 12.7 Other adverse effects Additional ecological information:

General notes: The product may not be released into the environment without control.



Printing date 27.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR

(Contd. of page 5)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations. **European waste catalogue**

1) Disposal / product

2) Disposal / contaminated packaging

12 01 99 wastes not otherwise specified

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB



Printing date 27.03.2023

Version: 4.00 (replaces version 3.03)

Revision: 04.01.2022

Trade name: SONAX PROFILINE PLASTIC PROTECTANT EXTERIOR

(Contd. of page 6)

SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.	
Relevant phrases	
H304 May be fatal if swallowed and enters airways.	
Version number of previous version: 3.03	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the	
International Transport of Dangerous Goods by Rail) DGR: Przepisy dotyczące towarów niebezpiecznych - Dangerous Goods Regulations by IATA	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
NOEL = No Observed Effect Level	
NOEC = No Observed Effect Concentration	
LC = letal Concentration	
EC50 = half maximal effective concentration	
log POW = Octanol / water partition coefficient	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
ATE: acute toxicity estimate	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (UK REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
IOELV = indicative occupational exposure limit values	
Asp. Tox. 1: Aspiration hazard – Category 1	
* Data compared to the previous version altered.	
	— GB